BUILDING MATERIAL Millwork-Lumber-Roofing

Mantels and Fireplace rumishings

Free exhibits of Building Material, Millwork and Roofing in these eastern cities:

New York, N. Y.

Washington, D. C.


Philadelphia, Pa.

Pittsburgh, Pa.

Newark, N. J.

Sears, Roebuck and Co.

Philadelphia




Modernize Your flome

for Beauty - Convenience and Profit

INDEX See Page 7

EMODELING the old home has many

WILLWORK



Our Building Material

THESE are reproductions of actual photographs taken for the purpose of giving our customers a better idea of the tremendous stocks carried at our lumber mills and millwork factories IN READINESS TO SHIP AT ONCE. Here you will find a larger stock of building material than will be found carried by any retail dealer.

ABOVE—MODERN HOMES DIVISION

As shown in pictures, our millwork is carefully stored in dampproof, dirtproof buildings, assuring our customers of receiving only bright, clean stock. Here you will find about 100,000 Doors, over 150,000 Windows, millions of feet of hard and soft wood Moldings and Columns, Newels, Stair and Porch Material; also Flooring in equally large quantities.



A birdseye view of
our 17-Acre
Millwork
Factory in
Ohio.


LEFT—DOOR WAREHOUSE

> RIGHT—ORDER PRICING DIVISION

ABOVE-BUILT-UP COLUMN WAREHOUSE


Write us about the building you intend to do. We will answer your letters promptly and intelligently.

When you write us about a plan or an estimate, your business will be attended to by an EFFICIENT ORGANIZATION anxious*to serve you. We employ architects, draftsmen, estimators, pricers and correspondents to insure you the lowest prices and the best possible service. Our Book of Modern Homes (see inside back cover) shows many styles of houses suitable for every section of the country. Every design has been proved a success.



Factories and Offices

VERY day hundreds of orders for materials and requests for plans and estimates come from all parts of the country. Efficient workers give every kind of service. We have the largest organization of its kind in the world. Our architects, draftsmen and expert women advisers have mastered home building problems.



ABOVE—ESTIMATING DIVISION


LEFT—A birdseye view of our huge Newark, N. J., Lumber and Millwork Plant. It covers a total of 40 acres, connecting with railroad terminals and ocean going freighters. The plant consists of fourteen manufacturing buildings and has the latest and most efficient modern machinery. Good service is assured, because the plant has a capacity of 100,000,000 feet of lumber per annum.



LEFT-MOLDING WAREHOUSE

RIGHT— MODERN HOMES DIVISION





These modern facilities and mammoth stocks make it possible for us to furnish you EXTRA GOOD QUALITY and EXTRA QUICK SERVICE, while our prices enable you to make A SUBSTANTIAL SAVING.

LEFT—A BIRDS-EYE VIEW OF OUR BIG 40-ACRE LUM-BER PLANT IN ILLINOIS



ABOVE-WINDOW WAREHOUSE

Our Guarantee Protects You. See Guarantee on Back Cover.



Our Terms

1-Cash in full with order. You need not hesitate about sending us the full purchase price. If we do not satisfy you in quality, service and saving, send back the material and we will return your money, together with any freight charges you paid.

2-Pay for the material as the building goes up. If you are building by an arrangement with a bank or building and loan association, we will ship the material to you upon receipt of a letter from the bank or the building and loan association stating that payments for the material will be made at certain periods as the work progresses.

3-No cash with order. If you want to examine the materials before paying you can deposit the full purchase price in your local bank, and send us the certificate of deposit stating that the money will be paid to Sears, Roebuck and Co. after you have examined the material and find it to be satisfactory.

If you are going to build a complete house, write for our EASY PAYMENT PLAN. See inside back cover.

Sectional View Millwork Warehouse

SAMULATION TO THE PARTY OF THE

Care in Packing

No concern takes better care in packing and crating material than we do. A tough grade of paper is used to cover our doors, balusters, newels, etc. All exposed parts are carefully protected by sound ½-inch lumber which will stand the rough handling in transit. All our millwork products are clean and bright.

Ouick Delivery

We have unexcelled facilities for making prompt shipments. See sectional view of our Millwork Factory on this page. We always have plenty of all stock items on hand ready for immediate shipment.

Where We Ship From

All millwork in this catalog, unless otherwise stated, will be shipped from our own factory in NEWARK, N. J., interior sections of which we show on this and on pages 2 and 3. Note how material is shipped direct in box cars, promptly upon receipt of your order. See illustration on this page. We do not pay transportation charges on lumber or millwork.

Freight Rates

Freight rates on building material are low to almost every section of the country. (See "Freight Rates on Millwork" on pages 63 and 64 of this catalog for charges to the principal points in the state you live in.) You can figure from the information on the yellow sheet just how much you will have to pay on any bill of material. Prices in this book do not include transportation charges. Delivered prices quoted on request.

How to Order

Write out your order on the Special Millwork Order blank enclosed in this catalog or on a plain sheet of paper. Be sure to give the numbers shown in catalog; also sizes and quantity required. Always give width first.

We will figure your bill of material for you, with freight paid to your station, on request. We know we can save you money.

Sizes, Grades and Weights

All our millwork is guaranteed to be exactly as represented. The sizes listed in this catalog are standard sizes. They are the same sizes handled by all of the leading manufacturers in the country. We give the approximate shipping weights on doors, windows, etc. Approximate molding weights are shown on molding pages.

Unless otherwise stated, all millwork is shipped in the white, that is, without paint or varnish.

Made to Order Goods

100,000 DOORS

150.000 WINDOWS

40 CARS STAIR MATERIAL

.000 COLUMNS &

100 CARS MOLDING

You can save extra money and get your millwork quicker by ordering stock items. If you must have "Made to the goods, remember that they will constant they will be constant.

building material at least thirty days in advance of the date he intends to use it. Do not wait until the last moment. Place your order early.



The best way to investigate the facts about our "Honor Bill" millwork is to talk to those who use it. The next best way is to read some of the letters written by these users. They serve as a reliable guide to all who are interested in getting-the highest quality millwork at the lowest possible briess.



Customers Are Enthusiastic~ Enthusiastic Too

When you find you have purchased equal quality for less money, or better quality for the same money, you are naturally well pleased. But when you receive better quality for less money, you are sure to be enthusiastic. It is only natural that our customers should feel the same way

These testimonials from enthusiastic customers—a few of many bespeak savings so large, and a degree of satisfaction so great that they are most convincing. Buy from the pages of this book, and when your purchases arrive, you, too, will be just as enthusiastic.

Saved \$2,000.00

I saved at least \$2,000.00. My builder did not have the slightest trouble, and he remarked that in all his careerhe had never handled such wonderful lumber.

FRANK R. RYNEX

Finest **Materials**

The material received was of the finest, better than could be obtained locally. I can highly recommend your company for fair and square dealing.

OSCAR W. SWANSON

Saved \$800.00

We are well satisfied with our home, and can honestly say that we saved at least \$800.00.

Our dealings with your company have been very satisfactory in every respect, and recommend you to anyone who intends to build.

ADOLPH TRINKLE

Our Millwork Unexcelled

I can get local mills to verify the statement that your millwork cannot be excelled.

"Guaranteed to Satisfy" is carried out to the fullest extent. GLENN C. REITER

Materials Are of Finest Quality

We are thoroughly pleased. We have a home which is admired by all who see it. The material furnished by Sears, Roebuck and Co. was of the finest quality throughout, and I do not feel that same could have been duplicated elsewhere. We wish to thank you for your cooperation during construction.

Yours truly, CLINTON A. ROBERTS

C. B. MANBECK, General Manager. STANDARD OIL COMPANY C. W. CLARK, Asst. Gen. Mgr. Coal Mining Department Sears, Roebuck and Co. Gentlemen: The 200 houses you supplied for us at Carlinville, Wood River for us at Carlinville, wood kiver and Schoper, Illinois, are now factory in every detail satisquality in every detail. The dionally good. We are able to offer these houses to our workmen at very low prices.

Standard Oil Company Commenter

"Never Saw Nicer Floor"-Says Carpenter

In regards to material, I don't think you can get its equal around here. The carpenter who did my finish work said he never saw a nicer floor than mine-and him a man with 30 years of building experience. ANDREW HORNE

Saved \$500.00-Got Better **Material**

We believe that we at least saved \$500.00 on our house besides getting much better material than could possibly have been purchased locally. JOHN H. TOMPKINS

Best Materials He Ever Used

The lumber, millwork, doors, windows, hardware and plaster board were the best materials I have worked for years. I have not found anything to beat it for smoothness and quality. JOHN W. PARKER.

Millwork as Good Today as When Bought 14 Years Ago

About 14 years ago I purchased through your Chicago house seven Birch doors, 2'6"x6'6", laminated, a pair of leaded glass cupboard-doors and enough Maple Flooring to finish 4 rooms and hallway in a farm house I was remodeling. The whole lot cost me less delivered than the flooring alone would have, purchased locally. I had occasion to visit the present owner a few weeks ago and found the woodwork looking as good as the day it was installed. I can recom-mend your lumber and millwork with strongest praise to anyone.

F. B. ENGLER

Saved \$1,500.00

The quality of the material you provided was excellent and I feel I saved \$1,500.00 over what it would have cost me elsewhere.

FRED A. BRISTOL

Not One Flaw

You can print all you wish as to the good quality and the saving of your building material. In the whole amount I got there was not one

in Material

R. M. FLAIG

Prompt Service

We wish to thank you for your very prompt service, in sending Millwork and Hardware. I am well pleased with everything. Surely are glad we could make a saving of \$177.78 buying from Sears, Roebuck and Co. The doors are very satisfactory.

MRS. J. B, KEEFER

Saved \$500.00

Your finishing materials cannot be beat at any price. We have talked over the saving and we think we saved no less than \$500.00 on the lumber, millwork, plumbing fixtures, light fixtures and paint.

JAMES G. FICKES

"Millwork First Class"_ Says Carpenter

I take great pleasure in stating that the millwork I received from you last fall was first class in every respect.

I would recommend it to all. I am a carpenter myself, therefore I know. CHARLES A. LYON

Addresses furnished upon request.

Efficient Estimates Given FREE

Let our estimators (who are experts) figure your bills of material. We do not charge for this service—it is FREE. No obligations. No expense.

By glancing over the pages of this book, you will see it contains a very complete assortment of high grade Building Material. This book places before you, practically everything required to build a house, garage or a barn at strictly factory prices, eliminating the middleman's profits. Our low prices will make you a substantial saving.

You can make your selection of latest designs direct from these pages and make a big saving. We are justly proud of the quality of every item. There is no better quality made. This statement is backed by our binding guarantee, fully outlined on the back cover.

If, however, you find it necessary to have someone make up a list of material for you, and you are not able to price it from this catalog, or you want a price delivered to your station, send your plans and specifications, or a list of the lumber, millwork, roofing, hardware, paint, electric wiring, etc., to Sears, Roebuck and Co., for our FREE estimate. You will be sure to get factory prices on your bill of material!

Whether you plan to build, remodel or repair a home, garage or any type of building, it will pay you to take advantage of our FREE BUILDERS' SERVICE. This service includes the advice of the following staff of experts:

This service includes the advice of the following staff of experts:

Lumber Expert—Who is posted on every kind and grade of lumber and can tell you which is the best suited for your purpose.

Millwork Expert—Who can tell you the designs in doors, windows, moldings, etc., that will harmonize with the style of building you have planned and save you money at the same time.

Roofing Expert—Who can advise you technically, and otherwise, regarding the roofing, guttering, etc., for your building.

Construction Expert—Who carefully checks your lists of material to see that they are correct in every detail.

Expert Estimators—Who finally check everything to see that it is absolutely right for specifications, grade, best values and rock-bottom prices.

Put your building problems up to these experts. Whatever type of building you propose you can use our FREE SERVICE to advantage. We are prepared to serve you on any job. Satisfaction guaranteed.



Above — Estimating Division. Other departments not shown include: Pricing, building material, draughting, manufacturing, purchasing, etc.





A THE STATE OF THE	PAGE
Andirons	59
Ash Dumps	59
Asphalt Roofing	65-68
Astrogale	36
Astragals	30
Attic Basii, Glazeu	50
D Marin	
Dack Band 36	39 40
Dack Band	47
Balusters, Stair Baluster Stock Barn Battens	45
Barn Sash	30
Barn Sash Base Blocks Base Knobs Bathroom Cabinets	37
Base Knobs	76
	00
Bathroom Hardware Bathroom Outfits Battens Blind Stop Boards Bookcases Bookcases Colonnades Breakfast Alcoves Brick Mantels	77
Battens	.35, 86
Blind Stop	35
Bookcases	83-86
Bookcase Colonnades	50
Breakfast Alcoves	56
Brick Mantels	58
Buffets Molding	35
Builders' Hardware 24. 25	76-79
Brick Molding Brick Molding Buffets Builders' Hardware 24, 25 Building Paper	69
Carabinets, Kitchen52	2-54, 57
Cap Molding	71
Carpet Strips	36
Casement Sash	25
Cuscincia Dasii	25
Casement Window Frames	34
Casement Window Frames Casement Window Hardware. Cedar Closet Lining	25
Casement Window Frames Casement Window Hardware. Cedar Closet Lining Ceiling, Metal	25 25 56 .74, 75
Casement Window Frames Casement Window Hardware. Cedar Closet Lining Ceiling, Metal Ceiling, Fir and Hemlock	25 34 25 56 .74, 75
Casement Window Frames. Casement Window Hardware. Cedar Closet Lining. Ceiling, Metal. Ceiling, Fir and Hemlock. Cellar Sash, Glazed.	25 34 25 56 .74, 75 84 30
Casement Window Frames Casement Window Hardware. Cedar Closet Lining. Ceiling, Metal Ceiling, Fir and Hemlock. Cellar Sash, Glazed Cellar Sash Frames. China Cases, Corner.	25 34 25 56 .74, 75 84 30 34
Casement Window Frames. Casement Window Hardware. Cedar Closet Lining. Ceiling, Metal. Ceiling, Fir and Hemlock. Cellar Sash, Glazed. Cellar Sash Frames. China Cases, Corner. China Cases, Hanging.	25 34 25 56 74, 75 84 30 34 49
Casement Window Frames. Casement Window Hardware. Cedar Closet Lining. Ceiling, Metal. Ceiling, Fir and Hemlock. Cellar Sash, Glazed. Cellar Sash Frames. China Cases, Corner. China Cases, Hanging. China Closets.	25 34 25 56 84 30 34 49
Casement Window Frames. Casement Window Frames. Cedar Closet Lining. Ceiling, Metal. Ceiling, Fir and Hemlock. Cellar Sash, Glazed. Cellar Sash Frames. China Cases, Corner. China Cases, Hanging. China Closets China Closets China Closets China Closets China Closets China Closets	25 25 56 .74, 75 84 30 49 49 49
Caps, Eaves Trough. Caps, Eaves Trough. Cap Molding Carpet Strips Casement Sash Casement Window Frames. Casement Window Hardware. Cedar Closet Lining. Ceiling, Metal. Ceiling, Fir and Hemlock Cellar Sash, Glazed. Cellar Sash, Frames. China Cases, Corner. China Cases, Hanging. China Closets China Closets Colonial Balusters	25 25 56 .74, 75 30 49 49 49 48 30
Casement Window Frames. Casement Window Hardware. Cedar Closet Lining. Ceiling, Metal. Ceiling, Fir and Hemlock Cellar Sash, Glazed Cellar Sash, Gorner China Cases, Corner China Cases, Hanging China Closets China Closet Sash Coal Chutes Colonial Balusters Colonial Columns.	
Colonial Columns	.46, 47
Colonial Columns. Colonial Newels Colonial Shutters Colonnades Columns, Porch Concrete Block Machinery. Concrete Mixers	45 43 42 50 .46, 47 60
Colonial Columns. Colonial Newels Colonial Shutters Colonnades Columns, Porch Concrete Block Machinery. Concrete Mixers	45 43 42 50 .46, 47 60
Colonial Columns. Colonial Newels Colonial Shutters Colonnades Columns, Porch Concrete Block Machinery. Concrete Mixers	45 43 42 50 .46, 47 60
Colonial Columns. Colonial Newels Colonial Shutters Colonnades Columns, Porch Concrete Block Machinery. Concrete Mixers	45 43 42 50 .46, 47 60
Colonial Columns. Colonial Newels Colonial Shutters Colonnades Columns, Porch. Concrete Block Machinery. Concrete Mixers Conductor Pipe and Fittings. Corner Beads Corner China Cases. Cornice Molding Corrugated Ridge Roll	
Colonial Columns. Colonial Newels Colonial Shutters Colonnades Columns, Porch. Concrete Block Machinery. Concrete Mixers Conductor Pipe and Fittings. Corner Beads Corner China Cases. Cornice Molding Corrugated Ridge Roll	
Colonial Columns. Colonial Newels Colonial Shutters Colonnades Columns, Porch. Concrete Block Machinery. Concrete Mixers Conductor Pipe and Fittings. Corner Beads Corner China Cases. Cornice Molding Corrugated Ridge Roll	
Colonial Columns. Colonial Newels Colonial Shutters Colonnades Columns, Porch. Concrete Block Machinery. Concrete Mixers Conductor Pipe and Fittings. Corner Beads Corner China Cases. Cornice Molding Corrugated Ridge Roll	
Colonial Columns. Colonial Newels Colonial Shutters Colonnades Columns, Porch. Concrete Block Machinery. Concrete Mixers Conductor Pipe and Fittings. Corner Beads Corner China Cases. Cornice Molding Corrugated Ridge Roll	
Colonial Columns. Colonial Newels Colonial Shutters Colonnades Columns, Porch. Concrete Block Machinery. Concrete Mixers Conductor Pipe and Fittings. Corner Beads Corner China Cases. Cornice Molding Corrugated Ridge Roll	
Colonial Columns. Colonial Newels Colonial Shutters Colonial Shutters Colonial Shutters Colonnades Counter Block Machinery Concrete Block Machinery Concrete Mixers Conductor Pipe and Fittings Corner Beads Corner China Cases Cornice Molding Corrugated Ridge Roll Cove, Stair Cupboards, Kitchen Cupboard Doors Cupboard Hardware Cypress Siding, Flooring, Cei Shingles, Lath, Etc. 83,	
Colonial Columns. Colonial Newels Colonial Shutters Colonial Shutters Colonial Shutters Colonnades Counter Block Machinery Concrete Block Machinery Concrete Mixers Conductor Pipe and Fittings Corner Beads Corner China Cases Cornice Molding Corrugated Ridge Roll Cove, Stair Cupboards, Kitchen Cupboard Doors Cupboard Hardware Cypress Siding, Flooring, Cei Shingles, Lath, Etc. 83,	
Colonial Columns. Colonial Newels Colonial Shutters Colonial Shutters Colonial Shutters Colonnades Counter Block Machinery Concrete Block Machinery Concrete Mixers Conductor Pipe and Fittings Corner Beads Corner China Cases Cornice Molding Corrugated Ridge Roll Cove, Stair Cupboards, Kitchen Cupboard Doors Cupboard Hardware Cypress Siding, Flooring, Cei Shingles, Lath, Etc. 83,	
Colonial Columns. Colonial Newels Colonial Shutters Colonial Shutters Colonial Shutters Colonnades Counter Block Machinery Concrete Block Machinery Concrete Mixers Conductor Pipe and Fittings Corner Beads Corner China Cases Cornice Molding Corrugated Ridge Roll Cove, Stair Cupboards, Kitchen Cupboard Doors Cupboard Hardware Cypress Siding, Flooring, Cei Shingles, Lath, Etc. 83,	
Colonial Columns. Colonial Newels Colonial Shutters Colonial Shutters Colonial Shutters Colonnades Counter Block Machinery Concrete Block Machinery Concrete Mixers Conductor Pipe and Fittings Corner Beads Corner China Cases Cornice Molding Corrugated Ridge Roll Cove, Stair Cupboards, Kitchen Cupboard Doors Cupboard Hardware Cypress Siding, Flooring, Cei Shingles, Lath, Etc. 83,	
Colonial Columns. Colonial Newels Colonial Shutters Colonial Shutters Colonial Shutters Colonnades Counter Block Machinery Concrete Block Machinery Concrete Mixers Conductor Pipe and Fittings Corner Beads Corner China Cases Cornice Molding Corrugated Ridge Roll Cove, Stair Cupboards, Kitchen Cupboard Doors Cupboard Hardware Cypress Siding, Flooring, Cei Shingles, Lath, Etc. 83,	
Colonial Columns. Colonial Newels Colonial Shutters Colonial Shutters Colonial Shutters Colonial Shutters Colonial Shutters Colonial Shutters Conductor Epic and Fittings Cornete Mixers Conductor Pipe and Fittings Corner Beads Corner China Cases Cornice Molding Corrugated Ridge Roll Cove, Stair Cupboard Doors Cupboard Doors Cupboard Hardware Cypress Siding, Flooring, Cei Shingles, Lath, Etc. 83, ampers, Fireplace Deadening Felt Divided Light Windows Doors, Birch Doors, Cupboard Doors, Cupboard Doors, Cupboard Doors, Cupboard Doors, Ferench	
Colonial Columns. Colonial Newels Colonial Shutters Colonnades Columns, Porch. Concrete Block Machinery. Concrete Mixers Conductor Pipe and Fittings. Corner Beads Corner China Cases. Cornic Molding Corrugated Ridge Roll	.46, 47

PAGE	1 or
TAGE	PA
Doors, Panel, Fir. .14-16 Doors, Panel, Oak and Birch. 14, 15 Doors, Sash, Fir. 8-11 Doors, Sash, Oak. 12 Doors, Sash, White Pine. 13 Doors, Screen. 21, 23 Doors, Screen. 21, 23	Lath (Wood) Lath, Metal
Doors, Panel, Oak and Birch14, 15	Lath Metal
Doors, Sash, Fir8-11	Tattia
Doors Sash Oak 12	Lattice
Doors Sash White Dine 13	Lattice
Doors, Sasii, White Fine	Louvres
Doors, Screen	Lumber81
Doors, Storm	
Doors, Veneered10, 12, 14, 15	
Doors and Frames, Complete17-20	Lantels
Door and Side Light Frame Com-	LV Lantels
hinations 17 20	Medicine Cabinets
Door Frames	Metal Ceiling74,
Door Frames for Congrete Pleate	Mirror Doors
Stone or Prick Puildings 24	Miters, Eaves Trough
Door Frame Stock	Moldings, Interior36,
Door Hangers Cores 79	Moldings, Interior
Stone of Brick Buildings	Moldings, Outside Moldings, Screen Molding, Stucco Frame.
Door Hardware	Molding Chuses Frame
Door Jambs 42	Molding, Stucco Frame
Door Sets 16	70 T
Door Stops	
Door 171m m Sets39-41	L ewels, Porch
Drain Boards, Sink	Newels, Porch
Drawers, Sets and Single 54	and store
Drawer Hardware76, 77	DAME OF THE REAL PROPERTY OF T
Dressed and Matched Shiplap,	Wak Interior Trim 36-37 30
Door Sets 16 Door Stops 36 Door Trim in Sets 39-41 Drain Boards, Sink 54 Drawers, Sets and Single 54 Drawer Hardware 76, 77 Dressed and Matched Shiplap, 83 Dressers, Kitchen 54	Outlet Tubes, Eaves Trough
Dressers, Kitchen 54	outlet Tubes, Maves Trought
	D
Laves Troughs and Fittings 71	Pergolas
Laves Troughs and Fittings 71 End Caps	Pergolas
Entrances Front 17.20	Picture Molding36.
Z. 1011	Picture Molding
	Plaster Cardboard
History	Plaster Molding
L elt, Deadening 69	Plate Rail
Felt, Tarred 69	Porch Balusters
Helt, Deadening 69 Felt, Tarred 69 Finishing Lumber, Cypress and Douglas Fir 84 Fir Doors 8-20 Fir Interior Trim 36-41 Fireplace Furnishings 59 Flashing 68	Porch Columns
Douglas Fir 84	Porch Enclosure Sash
Fir Doors8-20	Porch Rails
Fir Interior Trim36-41	Porch Work46.
Fireplace Furnishings 59	Pulley Stiles
Flashing 68 Floor Tile 62 Flooring, Oak and Maple 85	Pulley Stiles Push Plates
Floor Tile 62	
Flooring, Oak and Maple 85	
Flour Bins 54	Design Design 1 No. 11
Frames32-34	uarter Round Moldings36,
Storong	
French Door Hardware 24	D
Front Doors8-13	Daftera
	Ridge Roll Corrugated
	Roof Gutters
Tu a	Roofing Asphalt
Table Sash and Frames 29	Roofing Composition
Garages 73	Roofing Felt
Class Hathad	Roofing Shingle Poll
Garages 73 Garage Doors 13 Glass, Hotbed 31 Grates, Fireplace 59	Roofing Shingles
Grates, Fireplace 59	Roofing Steel
ar ar	Nafters Ridge Roll, Corrugated Roof Gutters Roofing, Asphalt Roofing, Composition Roofing, Felt Roofing, Shingle Roll Roofing Shingles Roofing, Steel
Land Rail and Brackets 45	
Hangers, Eaves Trough 71	Wash, Attic
Land Rail and Brackets	Sash, Attic Sash, Barn Sash, Casement Sash, Cellar
Hook Strip35	Sash, Casement
Hook Strip	Sash, Cellar
	Sash, China Closet
	Sash, Gable
	Sash, Hotbed
nsualting70	Sash Porch Enclosure
Interior Doors14-16	Sash, Stall
Interior Trim, Oak36, 37, 39, 40	Sash, Storm
Interior Trim, Fir36-41	Sash, Storm
■ nsualting .70 Interior Doors .14-16 Interior Trim, Oak .36, 37, 39, 40 Interior Trim, Fir .36-41 Ironing Board Outfits .55	Sach Cord
	Sash Fasteners
Total Commission of the Commis	Sash Frames33
oists 82	Sash Lifts
O 01313 82	Sash Pulleys
TZ WHILE	Sash Fasteners 33 Sash Frames 33 Sash Lifts 76 Sash Pulleys 76 Sash Weights 76
K	bereens, Pheplace
1 itchen Cabinets52, 54, 57	Screens, Window

	DACE
Joth (Wood)	PAGE
Lath, Metal	86
Lattice	35
LatticeLocks	76. 77
Lumber	
234111001	OT-00
7/	
LV Lantels	58
Medicine Cabinets	55
Metal Ceiling	74, 75
Mirror Doors	16
Mirror Doors Miters, Eaves Trough Moldings, Interior Moldings, Outside Moldings, Screen Moldings, Stucco Frame	71
Moldings Interior	36. 41
Moldings, Outside	35
Moldings, Screen	35
Molding, Stucco Frame	35
79.77	
ewels, Porch	44
Newels, Stair, Built-Up	44
0	
Dala Tara da maria access	
Outlet Tubes, Eaves Trough.	, 39, 40
Outlet Tubes, Eaves Trough.	/1
D	
P	
L anel Strips Pergolas Picture Molding Plaster Roard	36
Pergolas	46
Plaster Board	70
Plaster Board Plaster Cardboard Plaster Molding	70
Plaster Molding	35
Di-t- D-!I	
Plate Rall	37
Porch Balusters	47
Porch Balusters	47
Porch Balusters Porch Columns	47
Porch Balusters	47
Porch Balusters Porch Columns Porch Enclosure Sash Porch Rails Porch Work Pulley Stiles Push Plates	
Porch Balusters Porch Columns	
Porch Balusters Porch Columns Porch Enclosure Sash Porch Rails Porch Work Pulley Stiles Push Plates	
Porch Balusters Porch Columns Porch Enclosure Sash Porch Rails Porch Work Pulley Stiles Push Plates Quarter Round Moldings	
Porch Balusters Porch Columns Porch Enclosure Sash Porch Rails Porch Work Pulley Stiles Push Plates Quarter Round Moldings. Rafters Pides Poll Commend	
Porch Balusters Porch Columns Porch Enclosure Sash Porch Rails Porch Work Pulley Stiles Push Plates Quarter Round Moldings. Rafters Pides Poll Commend	
Porch Balusters Porch Columns Porch Enclosure Sash Porch Rails Porch Work Pulley Stiles Push Plates Quarter Round Moldings. Rafters Pides Poll Commend	
Porch Balusters Porch Columns Porch Enclosure Sash Porch Rails Porch Work Pulley Stiles Push Plates Quarter Round Moldings. Rafters Pides Poll Commend	
Porch Balusters Porch Columns Porch Columns Porch Rails Porch Rails Porch Work Pulley Stiles Push Plates Quarter Round Moldings. Rafters Ridge Roll, Corrugated. Roofing, Asphalt Roofing, Composition Roofing, Edt	
Porch Balusters Porch Columns Porch Columns Porch Rails Porch Rails Porch Work Pulley Stiles Push Plates Quarter Round Moldings. Rafters Ridge Roll, Corrugated. Roofing, Asphalt Roofing, Composition Roofing, Edt	
Porch Balusters Porch Columns Porch Columns Porch Rails Porch Rails Porch Work Pulley Stiles Push Plates Quarter Round Moldings. Rafters Ridge Roll, Corrugated. Roofing, Asphalt Roofing, Composition Roofing, Edt	
Porch Balusters Porch Columns Porch Enclosure Sash Porch Rails Porch Work Pulley Stiles Push Plates Quarter Round Moldings. Rafters Pides Poll Commend	
Porch Balusters Porch Columns Porch Columns Porch Rails Porch Rails Porch Work Pulley Stiles Push Plates Quarter Round Moldings. Rafters Ridge Roll, Corrugated. Roofing, Asphalt Roofing, Composition Roofing, Edt	
Porch Balusters Porch Columns Porch Columns Porch Rails Porch Rails Porch Work Pulley Stiles Push Plates Quarter Round Moldings. Rafters Ridge Roll, Corrugated Roof Gutters Roofing, Asphalt Roofing, Composition Roofing, Shingle Roll Roofing, Shingles Roofing, Steel	
Porch Balusters Porch Columns Porch Columns Porch Rails Porch Rails Porch Work Pulley Stiles Push Plates Quarter Round Moldings. Rafters Ridge Roll, Corrugated Roof Gutters Roofing, Asphalt Roofing, Composition Roofing, Shingle Roll Roofing, Shingles Roofing, Steel	
Porch Balusters Porch Columns Porch Columns Porch Enclosure Sash Porch Work Pulley Stiles Push Plates Quarter Round Moldings. Rafters Ridge Roll, Corrugated. Roof Gutters Roofing, Asphalt Roofing, Composition Roofing, Felt Roofing, Shingle Roll Roofing, Stingle Roll Roofing, Steel Sash, Attic Sash, Barn	
Porch Balusters Porch Columns Porch Columns Porch Enclosure Sash Porch Rails Porch Work Pulley Stiles Push Plates Quarter Round Moldings. Rafters Ridge Roll, Corrugated. Roof Gutters Roofing, Asphalt Roofing, Composition Roofing, Felt Roofing, Shingle Roll Roofing, Shingle Roll Roofing, Steel Sash, Attic Sash, Barn Sash, Casement	
Porch Balusters Porch Columns Porch Columns Porch Enclosure Sash Porch Rails Porch Work Pulley Stiles Push Plates Quarter Round Moldings. Rafters Ridge Roll, Corrugated. Roofing, Asphalt Roofing, Composition Roofing, Felt Roofing, Shingle Roll. Roofing, Shingle Roll Sash, Steel Sash, Attic Sash, Barn Sash, Cellar	
Porch Balusters Porch Columns Porch Columns Porch Enclosure Sash Porch Rails Porch Work Pulley Stiles Push Plates Quarter Round Moldings. Rafters Ridge Roll, Corrugated. Roofing, Asphalt Roofing, Composition Roofing, Felt Roofing, Shingle Roll. Roofing, Shingle Roll Sash, Steel Sash, Attic Sash, Barn Sash, Cellar	
Porch Balusters Porch Columns Porch Columns Porch Enclosure Sash Porch Rails Porch Work Pulley Stiles Push Plates Quarter Round Moldings. Rafters Ridge Roll, Corrugated. Roof Gutters Roofing, Asphalt Roofing, Composition Roofing, Felt Roofing, Shingle Roll Roofing, Shingle Roll Roofing, Steel Sash, Attic Sash, Barn Sash, Casement Sash, Callar Sash, China Closet Sash, Gable Sash, Hotbed	
Porch Balusters Porch Columns Porch Columns Porch Rails Porch Rails Porch Work Pulley Stiles Push Plates Quarter Round Moldings Rafters Ridge Roll, Corrugated Roof Gutters Roofing, Asphalt Roofing, Composition Roofing, Composition Roofing, Shingle Roll Roofing, Shingles Roofing, Steel Sash, Attic Sash, Barn Sash, Casement Sash, Cellar Sash, Cellar Sash, China Closet Sash, Hotbed Sash Hotbed Sash Hotbed Sash Porch Enclosure	347, 346, 47, 31, 346, 47, 35, 36, 37, 36, 37, 36, 37, 36, 37, 36, 37, 30, 30, 30, 30, 30, 31, 31, 31, 31, 31, 34, 34, 34, 34, 34, 34, 34, 34, 34, 34
Porch Balusters Porch Columns Porch Columns Porch Enclosure Sash Porch Rails Porch Work Pulley Stiles Push Plates Quarter Round Moldings. Rafters Ridge Roll, Corrugated. Roof Gutters Roofing, Asphalt Roofing, Composition Roofing, Felt Roofing, Shingle Roll Roofing, Shingles Roofing, Steel Sash, Attic Sash, Barn Sash, Casement Sash, Casement Sash, Cellar Sash, China Closet. Sash, Gable Sash, Hotbed Sash, Porch Enclosure Sash, Porch Enclosure Sash, Porch Enclosure	
Porch Balusters Porch Columns Porch Columns Porch Enclosure Sash Porch Rails Porch Work Pulley Stiles Push Plates Quarter Round Moldings Rafters Ridge Roll, Corrugated Roof Gutters Roofing, Asphalt Roofing, Shingle Roll Roofing, Shingles Roofing, Stile Sash, Attic Sash, Barn Sash, Casement Sash, Casement Sash, China Closet Sash, Gable Sash, Hotbed Sash, Porch Enclosure Sash, Stall Sash Storm Sash Rolances	347 346, 447 346, 447 346, 447 35 36, 37 38 382 372 372 372 373 390 390 390 390 390 390 390 390 390 39
Porch Balusters Porch Columns Porch Columns Porch Enclosure Sash Porch Rails Porch Work Pulley Stiles Push Plates Quarter Round Moldings Rafters Ridge Roll, Corrugated Roof Gutters Roofing, Asphalt Roofing, Shingle Roll Roofing, Shingles Roofing, Stile Sash, Attic Sash, Barn Sash, Casement Sash, Casement Sash, China Closet Sash, Gable Sash, Hotbed Sash, Porch Enclosure Sash, Stall Sash Storm Sash Rolances	347 346, 447 346, 447 346, 447 35 36, 37 38 382 372 372 372 373 390 390 390 390 390 390 390 390 390 39
Porch Balusters Porch Columns Porch Columns Porch Enclosure Sash Porch Rails Porch Work Pulley Stiles Push Plates Quarter Round Moldings Rafters Ridge Roll, Corrugated Roof Gutters Roofing, Asphalt Roofing, Shingle Roll Roofing, Shingles Roofing, Stile Sash, Attic Sash, Barn Sash, Casement Sash, Casement Sash, China Closet Sash, Gable Sash, Hotbed Sash, Porch Enclosure Sash, Stall Sash Storm Sash Rolances	347 346, 447 346, 447 346, 447 35 36, 37 38 382 372 372 372 373 390 390 390 390 390 390 390 390 390 39
Porch Balusters Porch Columns Porch Columns Porch Enclosure Sash Porch Rails Porch Work Pulley Stiles Push Plates Quarter Round Moldings Rafters Ridge Roll, Corrugated Roof Gutters Roofing, Asphalt Roofing, Shingle Roll Roofing, Shingles Roofing, Stile Sash, Attic Sash, Barn Sash, Casement Sash, Casement Sash, China Closet Sash, Gable Sash, Hotbed Sash, Porch Enclosure Sash, Stall Sash Storm Sash Rolances	347 346, 447 346, 447 346, 447 35 36, 37 38 382 372 372 372 373 390 390 390 390 390 390 390 390 390 39
Porch Balusters Porch Columns Porch Columns Porch Enclosure Sash Porch Rails Porch Work Pulley Stiles Push Plates Quarter Round Moldings Rafters Ridge Roll, Corrugated Roof Gutters Roofing, Asphalt Roofing, Shingle Roll Roofing, Shingles Roofing, Stile Sash, Attic Sash, Barn Sash, Casement Sash, Casement Sash, China Closet Sash, Gable Sash, Hotbed Sash, Porch Enclosure Sash, Stall Sash Storm Sash Stall	347 346, 447 346, 447 346, 447 35 36, 37 38 382 372 372 372 373 390 390 390 390 390 390 390 390 390 39

PAGE
Screen and Storm Door Combina- tions
tions
ware
ware .78-79 Screen Molding .35 Sheathing Paper, Felt .70 Sheat Steel .70
Shelves, Book
Sheet Zinc
Shingle Roll Roofing
Sideboards
Siding (Lumber)
Siding Steel 72 Slate Surfaced Roofing 65-68 Spark Guards 58 Stair Balusters 45 Stair Brackets 45
Spark Guards
Stair Brackets
Stair Newels 44
Stair Rail
Stair Treads
Stair Work
Steel Roofing
Steel Ceiling 74, 75 Steel Roofing 72 Steel, Sheet 72 Steel Siding 72 Steel Valley, Galvanized 72
Stall Sash 30 Steel Ceiling 74, 75 Steel Roofing 72 Steel, Sheet 72 Steel Siding 72 Steel Valley, Galvanized 72 Storm Doors 21 Storm Sash 22
Storm Doors
String Boards 45 Studding 82
Storin Boors 21 Storm Sash 22 String Boards 45 Studding 82
L elephone Stand
Thresholds 37 Tile, Floor and Wall 62 Timbers 82
Transoms
1 elephone Stand 51 Thresholds 37 Tile, Floor and Wall 62 Timbers 82 Transoms 30 Trim Sets 38-41 Tubes, Outlet 71
T 7
V alley, Asphalt 67
V alley, Asphalt
Venetian Medicine Case
TTT
Wall Board
Wall Rosettes 45 Wall Tile 62 Wardrobe 56 Windows 56
Wall Tile 62 Wardrobe 56 Winders, Stair 45 Windows, Divided Light 27
The state of the s
Windows, Plain Rail 29 Windows, French 25 Windows, Check Rail 26, 27, 28 Window Apron 37
Windows, Check Rail26, 27, 28 Window Apron37
Window and Sash Frames33, 34
Block, Brick or Stone Buildings 34
Window Frame Stock 35
Window Hardware
Window Sets
Window Stool
Window Hardware 76 Window Screens 23 Window Sets 28 Window Sill Stock 35 Window Stool 36-38 Window Stops 36, 38 Window Trim 36-41

For "Honor Bilt" Modern Homes See the Inside Back Cover of This Catalog

(Honor Bilt)

Entrance Doors

THE entrance door creates the first impression of your home. When choosing an entrance door, select one that harmonizes with the exterior architecture. You can select one from the many designs shown in this book that will be best suited for your house. And again perhaps you may decide to change the style of your house front. For complete front entrances, see pages 17 to 20.

Description of All Our Fir Doors

Quality

Made of Clear Fir. Can be exposed to the weather, will not warp or shrink when finished. It is light, strong and durable. Takes stain or varnish, and is an ideal wood for paint or enamel. All doors shown as 13% inches thick, can be furnished 134 inches thick for \$2.00 extra.

How They Are Made

The stiles and rails are joined together with hardwood dowels and waterproof glue, under enormous pressure. Perfect workmanship guaranteed. Carefully sanded.

Glazing


Glazed with selected clear grass, oy competent workmen. Furnished either with selected first quality beveled or plain plate glass, or double strength (D. S.) glass. Glass is securely held in place with wood stops.

Continued on opposite page


Shipped From Our Own Factory in NEWARK, N. J., Not Prepaid.




FOR DOOR FRAMES SEE PAGES 32 and 34




13%	SI2	ES es T	hick		63P9860 As Illus-	Shpg.	
Width		Height		Size in Inches	trated, Glaz- ed Clear D. S. Glass	Wt., Lbs.	
Ft.	1n. 6	6 6	In. 6	215/8×24 215/8×26	\$4.80	70 73	1
2 2 2 2 3	8	6	10	23 1/8 x26 25 1/8 x28	5.05 5.80 5.50	75 85 80 96	
3	8	7	0	235/8 x30 275/8 x30	5.95	96	



13/8	SIZ Inch		hick	Glass	63P301	Shpg.	
Wic	ith	He	ight	Opening Size in Inches	Glazed Six Lights D. S. Glass	Wt., Lbs.	
Ft.	In.	Ft.	In.	Thenes	Columbia.		
2	6 8	6	8 8	21 5/8 x38 23 5/8 x38	\$6.35 6.65	80 85 90	
2 3 3	0	6 6 7	8	275/8 x38 275/8 x42	7.15	100	





13/8 1	SIZ	ZES es T	hick	Glass Glazed	63P 90 Glazed	Shpg.	
Width		Height		Opening Size in	One Light Beyel	One Light Clear	Wt., Lbs.
Ft.	In.	Ft.	In.	Inches	PlateGlass	D.S.Glass	15 13
2 2 3 3	6 8 0	6 6 6 7	8 8 8	215/8 x38 235/8 x38 275/8 x38 275/8 x42	3.05	\$5.75 6.05 6.55 7.15	80 85 90 100

Entrance Doors

THESE doors all have heavy bevel plate glass lights, and are in perfectly good taste for any type of homes, both large and small. They can also be furnished with double strength glass for those desiring a lower price door. If you are in doubt as to the best design for your particular type of house, write us, and we will be very glad to make a recommendation.

Designs

Our designs are architecturally correct—they have been approved by authorities. The stiles, rails and glass are correctly proportioned, presenting a massive and dignified appearance.


Important Notice: Mortised to receive any lock set shown on pages 76 and 77 for 25c extra. State catalog number of lock for which door is to be mortised. Be sure to state if lock is to be on left or right hand side as you face door from outside.

Securely Crated. Carefully wrapped in tough paper, crated with sound lumber. Will reach you bright and clean.

Safe Delivery Guaranteed

Shipped From Our Own Factory in NEWARK, N. J., Not Prepaid.

ALL DOORS 1% INCHES THICK CAN BE FURNISHED 1% INCHES THICK FOR \$2.00 EXTRA




13%	SIZ	ES es T	hick	Glass Open- ing	63P4 15 Glazed Plain	Wt.,	G	P4 I 4 lazed lear	.Wt.,
Wi	Width Height Ft. In. Ft. In.		Size in Inches	Plate	Shpg	Sti	ouble rength lass	Shpg	
2 2 2 2 3 3 3	8 6 8 10 0	677667	8 0 0 10 8 0	20x56 18x60 20x60 22x58 24x56 24x60	14.10 14.35 14.48 14.50	95 95 100 100 103 105		0.95 1.30 1.50 1.60 1.55	85 85 90 90 93 95




Honor Bilt MILLWORK

FOD	DOOR	ED ABA	EC	CEE
LOK	DOOK	FRAIVI	LO	SEE
	DACEC	OO ARID	24	
	PAGES	34 AND	34	




	13	SI2	ES. Thi	ick	Open-	63P375 Glazed Bevel Plate	15 .	63P387 Glazed Clear	. Wt.,
					Size in	Glass as Illustrated	I I	Double Strength	npg L
ï	Ft.	In.	Ft.	In.			01	Glass	Sh
ı	2	8	6	8	20x56 18x60	\$18.50	95 95	\$ 9.45	85 85
	2	8	7	ő	20x60	19.85	100	9.90	90
	2	10	6	10	22x58	20.00	100	10.10	90
	3	0	7	8 0	24x56 24x60	20.25	103	10.40	95





13	SIZ 8 In	ES Thi	ck	Size in Bevel Plate	00	Glazed Clear Double	g. Wt.,	
	In.	Hei Ft.		Inches	Glass as Illustrated	Shp	Strength Glass	Shpg
2 3 3	8 0 0	6 6 7	8 8 0	20x56 24x56 24x60		100 105 110	\$7.00 7.65 8.25	80 85 95



FOR DOOR FRAME SEE PAGES 32 and 34

Entrance Doors Distinctive V-Joint Design

YHOOSE the entrance to your home with care, for it is a direct reflection of your tastes

And Ideals.

Here we offer a choice of four doors with several different treatments of light openings, so you can pick just the one that seems to best adapt itself to your particular style of home. They are new, "different" and distinctive, and will bring the quaint charm of Sunny Spain or delightful Old England to your very threshold.

Made of Clear White Pine

13/4 Inches Thick

V-joint design doors made of Clear White Pine, Glazed with best quality clear double strength glass. These doors are of slab construction, having V joints cut in the extra thick veneer to give it the effect of planks nailed together. Can be furnished in square, rounded, Gothic and segment design tops. Back of door is plain.

Important Notice—Mortised to receive any lock set shown on pages 76 and 77 for 25c extra. State catalog number of lock for which door is you face door from outside.

Securely Crated. Carefully wrapped in tough paper, crated with sound lumber. Will reach you bright and clean.

Forged ornamental door hinge straps. Furnished in Swedish finish and can be shipped with door direct from our factory in NEWARK, N. J., or from our Philadelphia Store.


63P820—Curved Strap Hinge—2 ft. 1 in long. Feeb.

om our Philadelphia Store.	V= 1-21
63P820—Curved Strap Hinge—2 ft. 1 in. long. Each\$3.	40
63P091 Straight Strap Hinge-0 in long Each	75
63P822—Straight Strap Hinge—18 in. long. Each	80
63P823—Straight Strap Hinge—23 in. long. Each	40
The shows hardware is strictly ornamental Regular hinges must be u	sed

The above hardware is strictly ornamental, and are priced separately on pages 76 and 77.



Seven Different Styles of Lights From Which to Choose
Our V-joint design doors are carried in stock without the opening for the light
of glass. Seven different styles of lights are illustrated on this page. Anyone
of the seven lights can be furnished. We illustrate two designs of lights in each
door that are best suited to its design.



63P300 Glazed 6 Lights Glass

63P299 Glazed Circle Light Glass

Shpg. Wt., Lbs.

Square Top Design
Door 63P310 is illustrated above; door 63P298 is shown

	SI	ZES	VII.	63P310	63P298	
W	idth	He	eight	Without	Glazed Three	Shpg. Wt.,
Ft. In.		Ft.	In.	Light	Vertical Lts.	Lbs.
3 0 6 8				\$15.60	\$20.70	80 85
3	0	7	0	15.90	21.15	85

Forged Door Hinge Straps not included.



63P297 Gothic or Tudor Design

Door 63P297 is illustrated above; door 63P296 is shown in small illustration at top of page.

	5	SIZES		63P297	63P296	10.
W	idth	He	ight	Glazed Four	Glazed Diamond	Shpg. Wt.,
Ft.	In.	Ft.	In.	Lights	Light	Lbs.
3	0	6	8	\$21.60	\$20.95	80 85
3	0	7	0	21.95	21.25	85

Forged Door Hinge Straps not included.



Segment Top Design

Door 63P287 is illustrated above; door 63P288 is shown in small illustration at top of page.

SIZES | 63P287 | 63P288 Shpg Wt., Lbs. Glazed Nine Lights Glazed Width Height Rectangular Light Ft. | In. In. 0 8 \$20.95 \$17.30 6 Forged Door Hinge Straps not included

Shipped From Our Own Factory in NEWARK, N. J., Not Prepaid

Entrance Doors (Honor Bilt)


ELIGHTFULLY Colonial in treatment and reminiscent of Revolutionary days or the grandeur of Southern Mansions. These doors are readily adaptable to the small home or cottage. They breathe of hospitality and cheerfulness, and welcome the visitor with a friendly gesture.

They are all simple, interesting, and appealing, and lend a pleasing charm and dignity to any front entrance.

Clear Fir Doors Ouality

Made of Clear Fir. 13/4 inches thick. Can be exposed to the weather, will not warp or shrink when finished. It is light, strong and durable. Takes stain or varnish, and is an ideal wood for paint or enamel

For complete specifications see pages 8 and 9.



63P393 1³/₄ Inches Thick

	SIZ	ES	Fine	nt 181	Shpg.
Wie	dth	Hei	ght	63P393 Each	Weight, Pounds
Ft.	In.	Ft.	In.	or age of the last	Founds
3	8	6 7	8	\$10.16	85 90



63P9 | 85 1³/₄ Inches Thick

	SIZ	THE	11	Size of Opening	63P9185 Glazed	Shpg. Weight,
Width Height Ft. In.				for Glass, in Inches	Leaded D. S. Glass	Pounds
$\begin{array}{c ccccccccccccccccccccccccccccccccccc$				22x22 26x22	\$16.25	80 90

NOTICE—We will mortise any of these doors to receive any lock set shown on pages 76 and 77 for 25c extra. State catalog number of lock for which door is to be mortised. Be sure to state if lock is to be on left or right hand side as you face door from outside.

Interior Six-Panel Colonial Doors

13/8 Inches Thick 63P673


(See Illustration at the Right)

Interior Colonial design door made of Clear Fir, 13% inches thick, with wide stiles and rails. Solid raised panels held in place with solid sticking. Sanded, ready for finish. Ideal for paint or enamel.

The following doors for interior use are 1% inches thick.


	SIZ	ES		Six-Panel	Shpg.
Wie	dth	Hei	ght	Design 63P673	Wt., Lbs.
Ft.	In.	Ft.	In.	03.073	DDS.
2	0	6	8 8	\$4.06	42
2		8	6	8	4.69
2 2 2 2 2	6	6	8 0	5.06	58 57
2	8	7	ŏ	5.28	61

Shipped From Our Own Factory in NEWARK, N. J., Not Prepaid.



63P388 1¾ Inches Thick

	SIZ	ES	E sort	rel Million	Shipping
Wie	ith	Hei	ght	63P388 Each	Weight, Pounds
Ft.	In.	Ft.	In.		Pounds
3 3	0	6 7	8 0	\$7.50 8.00	65 70



Entrance Doors

Oak Veneered

Description of All Our Veneered Doors

Why Veneered Doors Are Best!

Veneered construction has been used in the manufacture of pianos and fine cabinet work for years. Veneered construction is light, strong, and durable. A veneered door will not crack, warp, or twist, and will hang true.

How They Are Made:

The core of the stiles and rails is built up of soft California Pine, lock jointed and glued together, the grain turned in different directions to avoid warping. Oak strips are placed on each edge of the stiles and rails before the veneer is applied, giving the door the same appearance as having been built of solid hardwood. The panels are flat three-ply laminated construction.

Veneers

Carefully selected for grain and color. The veneers are glued on the core under enormous pressure. Waterproof glue is used.

Designs

Our designs are architecturally correct—they have been approved by authorities. Wide stiles, heavy bottom rails, and glass are correctly pro-portioned, presenting a massive and dignified appearance.


Packing

Wrapped in tough paper and crated with sound ½-inch lumber.


Safe Delivery Guaranteed

Shipped From Our Own Factory in NEWARK, N. J., Not Prepaid.


NOTICE—We will mortise any of these doors to receive any lock set shown on pages 76 and 77 for 25c extra. State catalog number of lock for which door is to be mortised. Be sure to state if lock is to be on left or right hand side as you face door from outside.



13/4 Inches Thick Glass Opening Size, in Inches 63P60 Glazed Bevel Plate Shpg. Weight, Pounds Width, | Height, Ft. | In.



	100	1,000,10	1	3/4 Inches	Thick	IIII
W	SIZ		and i	Glass Opening Size in	63P142 Glazed	Shpg. Weight,
	In.		In.	Inches	Bevel Plate	Pounds
3 3	8 0	6 6 7	8 8	20x56 24x56 24x60	\$23.80 26.80 27.00	130 135 140



13/4 Inches Thick Glass Opening Size, in Inches D.S. Glass BevelPlate Width, | Height,

SIZES

In.

Entrance Doors

(Honor Bilt MILLWORK)

White Pine Doors

Made of clear, California White Pine, a close grained wood, free from pitch. Can be exposed to the weather, will not warp or shrink when finished. It is light, strong and durable. Takes stain or varnish, and is an ideal wood for paint or enamel.

How They Are Made

The stiles and rails are joined together with hardwood dowels and waterproof glue, under enormous pressure. Perfect workmanship guaranteed. Carefully sanded.

Glazing

Glazed with selected clear glass, by competent workmen. Furnished with selected first quality double strength (D. S.) glass. Glass is securely held in place with wood stops. Securely Crated. Carefully wrapped in tough paper, crated with sound lumber. Will reach you bright and clean.

15-Light Front Door

As Illustrated at the Right

13/4 Inches Thick

1		SIZ	ZES		Size		
The second	Wie	dth,	h, Hei		of Opening	63P886 Glazed	Shpg. Weight.
I	Ft.	In.	Ft.	In.	for Glass, in Inches	D. S. Glass	Pounds
1	2 3	8	6 7	8	22x64 26x68	\$11.20	85 95

Price is for door only. For Frame prices see pages 32 and 34.

6-Light Front Door


As Illustrated at the Left

13/4 Inches Thick

1 11	SIZ	ES		Size		Shpg. Weight,	
Wi	dth	He	ight,	of Opening	63P885		
Ft.	In.	Ft.	In.	For Glass, in Inches	D. S. Glass	Pounds	
3 3	0	6 7	8	26x18 26x18	\$ 9.60	80 90	


Price is for door only. For Frame prices see pages 32 and 34.

Shipped From Our Own Factory in NEWARK, N. J., Not Prepaid



Front Entrance Door No. 63P886

Honor Bilt Garage Doors



Double Doors

Front Entrance Door

No. 63P885

(See Illustration Above)

Shipped From Our Own Factory in NEWARK, N. J., Not Prepaid

Triple Doors

(See Illustration Above)

Made of Clear Fir. The side and top rails are 5% inches wide; bottom rail is 9% inches wide. Doors are 1% inches thick.

Furnished in pairs, or as single doors. Each door is 4 feet wide by 7 feet 6 inches or 8 feet high. Three upright panels. Each door glazed with six lights of 12x16-inch clear glass. Shipping weight, each door, 100 pounds.

63P9717—Per single door only, 4 feet wide by 7 feet 6 inches high. \$7.95

63P9718—Per pair, 2 doors only, for opening 8 feet wide by 7 feet 6 inches high......\$15.85

included.

Made of Clear Fir. The side rails are 4% inches wide and top rails are 5¼ inches wide; bottom rail is 9¾ inches wide. A big advantage over other style of garage doors due to the small space required for opening.

Made to fit opening 8 feet wide by 7 feet 6 inches or 8 feet high, three doors to an opening—each door 2 feet 8 inches wide by 7 feet 6 inches or 8 feet high, 1¾ inches thick. Two upright panels. Each door glazed with four lights of 12x16-inch clear glass. Shipping weight, each door, 65 pounds.

63P9740—Per single door only, size 2 feet 8 in. by 7 feet 6 in. high.. \$5.70

63P9711—Per single door only, size 2 ft. 8 in. wide by 8 ft. high. . . . \$5.85 63P9710—Per set, 3 doors only, for opening 8 ft. wide by 8 ft. high \$17.10 Prices are for doors only; frames not included.

Honor Bitt MILLWORK

High Grade

Clear Fir

N THIS and the following page is shown our complete line of beautiful interior doors, furnished in various kinds of wood, and made of materials carefully selected for grain and color. Each design is architecturally correct as approved by leading architects, and reflects the most practical designs. All our doors are carefully sandpapered, giving them a fine, smooth finish, which readily takes stain or varnish, or is ideal for paint or enamel.


Our assortment of interior doors is made of the choicest grades of Clear Fir, Clear Oak or Clear Birch.

Our FIR DOORS are made of **Beautiful Clear Fir**, stiles and rails are made of solid edge grain material, well proportioned. A strong, durable door with pleasing contrast in the grain in the stiles and rails and the panel.

Packing—Wrapped in tough paper and securely crated for shipping. They will reach you bright and clean.



3




Vertical Two-Panel Design
No. 63P194
Long vertical lines in the above design
add height to low rooms. Of good proportions and suitable for any house. For
sizes and prices see table below.

Price Table

	SIZ	E		Five-	Cross l	Panel Desi	gn	Vertical Two- Panel Design		One-Pa	
Wid Ft.	ith In.		ight In.	"A" Qu Clear	Fir	Veneer Plain Red 63P62	Oak	"A" Qu Clear 63P1	Fir	"A" Qu Clear 63P	Fir
				Each	Shpg. Wt. Lbs.	Each	Shpg. Wt. Lbs.	Each	Shpg. Wt. Lbs.	Each	Shpg. Wt. Lbs.
2 2	0 0 4	6 6	6	\$2.92 3.07 3.38	38 41 45		:::::	\$3.29 3.46	38 41	\$3.20 3.36	38 41
2 2 2 2	6 8	6	6	3.55	53 55	\$8.15	75	4.00	53	3.89	53
2 2	0 4 6	6	888	3.12	42 50 54	7.95	73 78	3.51 3.89 4.05	42 50 54	3.41 3.78 3.93	42 50 54
2 2 2 2	8	6	8	3.60 3.77 4.18	58 64	8.25 8.65	84	4.24	58	4.12	58
2	0 4	7 7	0	3.38	45 55			3.81	45 55	3.70 4.07	45 55
2 2 3	6 8 0	7 7 7	0	3.89 4.06 4.42	57 61 70	9.30	88	4.37	57 61	4.25	61

Sizes not priced are not carried in stock. Write for price.

Shipped from our own factory in NEWARK, N. J. Not prepaid



One-Panel Design
No. 63P191
Single panel doors are always popular, they display to better advantage the natural beauty of the grain in the wood. For sizes and prices see table to the left.

Interior Doors [Honor Bilt]

Oak and Birch

Our HARDWOOD DOORS are made of the Highest Grade Oak or Birch Veneers, selected for grain and color. The stiles and rails are built of White Pine cores, locked, joined and glued together, with the grain turned in different directions, which avoids warping.


Oak strips are placed on each edge of the stiles and rails before the veneer is applied, giving the door the same appearance as having been built of

solid hardwood.

All Panels in our doors are threeply laminated construction, selected for beautiful grain and color. In these panels the center layer has the grain running in the opposite direction. This construction makes an extra strong panel that will not warp or check.

The Molding around the panels is solid sticking, perfect in workmanship.

Trim to match these doors is illustrated, priced and described separately on pages 36 to 41.





Price Table One-Panel Subframe Design Regular Two-Panel Design SIZES "A" Quali tv Clear Fi Veneered Plain Red Oak Width Height Veneered Birch A" Quali-v Clear Fir 'A'' Quali-v Clear Fir Veneered Birch 63P181 63P6255 63P184 63P193 63P6253 Ft. In. Ft. In. 63P6252 Each Shpg Wt. Each Each Each Each Each \$3.23 38 \$2.95 38 \$5.28 55 38 2 0 6 0 \$3.90 5.51 3.39 3.10 60 2 41 41 0 4.10 41 75 6.31 2 2 \$7.30 75 3.92 3.59 53 \$8.75 75 6 4.74 53 53 3.45 3.15 42 42 42 0 8 4.16 6.15 2 7.05 73 3.82 3.49 8.55 73 73 50 50 4 6 4.61 50 6.39 2 6 3.98 54 3.64 54 8.85 78 78 4.80 54 7.25 78 6 8 2 5.02 58 7.60 84 4.16 58 3.80 58 9.25 84 6.67 84 8 6 8 2 0 4.51 43 3.74 45 3.42 45 7 0 2 4.11 55 3.76 55 4.96 52 0 2 3.93 9.55 83 6.87 83 57 4.29 57 57 5,18 6 9.95 88 88 8.20 88 4.48 61 4.10 61 5,41 61

SIZES NOT PRICED ARE NOT CARRIED IN STOCK. WRITE FOR PRICE, SHIPPED FROM OUR OWN FACTORY IN NEWARK, N. J., Not Prepaid

One-Panel Subframe Design Door
No. 63P181—No. 63P6255
A new beautiful design. Has become very popular as it harmonizes with almost any interior scheme. For sizes and prices see table to the right.

Complete Door Sets (Honor Bilt)

Perfect Fitting Joints—Better and Cheaper Than Hand Fitted

Save money by ordering complete door sets, CUT TO EXACT SIZE, and perfectly machined. Door, jamb, interior casing, head casing, base blocks, etc., all cut to exact size. No trimming or cutting necessary except the planing of edges on door, a simple bit of work that should be done on the job. Door is mortised for lock.

The door in illustration is the one-

panel subframe design 63P181 priced separately on page 15. Door sets are also quoted with regular two-panel design, 63P193 (see page 15), and vertical two-panel design, 63P194 (see page 14). These complete door sets are for inside doors only. Prices for complete outside door sets quoted on request. Just tell us the catalog number and size of outside door.

SPECIFICATIONS

DOOR. Clear Fir. Stiles and rails, except bottom rail, are 43/4 in. wide and 13/8 in. thick with solid sticking and perfect joints. Bottom rail is 934 in. wide. PANELS have beautifully figured grain and color and are 3-ply laminated. The best soft wood door made. Illustrated and priced separately on pages 14 and 15.

TRIM SETS. Made of clear fir. Molded cap design. For both sides of door. Head casing, cap mold and fillet nailed together. Cap mold is "returned." No miters to open. Casing, head casing and base blocks are round edge. Sizes as follows:

Head cap: 11/8 in, thick by 2 in, wide, Head casing: 34 in. thick by 45% in. wide. Fillet: 7/6 in. thick by 1 in. wide. Side casing: 3/4 in. thick by 41/4 in. wide. Base blocks: 11/8 in. by 41/2 in. by 10 in. Molded cap design, ready cut trim sets are illustrated and priced separately on page 39. Back band trim sets on page 40, and can be furnished with these complete door sets instead of molded cap design trim. For prices see table below.

JAMBS. Made of clear fir, ¾ in. thick by 5¼ in. wide. Furnished with clear fir stops, ¾ in. by 1¾ inches. Sides dadoed to receive head jambs. Sandpapered and polished as smooth as glass. Illustrated and priced separately on page 42.

HARDWARE. Hinges and lock are high grade lemon brass finish in keeping with high quality of door. We do not include thresholds as most people use inside doors without them.

PACKING. We use extra special care in packing these sets. Door is wrapped in tough paper and crated. Jambs are bundled and tied with patent fasteners. Moldings are in corrugated paper which excludes dust and insures bright clean material. Sizes of door marked on both jamb and molding so each set can be matched without opening.

				Price of Ea	ach Set Includ	les Door, 2 S	ets of Trim,	lambs, Stops,	Hinges and	Lock
					Subframe Door		wo-Panel oor	With Tw Panel		
SIZE OF DOOR 1% Inches Thick				63P9792 With Molded Cap Design Trim as Illustrated	With Back	63P9831 With Molded Cap Design Trim as Illustrated	63P9807 With Back Band Design Trim as Illustrated	63P9832 With Molded Cap Design Trim as Illustrated	63P9808 With Back Band Design Trim as Illustrated	Shpg. Wt. of Com- plete Door Set.
Ft.	In.	Ft.	In.	at Left	on Page 40	at Left	on Page 40	at Left	on Page 40	Lbs.
2 2 2	0 0 6	6 6	6	\$ 9.14 9.36 10.05	\$ 8.74 8.96 9.65	\$8.04 8.19 8.70	\$7.64 7.79 8.30	\$8.47 8.66 9.23	\$8.07 8.26 8.83	114 117 129
2 2 2	0 4 6	6 6	8 8 8	9.41 9.89 10.10	9.01 9.49 9.70	8.24 8.60 8.75	7.84 8.20 8.35	8.70 9.11 9.27	8.30 8.71 8.87	124 126 130
2 2	8	67	8	10.33	9.93 9.58	8.92 8.83	8.52 8.33	9.48 9.32	9.08 8.82	136 134
2 2 2	6 8	7 7 7	0 0	0.56 0.82 1.04	0.06 0.32 0.54	9.18 9.36 9.53	8.68 8.86 9.03	9.78 9.91	9.28 9.41 9.61	138 140 142

Shipped From Our Own Factory in NEWARK, N. J., Not Prepaid

CONTRACTORS!

Save by Ordering Complete Door Sets

Here are a few of the savings you make by ordering complete door sets from this page and complete window sets from page 28:

1—Time and trouble in ordering separate parts.

2—Errors in quantity of material.

3—Waste in cutting materials.

4—Nearly a day's work, for each opening.

Reduce your carpenter bill and get a better job. Every piece is ready cut. No waste—simply nail it in place.

Mirror


Glazed with fine quality thick polished plate glass mirror.

Used as closet doors in bedrooms and halls. Ornamental and useful. Back of doors made to match any design of door shown on pages 14 and 15. For prices see below.


Any of our Oak or Birch Panel Doors shown on pages 14 and 15 can be supplied with mirrors. For prices add to the prices below the difference between the price on pages 14 and 15 of a hardwood and softwood door of the same size and design as priced on this page.

Following Mirror Doors Are 1% Inches Thick

Ft. In		Ft. In.		Inches	Cross Panel Fir	Panel	With Two- Vert. Panel Fir Door 63 P 9084	Panel	Shpg. Wt., Lbs.
2 2 2 2 2 2	0 0 0 0 4	66676	06806	14x58 14x64 14x66 14x70 18x64	16.62 16.78 19.55	\$ 16.51 16.68 16.83 19.60	\$ [6.61 6.86 7.01 19.82	\$ 6.86 7.01 7.17 9.97	85 88 90 95 90
2 2 2 2 2 2 2	446666	6 7 6 6 7	8 0 6 8 0	18x66 18x70 20x64 20x66 20x70	20.15 21.17 20.65 21.37 21.78	20.20 21.22 20.71 21.41 21.83	20.42 21.43 20.92 21.62 22.03	20.57 21.58 21.77 22.18	95 105 95 100 105



CHARMING



Entrance Complete, Nos. 63P9838 - 63P9839 - 63P9704
Price Includes Door, Side Lights and Frame
ENTRANCE COMPLETE
(As illustrated by both)

	(As musi	rated above)		
		FIR	OAK	Shipping
Sizes of Opening for Frames	DOOR SIZES TO FIT	63P9838 63P9839 Glazed Glazed Double Beyel	63P9704 Glazed Bevel	Wt.,Lbs. Com- plete
Width Height Ft. In.	Width Height Ft. In.	Strength Glass Plate	Plate Glass	En- trance
5 6 7 1	2 8 6 8	\$25.65 \$43.00 28.30 48.30	\$56.25	260 305

The Door or Any Other Article Shown in Our Entrances Can Be Purchased Separately. For Prices and Description See Below

DOOR, Nos. 63P391 and 63P396 of Clear Fir (1½ inches thick), or No. 63P60 highest grade veneered Oak (1½ inches thick). Glazed with either double strength or bevel plate glass. Clear Fir door described on page 9. Veneered Oak (door described on page 12.

DOORS ONLY (As illustrated above)

		DUU	TCS O	INL I (AS IIIUS)	Tutcu tiborc)		
S. S. P. L. P.	SIZE	S	ter in	CLEAR F	IR DOORS	VENEERED OAK DOORS	Shpg.
Width Ft. In.	Heigh Ft. I	ht S	Glass lize in nches	63P39 I Glazed Double Strength Glass	63P396 Glazed Bevel Plate Glass	63P60 Glazed Bevel Plate Glass	Wt., Lbs.
2 8 3 0	6 7		20x56 24x60	\$7.00 8.25	\$ 15.05	\$22.50 26.90	100 115

SIDE LIGHTS, Nos. 63P9846 and 63P9847, of Clear Fir, or No. 63P9876 veneered Oak (1½ inches thick). Glazed with either double strength or bevel plate glass. Made in the same manner as our Clear Fir doors, described on page 9, or our superior veneered Oak doors, described on page 12.


SIDE LIGHTS ONLY (As illustrated above)

	SIZES	and a	CLEAI SIDE L		VENEERED OAK SIDE LIGHTS	Shpg.
Width Ft. In.	Height	Glass Size in Inches	63P9846 Glazed Double Strength Glass Each		63P9876 Glazed Bevel Plate Glass Each	Wt., Lbs.
$\frac{1}{1}$ $\frac{2}{2}$	6 8 0	10x56 10x60	\$4.20	\$8.85 9.40	\$11.75	40 45

FRAME, No. 63P6772, with Clear Cypress outside casings (11/4 inches thick), and moldings, and Oak sills. Rabbeted for 13/4 or 13/4-inch-door. Plain drip cap design, detailed description on page 32.

FRAME (No. 63P6772, with Clear Cypress outside casings (11/4 inches thick), and moldings, and Oak sills. Rabbeted for 13/4 or 13/4-inch-door. Plain drip cap design, detailed description on page 32.

			FRAM	E ONL	(A	s IIIu	Istrai	ed a	bove)	
ī	Size	of Openia	ng for Fr	ames	Do	or Siz	zesto	Fit	r - and ton and	Shipping
١	. Wie	ith	He	ight	Wi	dth	Hei	ight	63P6772	Wt., Lbs.
١	Ft.	In.	Ft.	In.	Ft.			In.	remb gam-	Frame
١	- 5	6	7	1	2	8	6	8	\$10.25	80
- 1	5	10	7	5	3	0	7	0	10.75	100



Entrance Complete, Nos. 63P9835-63P9836 Price Includes Door, Side Lights and Frame ENTRANCE COMPLETE (As illustrated above)

	Opening rames		Sizes Fit	63P9835 Glazed	63P9836 Glazed	Shpg.
Width Ft. In.	Height Ft. In.	Width Ft. In.	Height Ft. In.	Double Strength Glass	Bevel Plate Glass	Wt., Lbs.
5 6 5 10	$\begin{bmatrix} 7 & 1 \\ 7 & 5 \end{bmatrix}$	3 8 0	6 8 0	\$28.85 30.85	\$47.35 51.45	255 295

The Door or Any Other Article Shown in Our Entrances Can Be Purchased Separately. For Prices See Below

DOOR, No. 63P386 or No. 63P379, of Clear Fir, 1% inches thick. Glazed with either double strength or bevel plate glass. Described on page 9.

DOORS ONLY (As illustrated above)

	SI	ZES		Glass	Each I	Door	C1
Wid			ght	Size in Inches	63P386 Glazed Double	63P379 Glazed Bevel	Shpg. Wt., Lbs.
Ft.	In.	Ft.	In.	Inches	Strength Glass	Plate Glass	Bos.
2	8	6	8	20x56	\$ 9.30	\$16.40	95
3	0 1	7	0	24x60	10.20	18.75	105

SIDE LIGHTS, No. 63P6680 or No. 63P6681, of Clear Fir, 1¾ inches thick. Glazed with either double strength or bevel plate glass. Made in the same manner as our Clear Fir doors, described on page 9.

SIDE LIGHTS ONLY (As illustrated above)


DIME.	Sizes	of Side	91504	The state of	Each Sie	le Light	THE
		hts		Glass Size in	63P6680	63P6681	Shpg.
Wi	dth	Hei	ght	Inches	Glazed Double Strength	Glazed Bevel Plate	Lbs.
Ft.	In.	Ft.	In.		Glass	Glass	the P
1	2 2	6 7	8	10x56 10x60	\$4.65	\$10.35	40 45

FRAME, No. 63P6772, with Clear Cypress outside casings, 1½ inches thick, and moldings, and Oak sills. Rabbeted for 1¾-inch door. Plain drip cap design, detailed description on page 32.

FRAME ONLY (As illustrated above)

Sizes	of Open	ing for F	rames	Do	or Si	zesto	Fit	The Contract of	Shipping
Wi	dth	Hei	ght	Wi	dth	Hei	ght	63P6772	Weignt,
Ft.	In.	Ft.	In.	Ft.	In.	Ft.	In.	Each	Pounds
5	6	7	1	2	8	6	8	\$10.25	80
5	10	7	5	3	0	7	0	10.75	100

Shipped From Our Own Factory in NEWARK, N. J. Not Prepaid



Shipped From Our Own Factory in NEWARK, N. J. Not Prepaid



Complete Entrance No. 63P9707

Price Includes Door, Side Lights and Frame (As illustrated above)

5		Openi		E	oor Si	zes to	Fit	Entrance No.	Shpg.
	dth	2000	ight		idth	_	ight .	63P9707 Complete	Weight, Pounds
Ft.	In.	Ft.	In.	Ft.	In.	Ft.	In.	\$63.75	285
5	10	7	5	3	Ö	7	Ö	66.75	330

The Door or Any Other Article Shown in Our Entrances
Can Be Purchased Separately. For Prices
and Description See Below

DOOR, No. 63P68, of highest grade veneered Oak, 13/4 inches thick. Glazed with leaded art glass. Described on page 12.

DOOR No. 63P68 (As illustrated above)

Ft.	T.	7		-
1.6.	In.	Inches	The late of the	Pounds
6	8	20x56	\$25.80	125 140
	6 7	6 8 0	6 8 20x56 7 0 24x60	

SIDE LIGHTS, No. 63P9880, of highest grade veneered Oak, 13% inches thick. Glazed with leaded art glass. Made in the same manner as our superior Oak veneered doors described on page 12.


SIDE LIGHTS No. 63P9880 (As illustrated above)

W	idth	He	eight	Glass Size in	Each	Shipping Weight,
Ft.	In.	Ft.	In.	Inches	State Hall Burn	Pounds
1 1	2 2	6 7	8 0	10x56 10x60	\$13.85	40 45

FRAME, No. 63P6772, with Clear Cypress outside casings, 11/8 inches thick; and moldings, and Oak sills. Rabbeted for 13/4-inch door. Plain drip cap design, detailed description on page 32.

DRIP CAP FRAME No. 63P6772 (As illustrated above)

Size of Opening for Frame				oor Si	zes to		Shipping	
dth	He	ight	Width Height				Each	Weight, Pounds
In.	Ft.	In.	Ft.	In.	Ft.	In.		Lounds
6	7	1	2	8	6	8	\$10.25	80 100
	for F	for Frame	for Frame lth Height In. Ft. In. 6 7 1	for Frame L dth Height Wi In. Ft. In. Ft. 6 7 1 2	For Frame Door Si	Top Top	for Frame Door Sizes to Fit ith Height In. Ft. In. Ft. In. Ft. In. Ft. In. Ft. In. Ft. In. Ft. In. Ft. In. Ft. In. Ft. In.	Trans



Front or Side Entrance Complete, No. 63P9637

Price Includes Door and Frame ENTRANCE COMPLETE, No. 63P9837 (As illustrated above)

Size of Opening for Frame Door Sizes to Fit Shpg. Weight, Pounds Complete Width Height Width Height Ft. | In. Ft. | In. Ft. In. Ft. | In. 0 8 6 8

The Door or Any Other Article Shown in Our Entrances
Can Be Purchased Separately. For Prices
and Description See Below

DOOR, No. 63P393, of clear Fir (1¾ inches thick), two vertical solid raised panels, glazed four lights clear double strength glass, described on page 11.

DOOR No. 63P393 (As illustrated above)

Wi	Width		ight	Each	Shpg. Weight,
Ft.	In.	Ft.	In.		Pounds
2	8	6	- 8	\$10.16	85
3	0	7	0	11.35	90

FRAME, No. 63P9781, with clear Red Cypress outside casing (1½ inches thick), moldings, and Oak sill; rabbeted for 1¾-inch door, includes brackets, and moldings for hood.


FRAME COMPLETE, No. 63P9781 (As illustrated above)

Height	W	deh	TT-		Each	Moight
	Width		He	ight	Each	Weight, Pounds
Ft. In.	Ft.	In.	Ft.	In.	of Francisco	Tounds
7 1	2	8	6	8	\$17.80	63
	7 1 1 5	$\begin{array}{c ccccccccccccccccccccccccccccccccccc$				

Shipped From Our Own Factory in NEWARK, N. J., Not Prepaid.

Colonial Front Entrances





Colonial Entrance Complete, No. 63P9848 Price Includes Door, Side Lights and Frame

Size	Size of Opening for Frame			Do	or Siz	es to	Complete	Shpg. Weight, Pounds	
Wie	dth	h Height		Width		Height			Complete
Ft.	In.	Ft.	In.	Ft.	In.	Ft.	In.		
5	4 4	7 7	1 5	3 3	0	6 7	8	\$27.50 28.65	215 240

The Door or Any Other Article Shown in Our Entrances Can Be Pur-chased Separately. For Prices and Description See Below

COLONIAL DOOR, No. 63P388, of clear Fir (13/4 inches thick), six solid raised panels, solid sticking around panels, described on page 11. COLONIAL DOOR, No. 63P388 (As illustrated above).

Wic	Width		ight	Each	Shpg. Wt.,
Ft.	In.	Ft.	In.	Bacii	Pounds
3	0	6 7	8 0	\$7.50 8.00	65 70

COLONIAL SIDE LIGHTS, No. 63P9737, of clear Fir (1\sqrt{1}\sqrt{8}\) inches thick), glazed with clear double strength glass, made in the same manner as our clear Fir doors described on page 9.


COLONIAL SIDE LIGHTS, No. 63P9737 (As illustrated above)

Width	Height		Each	Shpg Wt.,
In.	Ft.	In.	Each	Pounds
111/4	6	8	\$4.90	30
111/4	7	0	5.10	35

FRAME, No. 63P6772, with clear Cypress outside casings (1½ inches thick), and moldings, and Oak sills. Rabbeted for 1¾-inch door. Plain drip cap design, detailed description on page 32.

COLONIAL FRAME, No. 63P6772 (As illustrated above)

Size	of Openi	ing for Fr	ame	Do	or Siz	es to	Fit		Shpg.
Wie	lth	Hei	ght	Wi	Width		ight	Each	Weight, Pounds
Ft.	In.	Ft.	In.	Ft.	In.	Ft.	In.		Tounds
5	4	7	1	3	0	6	8	\$10.20	80
5	4	7	5	3	0	- 1	1 0	10.45	93



Colonial Entrance Complete, No. 63P9844

Price Includes Door, Side Lights and Frame

Size		ening me	for	Do	or Siz	es to	Fit		Shipping
Wie Ft.	dth In.	He Ft.	ight In.	Wie Ft.	Width Height Ft. In. Ft. In.		Complete	Weight, Pounds	
5 5	4 4	7 7	1 5	3 3	0 0	6 7	8 0	\$46.25	255 280

The Door or Any Other Article Shown in Our Entrances Can Be Pur-chased Separately. For Prices and Description See Below

COLONIAL DOOR, No. 63P388, of clear Fir (1¾ inches thick), six solid raised panels, solid sticking around panel. Described on page 11. COLONIAL DOOR, No. 63P388 (As illustrated above).

Wie	Width		ght	Each	Shpg. Wt., Pounds	
Ft.	In.	Ft.	In.		Founds	
3	0	6	8	\$7.50	65	
3	0	7	0	8.00	70	

COLONIAL SIDE LIGHTS, No. 63P9737, of clear Fir (1% inches thick), glazed with clear double strength glass. Made in the same manner as our clear Fir doors, described on page 9.


COLONIAL SIDE LIGHTS, No. 63P9737 (As illustrated above)

Width	Hei	ight	Each	Shpg. Wt.,
Inches	Ft.	In.	Each	Pounds
111/4	6	8	\$4.90	30
111/4	1	0	5.10	35

COLONIAL FRAME, No. 63P9779, with clear Cypress outside casing (11/8 inches thick) and moldings, and Oak sill; rabbeted for 11/4-inch door, includes pilasters and riser beneath sill.


COLONIAL FRAME, No. 63P9779 (As illustrated above)

١	Size	Size of Opening for Frame			To	Fit D	oor Si	zes	- 1 - 1	Shpg.
1	Wi	dth	Hei	ght	Width		Height		Complete	Weight,
1	Ft.	In.	Ft.	In.	Ft.	In.	Ft.	In.	In 18th years of	Pounds
	5	4	7	1	3	0	6	8	\$28.95	130
١	5	4	7	5	3	0	7	0	29.55	140



Shipped From Our Own Factory in NEWARK, N. J. NOT PREPAID

(Honor Bilt) Colonial Front Entrances (Honor Bilt)



Colonial Entrance, Complete, No. 63P9843

Price Includes Door, Sidelights, Columns, Transom Sash and Frame COMPLETE ENTRANCE. No. 63P9843

	ng for	Frame	D	Door Si	ze to F		Shipping	
Width Height		W	Width		ight	Complete	Weight,	
Ft. In.	Ft.	In.	Ft.	In.	Ft.	In.	Complete	Pounds
5 4	8	4	3	0	6	8	\$88.65	390

The Door or Any Other Article Shown in Our Entrances Can Be Purchased Separately. For Prices and Description See Below

COLONIAL DOOR, No. 63P388, made of clear Fir, six solid raised panels, solid sticking around panels. Described on page 11.

COLONIAL DOOR, No. 63P388, (As illustrated above)

The second second	COLON	IAL DU	(As illustrated above)			
Wi	Width		eight	Thickness	Each	Shpg. Wt.,
Ft.	In.	Ft.	In.	Tinckness	Each	Lbs.
3	0	6 7	8	134 in.	\$7.50	65

COLONIAL SIDELIGHTS, No. 63P9737, of clear Fir, glazed with clear double strength glass. Made in the same manner as our clear Fir doors described on page 9.

COLO	NIAL S	IDELIGI	HTS, No. 63P9	737 (As illust	rated above)
• Width	He	ight	TL: 1	Et	Shipping
In.	Ft.	In.	Thickness	Each	Wt., Lbs.
111/4	6	8	13% in.	\$4.90	30,
111/4	7	0	13% in.	5.10	35

TRANSOM SASH, No. 63P7252, of clear White Pine, glazed with clear single strength glass. Made in the same manner as our Glazed Windows, described on page 26.
TRANSOM SASH, 5-LIGHT, No. 63P7252 (As illustrated above)

W	idth	Не	ight	t Thickness		Shipping Weight,
Ft.	In.	Ft.	In.	transition of		Pounds
3	0	1	3	13% in.	\$4.35	12


COLUMNS, No. 63P8070, of clear Fir, as illustrated above, size, 6x6x8 feet, described and priced separately on page 46.

COLONIAL FRAME, No. 63P9773, with clear Cypress outside casing (1½ inches thick,) moldings, and Oak sill; rabbeted for 1¾-inch door, includes columns, pilasters, moldings for hood, plate boxes and cornice, half circle facia, half circle spandrel, and riser beneath sill.

COLONIAL FRAME, COMPLETE, No. 63P9773 (As illustrated above)

Sizes of Opening for Door Size to Fit Shipping

	Size	Fra	pening me	for	I	Door Si	ze to F	it	nor con a l	Shipping
	Wi	dth	He	ight	W	idth	He	ight	Each	Weight, Pounds
1	Ft.	In.	Ft.	In.	Ft.	In.	Ft.	In.		Lounds
	5 5	4 4	8 8	4 8	3 3	0	6 7	8 0	\$67.00 70.75	235 250



Colonial Entrance, Complete No. 63P9842

Distance center to center of columns, for 3 ft. door, 5 ft. 4 in.

Price Includes Door, Columns and Frame as Described Below

COMPLETE ENTRANCE, No. 63P9842

Size	of Or Fra	ening me	for	Door Sizes to Fit					Shipping
Wi	dth	He	ight	Wi	dth	He	ight	Complete	Weight, Pounds
Ft.	In.	Ft.	In.	Ft.	In.	Ft.	In.	SOUTH CASE OF	Tourids
3	4	7	1	3	0	6	8	\$51.00	210
3	4	7	5	3	0	7	0	52.50	225

The Door or Any Other Article Shown in Our Entrances Can Be Purchased Separately. For Prices and Description See Below

COLONIAL DOOR, No. 63P388, of clear Fir, six solid raised panels, solid sticking around panels, described on page 11.

COLONIAL DOOR, No. 63P388 (As illustrated above)

ĺ	W	idth	Не	ight	Thickness	Each	Shipping Weight,
1	Ft.	In.	Ft.	In.			Pounds
ľ	3	0	6	8	134 in.	\$7.50	65
1	3	0	7	0	1 3/4 in.	8.00	70

COLUMNS, No. 63P8070, of clear Fir, as illustrated above, size, 6x6x8 feet, described and priced separately on page 46.

COLONIAL FRAME, No. 63P9780, with clear Cypress outside casing (1½ inches thick), and moldings, and Oak sill; rabbeted for 1¾-inch door, includes columns, pilasters, moldings for hood, plate boxes and cornice, and riser beneath sill.

COLONIAL DOOR FRAME, COMPLETE, No. 63P9780 (As illustrated above)

S	Size	of Or	ening me	for	Door Sizes to Fit Each We					Shipping
	Wie	dth	Hei	ght:	Wi	dth	He	ight	Each	Weight, Pounds
F	t.	In.	Ft.	In.	Ft.	In.	Ft.	In.		
	3	4	7	1	3	0	6	8	\$43.50	145
1	3	4	7	5	.3	0	7	0	44.50	155

Shipped From Our Own Factory in NEWARK, N. J., Not Prepaid

Screen and Storm Door Combination

A Screen Door in Summer; a Storm Door in Winter

ERE'S the highest class combination storm and screen door made. A high grade screen door in summer—a substantial storm door in winter—at the price of one door. The door remains on hinges all year around—you simply change the center panel in spring and fall. A strong, solid adjustable fastener holds screen or glass panel firmly in place.


Changes from storm door to screen door, or vice versa, quickly—all you

need is a screwdriver.

It's the most dependable and easiest adjustment (see illustration at right) together with a most dependable door sash and screen arrangement.

It will no longer be necessary, when the end of the summer comes, to take down the screen door and put up a storm door in its place. This door remains on the hinges the year around.

These panels are interchangeable. Simply turn 4 patented adjustable fasteners a quarter turn to change the center panel.



4 Reasons Why this door will serve you

Honor Bilt MILLWORK


best:
(See Illustrations Below)



DOOR REMAINS ON HINGES THE YEAR AROUND



CHANGE PANELS




3 PANELS ARE CHANGED FROM INSIDE OF ROOM



EASILY PUT AWAY

Standard Storm Doors



Storm Doors

No. 1 Grade Storm Doors

No. 63P6808
Carefully made of clear soft wood. Perfect coping and sanded. Shipped in the white, suitable either for paint or natural finish. Glazed with high grade double strength glass.

Painted Doors

No. 63P6800

Made from the same grade of lumber usually used in painted doors. While not clear lumber, doors are strong, durable and very carefully painted. Glazed with double strength glass.

13	SIZI & Inch			Painted Doors Glazed Double	63P6808 No. 1 Qual- ity Glazed Double	Shpg. Wt., Lbs.	
Ft.	idth In.	Hei Ft.	ght In.	Strength	Strength Glass	101	
2	61/4	6	7	\$4.35	\$4.75	58	
2	81/4	-6	9	4.45	4.85	63	
2	101/4	6	11	5.05	5.45	68	
3	01/4	7	1	5.10	5.50	73	



The illustration above shows Patent Adjustable Fastener. Contractors tell us it's the most Practical they've seen.

Our method of fastening the storm and screen
panels over comes
rattling. You will note
from the illustration
above that the metal
lock is adjustable.
Every half turn of screw
operates lock. Increases
its pressure and holds
panel firmly, also eliminating any chances for
rattling.

Specifications

Made of clear White Pine, clear window glass securely held in place with wood stops, and high grade 14-mesh galvanized or 16-mesh bronze wire screen cloth. Side and top rails, 33/4 inches wide; bottom rail, 91/4 inches wide. This allows a small margin for trimming to insure snug fit. Wood panel at bottom of door, 8 inches wide. Furnished in the white, without paint or varnish.

Double Duty Combination Screen and Storm Doors

Size 1½ Ir This	iches	3	Solid Door Fastener, 8- Glazed Clean Either Gal	Light Sash Glass, and vanized or	Solid Door Fastener, 12		
Width Ft. In.	Hei	ght ln.	63P24I0 14-Mesh Galv. Wire Screen Panel	16-Mesh Bronze Wire	14-Mesh	63P24I3 16-Mesh Bronze Wire Screen Panel	Shpg. Wt., Lbs.
2 61/4 2 61/4 2 81/4 2 81/4	6 6 7	7 9 9	\$6.45 6.50 6.65 7.05	\$7.00 7.15 7.25 7.65	\$6.55 6.80 6.85 7.10	\$7.25 7.65 7.70 7.90	45 48 50 65
2 814 2 1014 2 1014 3 014 3 014	6 7 6 7	11 9 1	7.20 7.30 7.40 7.50	7.85 7.95 8.20 8.35	7.25 7.30 7.50 7.60	8.15 8.25 8.50 8.60	60 70 73 75

Shipped From Our Own Factory in NEWARK, N. J. Not Prepaid.

2 1 on Your Coal Bills With Storm Sash-HERE'S PRO

Sears Storm Sash and Doors SAVE YOU MONEY. The homes shown below are the same size and both located in the same town. Mr. A. W. Radloff, however, has storm sash and doors on all windows and doors. By this investment in storm sash and doors he is SAVING EACH YEAR \$30.00 ON HIS COAL BILL. One-third less than it is costing Mr. Hopp. The saving on one year's coal bill alone will pay for the storm sash. Compare the statements of these two owners. Buy here at wholesale, factory-to-you prices. High grade. Full line of stock sizes. Satisfaction guaranteed.

"Storm windows will save 25 to 30 per cent on costs of fuel." The above statement taken from circular letter No. 227, issued in 1927 by the Department of Commerce, Bureau of Standards, Washington, D. C.

Glazed Storm Sash
Made of clear California
white pine Unfinished "in
the white" High grade glass
carefully secured with good
putty and points. Sizes allow
for trimming. In ordering,
give catalog number of sash
wanted and exact size of the
opening, width first, and
we will send sash which may
be trimmed to fit.

be trimmed to fit.

Insulating Feature
Storm sash creates a still air space between the sash and window. (See illustration below.) It is this insulating feature that saves fuel. Cold air against your windows chills the air in the room 15 to 20 degrees. Storm sash keeps out the cold and saves fuel.

STILL AIR SPACE



Sears, Roebuck and Co.
We only consumed 5 tons of Joliet Rome
We nave Vallonia Rome
(\$60.00). We have storm sash and doors
on all windows and doors.
Yours yers truly

windows and doors.
Yours very truly,
ALBERT W. RADLOFF,
(Address furnished on request).



Carried in stock in the following sizes only. Prices do not include ventilators. Ventilaventilators. Ventilators, 15 cents each, extra. In some cases a little trimming will avoid necessity of ordering special sizes. Size of sash allows for trimming. When ordering be sure to give dering be sure to give width first. Shipped from our own fac-tory in NEWARK, N. J. Not prepaid.

Size of Each	Out	side Me	easuren Bash	nent	63P7295 Glazed	Shpg. Wt.,
Light	Wi	dth	He	ight	Clear Glass	Lbs.
Glass	Ft.	In.	Ft.	In.		Marie Co
10x20 10x22 10x24 10x26 10x28 10x32	2 2 2 2 2 2 2	1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	3 4 4 4 5 5	11 5/8 3 5/8 7 5/8 11 5/8 3 5/8 11 5/8	\$1.68 1.78 1.80 1.98 2.00 2.74	36 38 40 41 42 45
12x20 12x22 12x24 12x26 12x28 12x30 12x32	2 2 2 2 2 2 2 2 2	514141414141414141414141414141414141414	3 4 4 4 5 5 5	11 5/8 35/8 75/8 11 5/8 35/8 75/8 11 5/8	1.69 1.90 1.92 2.03 2.10 2.50	38 40 42 43 44 45 47
14x20 14x22 14x24 14x26 14x28 14x30 14x32	2 2 2 2 2 2 2 2 2	914 914 914 914 914 914	3 4 4 4 5 5 5	11 5/8 35/8 75/8 11 5/8 35/8 75/8 11 5/8	2.02 2.19 2.20 2.28 2.574 2.91	40 42 44 45 46 47 49
15x24 15x26 15x28 15x30 15x32	2 2 2 2 2 2	11¼ 11¼ 11¼ 11¼ 11¼	4 4 5 5 5	75% 115% 35% 75% 115%	2.39 2.74 2.87 2.99 3.19	44 46 47 48 50

Two-Li	ght	444				
		1 1/8 inc thick.	hes Carrie	1		
in the followinclude ven not priced	ving siz	es only	. Price	s do not	77.30	
not priced	tilators	. Venti	lators	15c each	shipped	izes from our
			,	0., 1.0	prepaid.	mom our
Size of Each	Out	side M	easurei Sash	nentg	63P7292	
Light	Wi			ight	Glazed Clear	Shi pping Weight
Light of Glass	Ft.	In.	Ft.	In.	Glass	Pounds
12x20	1					23
12x24	1	414	3 4	75/8	1.36	26
12x26 12x28	1	4¼ 4¼ 4¼ 4¼ 4¼	5	35%	\$1.22 1.36 1.43 1.49	27 29
14x20	1	61/4	3	115/8	1.30	23 27
14x24 14x28	1	6¼ 6¼ 6¼	5	115/8 75/8 35/8	1.30 1.46 1.71	30
16x20	1	814 814 814 814 814	5 3 4 4 5 5	115/8 75/8 115/8 35/8 75/8	.40 .53 .74 .81	
16x24 16x26	1 1	814	4	115%	1.53	29
16x28	1	814	5	35/8	1.87	25 29 30 32 34
16x30 18x20	1 1	101/	5	75/8	1.89	34 27
18x22	1	10¼ 10¼ 10¼	3 4	11 5/8 35/8 7 5/8 11 5/8 3 5/8 7 5/8 11 5/8	1.67	29
18x24 18x26	1 1	1014	4	115%	1.74	31
18x28	1	101/4	5	35/8	1.91	34
18x30 18x32	1	101/4	4 4 5 5 5 5	35/8 75/8 115/8	2.05	29 31 32 34 36 39
20x20	2	01/4	3 4	115/8	2.059 	29
20x22 20x24	2	01/4	4	35/8 75/8 115/8	1.74	31
20x26	2	014	4	115%	1.83	33
20x28 20x30	2	0¼ 0¼ 0¼ 0¼ 0¼ 0¼	4 5 5 5	115/8 35/8 75/8 115/8 35/8 75/8 115/8	1.91	31 33 33 34 35 37
20x32	2	01/4	5	115%	2.33	
22x20 22x22	2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2	2¼ 2¼ 2¼ 2¼ 2¼ 2¼ 2¼	3 4	11 5/8 3 5/8 7 5/8 11 5/8 3 5/8 7 5/8 11 5/8	1.69 1.886 1.998 2.246	31 33 35 35
22x24 22x26	2	214	4	75/8	1.86	35
22x26 22x28	2	214	5	11%	2.08	35
22x30	2	214	4 4 5 5 5	75%	2.23	36 37 39
22x32 24x20			3	11 5%	1.69	39
24x22	2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2	4¼ 4¼ 4¼ 4¼ 4¼ 4¼ 4¼ 4¼	3 4 4 4 5 5 6	35/8	96621583561 	33 35 36 37 38 39
24x24 24x26	2	41/4	4	115%	1.92	36 37
24x28	2	414	5	35/8	2.08	38
24x30 24x32	2	414	5	115%	1.86 1.92 1.95 2.08 2.23 2.56	40
24x36	2	41/4	6	75/8	2.91	45
26x24 26x26	2 2 2 2 2 2	614 614 614 614	4 4 5 5 5 4 4 5 5 5 5	115/8/8/8/8/8/8/8/8/8/8/8/8/8/8/8/8/8/8/	1.98 2.08 2.28 2.46 2.71	38 39
26x28 26x30	2	614	5	35%	2.28	40
26x30 26x32	2	614	5	115%	2.71	41 43
28x24	2	81/4	4	75/8	2.14	40
28x26 28x28	2	814 814 814 814	5	35%	2.28	41 42
28x30	2	814 814 814 814 814	5	75/8	2.14 2.28 2.40 2.46 2.98	43
28x32 30x24	2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2	101/4	4	75%	2.23	45 39
30x26	2	1014	4	115%	2.46	39 41
30x28 30x30	2	10¼ 10¼ 10¼ 10¼	4 4 5 5	7 5/8 11 5/8 3 5/8 7 5/8	2.23 2.46 2.50 2.81	43 45
32x30	3	01/4	5 5	75/8 115/8	3.08 3.35	47
32x32 36x26	3	41/4	- 5	115%	3.35	49
36x28	3 3	41/4	5	115/8	3.07 3.29	49

Eight-Light Storm Sash

No Storm Sash—\$90.00

Sears, Roebuck and Co.
In heating our "Honor Bilt" Vallonia
In heating our "Honor Bilt" Vallonia
Franklin winter, we used 10 tons of
per ton (\$90.00). We have soft us \$9.00
but no storm sash on windows.

Yours very truly,

(Address furnished on request).

11/8 inches thick. Carried in following sizes only. Prices do not include ventilators. Ventilators, 15c each, extra. Size of sash allows for trimming. When ordering be sure to give width first.

Shipped from our own factory in NEWARK, N. J. Not prepaid.

Size of Each	Ou	tside Me		ent	63P7300 Glazed	Shpg.
Light of	Wi	dth	He	ight	Clear	Weight,
Glass	Ft.	In.	Ft.	In.	Glass	Pounds
9x12 9x14	1 1	111/4	4 5	75/8 35/8	\$1.68	33 35
10x12 10x14 10x16	2 2 2	11/4 11/4 11/4	4 5 5	75/8 35/8 115/8	1.69 1.92 2.25	37 39 41
12x14 12x16 12x18	2 2 2	5¼ 5¼ 5¼	5 5 6	35/8 115/8 75/8	2.12 2.46 2.68	42 43 45
14x16 14x18 14x20	2 2 2	9¼ 9¼ 9¼ 9¼	5 6 7	115/8 77/8 35/8	2.70 2.88 3.16	46 49 51

Twelve-Light Storm Sash

11/8 inches thick. Carried in the following sizes only. Prices do not include ventilators. Ventilators, 15c each, extra.

idth In. 43/4 43/4	Height Ft. In 3 11 4 7	\$1.75	44 46
			44
		1.95	46
73/4	4 7 5 3	2.08	48 50
10¾ 10¾ 10¾	4 7 5 3	2.15	50 52 54
1	10¾ 10¾ 10¾ fro	10¾ 4 7 10¾ 5 3 10¾ 5 11	10¾ 4 7 2:15 10¾ 5 3 2:39





EVERY one realizes how necessary screens are to health and comfort. Screen windows and doors admit fresh air without bothersome insects. Eliminate the nuisance of flies and mosquitoes. They are dangerous to your health. Buy here at wholesale factory-to-you prices. Highest grade materials; durable construction. Satisfaction guaranteed.

Our service is thoroughly dependable. We ship promptly, as we carry a full line of stock sizes. Our low prices will make you a substantial saving.

How to Measure for Screens

Full Length Screens. Give actual dimensions between inner edge of side casing for width, and between top of sill and under edge of head casing, for height. Use a rule not a tape.

Half Length Screens. Give actual dimensions between inner edge of the blind stops for width and between top of sill and top of meeting rail for height. Use a rule, not a tape.

When ordering give width first.



Half Length Screens Nos. 63P465-63P466

Half Length Window Screens

Grooved Stiles-Loose Slides

Top rail of screen is on a line with middle rail of window. Measure between blnd stops for exact size of screen. Half length Window Screens are made to order, requires about two weeks. All half length screen, ¾ inch thick. Prices include slides.

Half Length Screens

ar	ny Sia nd In	clud	ing	63 V	P465 Vith	63	P466 Vith	Shpg.
Wi	dth	He	ight		alv. Vire	Br	onze	Lbs.
1	11	2	101/2	\$	1.14	\$ 1	.51	8
2 2	5	2 2	10 1/2		.16		.71	10
3	3	2 3	101/2		-29	ا	.99	11


Screen Doors

There is real economy in buying our screen doors. Made in the same careful manner as our high grade front doors. Tenoned and mortised, specially made for high class trade. They are made of soft wood, except doors 63P25, 63P26, which are solid oak.



Door Nos. 63P16-63P17

Screen Doors \$3.50 AND UP



Door Nos. 63P19-63P20

Screen Doors \$4.20 AND

11% inches thick. Stiles and rai 434 inches wide. Bottom rail, 8 inches wide. Panels, 8 inches.	uls,	
Doors 63P22-63P23 Clear Soft Wood — High gradoor for front or rear. Heavily ce structed. One solid wooden cranel. 63P22, with galvanized wi 63P23, with bronze wire. Doors 63P25-63P26 Clear Oak — Our highest gradoor. Pleasing design and super workmanship. 63P25, with galvanized wire; 63P26, with bronze wire.	ones oss ire; \$3.50 AND 1½ inches thick. Stiles and rails, 2¾ inches wide. 63P16, with gal- via-varized wire; 63P17, with bronze	Door Nos. 63P19-63P20 Screen Doors \$4.20 AND UP 11/8 inches thick, Stiles and rails 33/4 inches wide. Bottom rail, 71/4 inches wide. 63P19, with galvanized wire; 63P20, with bronze wire.
Height Height Galvanized Wire Wire S S S S S S S S S	G3P25	

Shipped from our own factory in NEWARK, N. J., not prepaid

All full length screens, made of clear soft wood, 1½ inches thick. The top crosspiece and the stiles, that is, the pieces that run lengthwise, are 2½ in. wide. Bottom crosspiece is 3½ in. wide. This allows a small margin for trimming. Carefully crated. Guaranteed to reach you in good condition. For sizes not shown, write for price.

	0	utside :				ght Wind	
Size of Glass	1	ment of Size of	Scre	ens,	63P2		' "
in					With		1 .5
Window	W	idth	He	eight	Galv	e Bronze	0
Inches	Ft.	In.	Ft.	In.		,,,,,,	Sh
12x26	1	41/4	4	115%	\$1.1	0 \$1.45	12
14x24	1	6¼ 6¼ 6¼	4	7%	1-1	3 1.58	12
14x26 14x28	1 1	614	4	115%	1.1	3 .58 6 .67 9 .73	13
16x20	1	81/	3	1154	1.1	9 1.73	_ 14
16x26	1	8 ½ 8 ½	4	115%	1:1	1 1 77	11 13
18x20 18x24	1	101/	3	115%	1.1	3 1.59	12 13
18x26	1	10 ¼ 10 ¼ 10 ¼ 10 ¼	4	1156	1.3	3 1.73	13
18x28 18x30	1	1014	5	35%	1.4	0 1.92	14
	1	101/4	344555 34444555 3444555 344555566 4455556	7 11 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	1.1	3 .59 3 .73 3 .87 0 .92 2 .98	14
20x20 20x22 20x24	222222222222222222222222222222222222222	14 14 14 14 14 14 14 14 14 14 14 14 14 1	3	35%	1.2	3 1.66	12 13 14 14 15 15 13 14 14 15 15 15
20x24	2	1/4	4	75%	1.3	8 1.74 3 1.83 0 1.92 3 1.98 1 2.04	14
20x26 20x28	2	14	4	115%	1.4	0 1.92	14
20x20	2	1/4	5	75%	1.4	3 1.98	15
22x20	2	21/4	3	115/8	1.3	1 1.72	13
22x22 22x24	2	2 ½ 2 ½ 2 ½ 2 ½ 2 ½ 2 ½ 2 ½ 2 ½	4	35/8	1.3	1 1.72 3 1.83 4 1.92	14
22x24	2	214	4	115%	1.3	4 1.92	14
22x26 22x28	2	214	5	35%	1.4	9 2.07	15
22x30	2	21/4	_5	75/8	1.34	1 1.72 3 1.83 4 1.92 3 2.00 9 2.07 5 2.13	_ 15
24x20 24x24	2	4 14 4 14 4 14 4 14 4 14 4 14 4 14	3	115/8 75/8 115/8 35/8 75/8 115/8 35/8 75/8	1.3	1.84 2.00 5 2.08 4 2.19 9 2.28 8 2.45	16
24x24 24x26	2	414	4	115%	1.3	5 2.08	16
24x28 24x30	2	414	5	35%	1.5	4 2.19	16
24x32	2	41/4	5	115%	1.5	9 2.28	14 16 16 16 17 18 18
24x34	2	414	6	35%	1:7	8 2.45 3 2.58 2.74	18
24x36 26x24	2	41/4	6	75/8	1.7	1.84 2.08 2.08 4 2.19 9 2.28 2.45 2.58 2.58	18
26x24 26x26	2	614	4	75/8 115/8 35/8 75/8 115/8	1.4	9 2.08	16
26x26 26x28	2	614	5	35%	1.5	9 2.27	16
26x30 26x32	2	614	5	75%	1.6	3 2.37	17
26x34	2	614 614 614 614 614	6	35/8	1.4	9 2.08 4 2.19 9 2.27 3 2.37 9 2.51 6 2.66	16 16 16 17 18 18
28x24 28x26 28x28	2	814 814 814 814 814	4	115/8/8/8/8/8/8/8/8/8/8/8/8/8/8/8/8/8/8/	1 5		16
28x26	2	814	4	75/8 115/8 35/8 75/8 115/8	1.6	0 2.28 3 2.38 9 2.49 0 2.61	16
28x30	2	814	5	75%	1.6	5.49	17
28x32	2	814	5	115%	1.8	0 2.61	16 17 17 18
30x24 30x26	2	101/4 101/4 101/4 101/4	445555445556	75/8 115/8 35/8 75/8 115/8 75/8			16 17 17 18 19 20
30x28	2		5	35%	1.6	9 2.49	17
30x30	2	1014	5	75%	1.7	6 2.57	18
30x32 30x36	2	10¼ 10¼ 10¼ 10¼	5	115%	1.6	6 2.57 2.72 2.90	19
32x30	3	1/4	5	75/8 115/8 35/8 75/8 115/8 75/8 75/8	1.8	7 2.72	$-\frac{20}{18}$
36x24	3	414		75%	1.7	6 2.66	16
36x26	3	414	4	75/8 115/8	1.8	9 2.74	16 17 18
36x28 36x30	3 3 3	414 414 414 414	4 4 5 5	75/8 115/8 35/8 75/8	1.00	2.66 2.74 2.84 2.96	18 18
40x28	3	81/4	5	35/8	2.0	3.57	19

Size of Each Light of	m	ent of ize of	Scree	ns.	63P71 With	63P72 With	Shog.
Glass in	W	idth	He	eight	Galv.	Bronze	0
Inches	Ft.	In.	Ft.	In.	Wire	Wire	S.
10x24 10x28	2 2	1¼ 1¼	4 5	75/8	\$1.44	\$1.85	1 1
12x16 12x18	2 2	51/4	3	35/8 75/8	1.35	1.66	1 1
12x20 12x24	2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2	514	333445555	115% 75%	1.45	1.82	1 1
12x26 12x28 12x30	2 2	514	5	11 % 35/8	1.57		1
12x32		51/4		115%	1:70	2.36 2.46	1 1
14x24 14x28	2 2 2	914	5 5	75%	1.60	2.26	1
14x28 14x30	2	914	5	35/8	1:71	2.46	1 1


Glass sizes shown are for four-light windows. Order eight-light window screens by opening size.

Door Nos. 63P22-63P25 63P23-63P26 Screen Doors \$3.95 AND UP


French Doors

Beautiful Clear Fir

Clear Oak Veneered



Beautiful Clear 63P9859 Clear Glass Fir Door Nos. 63P9840 Plate Glass Door Nos. 63P7004 Plate Glass 13/4 Inches Thick




French Doors 13/4 Inches Thick. T Astragal is furnished with each pair of French doors.

	Beautifu	11 Clear Fir F	rench Sash I	
Size of	Opening	Glazed Clear D. S. Glass.	Glazed Plain Plate Glass.	Outside Frames for French Doors 63P7005
Width	Height	Per Pair	Per Pair	Frame to Match.
Ft. In.	Ft. I	1. With Astragal	With Astragal	Each
4 0	7	\$ 15.75	\$19.40	\$5.10 5.20 5.25
4 0 5 0 5 0	7	16.60	22.25 23.00	5.35
ATTE IN	Oak '	Veneered Free	nch Sash Do	ors
Size of	Opening	Glazed Clear D. S. Glass.	Glazed Plain Plate Glass	63P7005 Frame to Match.
Width	Height	Per Pair	Per Pair	Each
Ft. In.	Ft. 1	n. With Astragal	With Astragal	\$5.10
4 0	6	8 \$23.25 0 23.65	\$26.00	5.20
4 0 5 0	6	8 25.50	32.95	5.25
5 0	7	0 26.00	33.75	5.35



FOR INTERIOR DOORS. A cased opening can be greatly improved by the addition of a pair of French Doors.



FOR EXTERIOR DOORS. All the breezy coolness can be transferred to the living room by a pair of French Doors.

SPECIFICATIONS

FRENCH DOORS (for interior or exterior use), of beautiful clear Fir or clear Oak Veneer. Selected for grain and color. Thoroughly kiln dried. Stiles are mortised for muntins. Best workmanship. Sandpapered and polished ready for finish. Stiles and top rail are 3 inches wide, bottom rail is 93% inches wide. Doors are 134 inches thick.

Glazed with high grade double strength, or plain plate glass, as described under number. Glass is fastened into place with wood stops. T Astragal is furnished for over joint where doors come together in the center.

OUTSIDE FRAME No. 63P7005, with clear Cypress outside casing (1½ inches thick), jambs and moldings, and Oak sill; rabbeted for 1¾-inch door, described on page 32.

INTERIOR TRIM, of clear Fir or clear Oak, on pages 36 to 41, matches these doors perfectly.

With clear double strength glass the doors will weigh (packed for shipment) approximately 125 pounds per pair; with plate glass, 165 pounds per pair.

Shipped From Our Own Factory in NEWARK, N. J. Not Prepaid

Hardware for French Doors and Windows

French Window and Screen Door Lock



Genuine Bronze, For flat front French windows and doors. Escutcheons, 43/8 x11/4 inches. Lock, $3\frac{5}{8}$ x $1\frac{1}{2}$ inches. Knobs, $1\frac{7}{8}$ in. We Pay the Postage.



Loose Pin Plated Butts

17C a Pair 21/2 x21/2 in. In Old Copper or Lemon. We Pay the Postage.

9P4568—Sanded Old Brass. 9P4832—Old Copper. 9P4651—Lemon.

Size, Inches State size	9P4568 Per Pair	9P4832 9P4651 Per Pair
2½x2½ 3 x3	22c 23c 25c 33c	7c 7c 8c
3½x3½ 4 x4 4½x4½	33c	30c 52c

9P4527—Lemon finish....\$1.95

9P4424—Nickel plated. Size, 3½x3½ inches, for bathroom doors. We Pay the Postage.Pair 33c


Light Surface Bolts

Electro
Plated Steel.
Length, about
4 in. We Pay
the Postage. 9P4749

Old copper finish. Each......18c 9P4521


Surface Bolts

Electro plated steel. Length, about 6 inches. We Pay the Postage.



Hardware Shipped From Our Store

French Windows and Casement Sash



No. 63P7016

(Honor Bitt MILLWORK)


French Windows

Made of high grade clear California white pine, 13% inches thick. Glazed with clear window glass. Mortised and tenoned. Smoothed and sanded. Made in the same manner as our white pine windows described on page 26.

The FRAMES quoted are for 2x4 studs. Full description of frames on page 34. When ordering casement sash or French windows with frames to match, specify whether sash is to swing in or swing out.

Bottom rail of sash will be shipped not rabbeted when ordered without frame.

French Window 63P7015. The 2-ft. 8-in. by 2 ft. 6-in. and 2-ft. 10-in. by 3-ft. 4-in. sizes are made only three lights high, six lights to the sash, 12 lights to each pair. Over 3 ft. 4 in. in height, 10 lights to the sash as illustrated to the right. to the sash, as illustrated to the right.




No. 63P7015

Shipped From Our Own Factory in NEWARK, N. J., Not Prepaid

Size of Opening				63P7016		63P7991	Shipping
Wic	lth	Hei	ght	French Window.	Weight, Pounds	Frame to Match. Description	Weight,
Ft.	In	Ft.	l ln.	Per Pair	- 04114	Page 34	Pounds
2	8	2	6	\$2.30	30	\$2.75	30
2	10	4	10	3.90	40	3.85	41
2	10	5	2	4.20	45	4.10	46
2	10	5	6	4.25	50	4.25	48
3	8	5	2	4.70	60	4.65	51

	Size of Opening		To a strict a					_ 63P7991 Shippin	Shipping
Wie	ith	Hei	ght	French Window.	Weight, Pounds	Frame to Match. Description	Weight,		
Ft.	In.	Ft.	In.	Per Pair	Lounds	Page 34	Pounds		
2	8	2	6	\$2.25	30	\$2.75	30		
2	10	3	4	3.70	27	3.40	35		
2	10	4	10	3.90	40	3.85	41		
2	10	- 5	2	4.20	45	4.10	46		
2	10	5	6	4.75	50	4.25	48		



No. 63P7009


Will match our Divided Light Window 63P7172 or 63P7173, shown on page 27.

	Size of	Opening		63P7009	******	63P7991	Shipping
	dth	Hei	_	Casement Sash.	Weight, Pounds	Frame to Match. Description	Weight, Pounds
Ft.	ln.	Ft.	In.	Each		Page 34	1 1 1 1 1 1 1 1 1 1
2	4	2	1	\$1.25	16	\$2.75	25
2	8	2	1 1	1.47	22	2.95	28
3-	8	2	1	2.10	27	3.25	33
4	2	2	3	2.65	33	3.65	36

Casement Sash

Made of Clear Cali-fornia White Pine, 13/8 inches thick, glazed with clear single strength glass.

Shipped From Our Own Fac-tory in NEWARK, N. J., Not Prepaid



No. 63P7017


Sash will be made as follows: 2 feet 4 inches and 2 feet 8 inches, three lights wide 3 feet 8 inches, five lights wide, and 4 feet 2 inches, six lights wide.

	Size of Openin			63P7017	100	63P7991	Shipping
Wie	dth	Hei	ght	Casement Sash.	Weight, Pounds	Frame to Match. Description	Weight,
Ft.	In.	Ft.	In.	Each	Lounds	Page 34	Pounds
2	4	2	1	\$1.35	16	\$2.75	25
2	8	2	1	1.60	22	2.95	28
3	8	2	1	2.25	27	3.25	33
4	2	2	3	2.70	33	3.65	36

Hardware for Casement Sash

Casement Fasteners

Reversible. Size, 1/8 x 11/2 in. With screws. We pay the postage.



Mortise Door Bolts

Solid Bronze Knob and Escutcheon We pay the postage. 9P4496



Lemon brass fin-ish. Each...32c 9P4800

Universal Casement Adjuster

Plated steel. E Length, 12 inches. Brass plunger.

Lemon	9P4533 brass finish98c
Old cop	9P4751 per finish98c

Electro Plated Butts



9P4830-Old copper finish. 9P4650-Lemon brass finish.

Size, inches. . 21/2 x 21/2 3x3 31/2 x 31/2 Old copper finish. Sanded old brass finish. \$1.10 Pair..... 18c 19c 21c



0


Loose Pin-Plated Butts

We pay the postage. 9P4568-Sanded old brass. 9P4832-Old copper. 9P4651-Lemon brass.

Size, Inches State size	9P4568 Per Pair	9P4832 9P4651 Per Pair
2½x2½	22c	16c
3 x3	22c	16c
3½x3½	23c	17c
4 x4	31c	27c
4½x4½	55c	52c

9P4424—Nickel plated. Size, 3½x3½ inches, for bathroom doors. We pay the postage. Pair..................31c

Hardware Shipped From Our Store



Nos. 63P7186, 63P7187. Outside View

Honor Bilt MILLWORK

Glazed Wi

Made of Clear White Pine

All our windows are mortised and tenoned. The White Pine is thoroughly kiln dried, carefully machined and sanded. Can be finished in "light natural" or any finish desired. Contractors say they are the best windows they ever saw. Glazed with good quality glass, securely held with points and the best putty. With the exception of small sizes, all our windows are back puttied, which prevents the window glass from rattling and makes a tighter and neater job.

Check rail windows are 1% inches thick and have a check rail where the two sash come together; preventing rattling or driving rains and snow beating through. Carefully crated. Safe delivery guaranteed.


NOTE—Weights shown are of the window only, to assist in ordering sash weights. (See page 29.) For shipping weight or weight of window and crating add one-fifth to the weight given.

For Window Trim See Pages 36 to 41

For Frame Prices See Page 33

When Ordering Be Sure to Give Width First


Shipped From Our Own Factory in NEWARK, N. J.
Not Prepaid



No. 63P7189. Inside View

Two-Light Check Rail Windows Price Includes Top and Bottom Sash Only

Size of Each Light of Glass, Inches		Size o			63P7186 Single	63P7187 Double	Approx Weigh Entire V Add 1, Shpg.	Vindow.
Width, Height	W Ft.	idth In.	He.	ight In.	Strength Glass	Strength Glass	Single Strength Glass, Lbs.	Double Strength Glass, Lbs.
12x20 12x24 12x28	1 1 1 1	4 4 4	3 4 5	10 6 2	\$1.20 1.34 1.46		12 12 14	
14x20 14x24	1 1	6	3 4	10 6	1.28		12 13	
16x20 16x24	1 1	8 8	3 4	10 6	1.37	\$1.60	12 14	14 16
18x20 18x24	1 1	10 10	3 4	10 6	1.46	1.71	14 16	15 18
20x20 20x22 20x24 20x26 20x28 20x30	2 2 2 2 2 2 2 2	0 0 0 0 0	3 4 4 4 5 5	10 2 6 10 2 6	1.53 1.71 1.72 1.80 1.88 2.06	1.77 1.96 1.98 2.12 2.23	15 16 17 19 20 21	16 17 19 21 22
22x20 22x22 22x24 22x26 22x28 22x30	2 2 2 2 2 2 2 2	2 2 2 2 2 2 2 2	3 4 4 4 5 5	10 2 6 10 2 6	1.66 1.82 1.83 1.92 2.04 2.20	1.97 2.17 2.28 2.43	16 17 18 20 21 22	18 20 21 22 23
24x14 24x16 24x20 24x22 24x24 24x26 24x28 24x30 24x32	2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2	4 4 4 4 4 4 4 4 4	2 3 3 4 4 4 5 5 5	10 2 10 2 6 10 2 6 10	1.44 1.46 1.66 1.83 1.89 1.92 2.04 2.20 2.52	1.97 2.17 2.26 2.28 2.43 2.64 3.01	13 14 17 19 20 21 22 25 26	19 21 22 23 25 26 27
26x24 26x26 26x28 26x30	2 2 2 2	6 6 6 6	4 4 5 5	6 10 2 6	1.95 2.04 2.24 2.42	2.33 2.43 2.67 2.90	21 22 23 25	22 24 26 28
28x14 28x16 28x24 28x26 28x28 28x30 28x32	2 2 2 2 2 2 2 2 2 2 2	8 8 8 8 8 8	2 3 4 4 5 5 5	10 2 6 10 2 6 10	1.78 1.80 2.10 2.24 2.36 2.42	2.5 f 2.67 2.82 2.88 3.50	15 17 22 24 25 26 29	24 26 28 29 31
30x24 30x26 30x28 30x30 30x32	2 2 2 2 2 2	10 10 10 10 10	4 4 5 5 5 5	6 10 2 6 10	2.20 2.42 2.46 2.76	2.64 2.90 2.93 3.32 3.60	24 25 27 30	27 28 30 33 34
32x30	3	0	5	6		3.61		34
36x26 36x28	3 3	4 4	4 5	10 2		3.62 3.88	31 32	34 35
40x28	3	8	5	2	1	4.50		37



All windows on this page made with check rail where sash come together, as shown above makes them rainproof, windproof and dustproof.

Four-Light Check Rail Windows Price Includes Top and Bottom Sash Only


Size of Each Light of Glass, Inches		Size Open			63P7189 Single Strength	Approximate Weight of Entire Window, Pounds.
Width Height	Wid		Height		Glass	Add 1/5 for Shpg. Wt.
width Height	Ft.	In.	Ft.	In.		
10x20	2	1	3	10	\$1.68	16
10x22	2	1	4	2	1.74	17
10x24	2 2 2	1 1	4 5	6	1.77	18
10x28	2	1	5	2	1.97	20
12x20	2	5 5 5 5 5 5 5	3	10	1.70	18
12x22	2 2 2 2 2 2 2	5	4	2	1.88	19
12x24	2	5	4 4 5 5	6	1.89	20
12x26	2	5	4	10	2.00	21
12x28	2	5	5	2	2.07	22
12x30	2	5	5	6	2.46	24
14x20	2	9	3	10	1.98	20
14x22	2	9	4	2	2.15	22
14x24	2	9 9	4	6	2.17	23
14x26	2	9	4 5	10	2.24	. 23
14x28	2 2 2 2 2 2 2 2	9	-5	2	2.50	24
14x30	2	9	5 5	6	2.70	26
14x32	2	9	5	10	2.87	28
15x24	2	11	4	6	2.35	27


Eight-Light Check Rail Windows Price Includes Top and Bottom Sash Only

Size of Each Light of Glass.	S	Size of C	pening		63P7192 Single	Approximate Weight of Entire	
Inches	Wie	dth	He	ight	Strength Glass	Window, Pounds.	
Width Height	Ft.	In.	Ft.	In.	Gillo	Add 1/5 for Shpg. Wt.	
9x12	1	11	4	6	\$1.65	14	
10x12 10x14	2 2	1 1	4 5	6 2	1.66	15 18	
12x14 12x16	2 2	5	5	2	2.09	19	

Twelve-Light Check Rail Windows

Price Includes Top and **Bottom Sash Only**





Shipped From Our Own Factory in NEWARK, N. J. Not Prepaid.

Divided Light Windows

Made of Clear California White Pine

The true Colonial expression in divided light windows calls for a light of glass somewhat greater in height than in width.

Windows like these increase the value and beauty of your home.

The Colonial Design Window shown here is made of Clear California White Pine, 1% inches thick, glazed with a selected grade of window glass securely fastened with good putty and points. Frame is priced separately. We pack our windows with great care and guarantee safe delivery.

All windows on this page made with check rail where sash come together making them rainproof, windproof and dustproof.

We will maintain this proportion by furnishing these windows with top sash divided as follows:


	Where Size of Glass in Lower Sash Is	Top Sash Will Be Divided
-	16 in. wide 18 in. to 24 in. wide 26 in. to 32 in. wide Over 32 in. wide	2 lights wide 3 lights wide 4 lights wide 5 lights wide

No. of Lights	Size of Glass		Size of C	pening	L sal	Shipping Weight,	63P7102 Single	63P7103 Double
in Top	in Lower	Wi	dth	He	ight	Windows,	Strength	Strength
Sasn	Sash Sash		Ft. In.		In.	Pounds	Glass	Glass
6	20x24	2	0	4	6	26	\$2.20	\$2.48
6	20x28	2	0	5	2	29	2.38	2.73
6	24x20	2	4	3	10	26	2.16	2.47
6	24x24	2	4	4	6	30	2.39	2.76
6	24x28	2	4	5	2	33	2.54	2.93
8	26x24	2	6	4	6	31	2.45	2.83
8	26x30	2.	6	5	6	38	2.92	3.40
8	28x24	2	8	4	6	34	2.60	3.01
8	28x28	2	8	5	2	36	2.86	3.32
8	28x30	2	8	5	6	37	2.90	3.38
8	30x26	2	10	4	10	36	2.92	3.40
8	30x28	2	10	5	2	38	2.96	3.43

Drip Cap Frames to Match, Described on Page 33

All Other Sizes of Two-Light Windows Listed on Page 26 Can Be Furnished Divided as Above. For Prices Add 50c Extra to the Price of Our Regular Two-Light Window on Page 26 of the Size Wanted. Allow 15 days extra for such sizes.

Shipped From Our Own Factory in NEWARK, N.J., Not Prepaid.



Divided Light Windows

Suitable for Any Style of Building

SPECIFICATIONS

MATERIAL-Clear California White Pine and high grade window glass carefully set with good putty and


CONSTRUCTION Frame of windows, 13/8 inches thick. Check rail construction. See illustration to

The check rail feature in our windows effectively keeps out rain, snow and wind. All windows on this page made with check rail where sash come together, as shown above, makes them rain-proof, windproof and dustproof.

Divided Light Windows

Increase Value and Beauty of Home

Weights here given are shipping weights. In ordering iron sash weights (see page 29) for divided light windows use actual net weight of two-light windows on page 26 opposite.




Nos. 63P7160 Single Strength Glass

NOTICE— All windows on this page, except 63P7140 and 63P7141, will be divided as shown table to the

Where Size of Glass in Lower Sash Is Top Sash Will Be Divided 16 in. wide 18 in. to 24 in. wide 26 in. to 32 in. wide Over 32 in. wide 2 lights wide 3 lights wide 4 lights wide

Shipped From Our Own Factory in NEWARK, N.J. Not Prepaid.



Nos. 63P7172 Single Strength Glass
Nos. 63P7173 Double Strength Glass

	S	ize of (Opening			- 4	R LI	B. + -		T. a.	1 15 150		Weight,	Weight,
Size of Glass inLower	Wi	dth	Heig	ght	63P7172 Single	No. of Lights in Top	63P7173 Double	63P7160 Single	No. of Lights	63P7161 Double	63P7140 Single	63P7141 Double	Single Strength Divided	Double Strength Divided
Sash	Ft.	In.	Ft.	In.	Strength Glass	Sash	Strength Glass	Strength Glass	in Top Sash	Strength Glass	Strength Glass	Strength Glass	Light Windows, Pounds	Light Windows, Pounds
20x20 20x24 20x26 20x28	2 2 2 2	0 0 0 0	3 4 4 5	10 6 10 2	\$1.97 2.16 2.25 2.33	3 3 3 3	\$2.22 2.43 2.57 2.68	\$2.27 2.46 2.55 2.63	9 9 9	\$2.52 2.73 2.87 2.98	\$2.27 2.46 2.55 2.63	\$2.52 2.73 2.87 2.98	20 25 26 28	22 27 28 30
22x24 22x28	2 2	2 2	4 5	6 2	2.28 2.49	3 3	2.62 2.88	2.58 2.79	9	2.92	2.58 2.79	2.92 3.18	27 30	29 32
24x20 24x24 24x26 24x28 24x30 24x32	2 2 2 2 2 2 2	4 4 4 4 4	3445555	10 6 10 2 6 10	2.11 2.34 2.37 2.49 2.65 2.97	33333333	2.4 2.7 2.73 2.88 3.09 3.46	2.41 2.64 2.67 2.79 2.95 3.27	9 9 9 9	2.71 3.01 3.03 3.18 3.39 3.76	2.41 2.64 2.67 2.79 2.95 3.27	2.71 3.01 3.03 3.18 3.39 3.76	25 29 30 32 34 36	27 31 32 34 36 38
26x24 26x28 26x30	2 2 2	6 6	4 5 5	6 2 6	2.40 2.69 2.87	4 4 4	2.78 3.12 3.35	2.70 2.99 3.17	12 12 12	3.08 3.42 3.65	2.70 2.99 3.17	3.08 3.42 3.65	30 34 36	32 36 38
28x24 28x28 28x30 28x32	2 2 2 2	8 8 8	5 5 5	6 2 6 10	2.55 2.81 2.87	4 4 4 4	2.96 3.27 3.33 3.95	2.85 3.11 3.17	12 12 12 12	3.26 3.57 3.63 4.25	3.11 3.17	3.57 3.63 4.25	32 35 37 38	34 37 39 40
30x24 30x26 30x28 30x30	2 2 2 2	10 10 10 10	4 4 5 5	6 10 2 6	2.65 2.87 2.91 3.21	4 4 4 4	3.09 3.35 3.38 3.77	2.95 3.17 3.21 3.51	12 12 12 12 12	3.39 3.65 3.68 4.07	2.95 3.17 3.21 3.51	3.39 3.65 3.68 4.07	32 34 36 38	34 36 38 40

5 lights wide

All other sizes of two-light windows listed on page 26 can be furnished with top sash divided. For prices add to the price of our regular two-light window on page 26 of the size wanted as follows:

63P7140 Single Strength Glass
63P7141 Double Strength Glass
For Catalog (63P7172) Add 45c
For Catalog (63P7161) Add 75c
For Catalog (63P7141) Extra
Nos. (63P7141) Extra
For prices of DRIP CAP window frames only for these windows see page 33. Shipped From Our Own Factory in NEWARK, N. J., Not Prepaid. Nos. 63P7140 Single Strength Glass
63P7141 Double Strength Glass

Include Window, Frame, Trim, Stops and Hardware

Ready to Nail in Place


CUT TO EXACT SIZE. Perfectly machined. Complete Trim Sets neatly packed in dustproof cartons. See illustration below. This applies to Window Frames, Interior Casing, Head Casing, Sills, Aprons, etc. Includes the glazing of the sash, making trimming or cutting unnecessary, except the planing of edges on Glazed Sash, a simple bit of work that should be done on the job.


work that should be done on the job.

Complete Window Sets Include:
WINDOW—Clear California White Pine,
13 inches thick, check rail. Glazed with high
grade clear window glass, carefully set with good
putty and points. Illustrated, described and
priced separately on page 26.
WINDOW FRAME—High grade drip cap
design, made with clear fir pulley stiles and clear
cypress outside casing and sill. Every part cut to
size, ready to nail together. Pulleys set in place.
Illustrated, described and priced separately on
page 33.
MOLDINGS, INCLUDING STOPS, FOR
TRIMMING INSIDE OF WINDOW—Made of
Clear Fir, carefully selected for grain and color.
Each piece is cut to the exact size required. All
parts carefully sand-papered, ready to nail in
place. Illustrated, described and priced separately
on page 40 can be furnished with our complete window sets instead of Molded Cap Trim.
For prices see below.
HARDWARE—High grade sash weights.
Illustrated and priced separately
on page 76. Enough nails, screws and sash cord
sent to complete the window.



PACKING. We use extra special care in packing these sets. Windows are crated with sound ½-inch lumber. Frames are bundled and tied with patent fasteners. The moldings are packed in corrugated paper, excluding dust and insuring your getting bright, clean material. Size of the window is marked on both the frame and the moldings, so each set can be matched up without opening.





INSIDE VIEW No. 63P1232

Sets With Four-Light Check Rail Windows

-	-	-		-	WO ZIE					
	M	Out			Price of each	set includes stops, sash w	s glazed reights,	d windows, w sash cords, l	vindow frame ocks and lifts.	s, inside
Size of EachLight	Me	f Win	ndow ide	nt		ith Single h Glass			th Double h Glass	
of Glass	Wie	dth	- Treight		WithMolded Cap Trim As Illustrat- ed Above	With Back- Band Trim As Illustrat- ed on Page 40	Shpg. Wt., Lbs.	With Mold- ed Cap Trim As Illustrat- ed Above	ed on Page	Shpg. Wt., Lbs.
	Ft.	In.	Ft.	In.	63P1230	63P1226		63P1231	63P1227	
12x20 12x24 12x28	1 1 1	4 4 4	3 4 5	10 6 2	\$5.52 5.90 6.25	\$5.17 5.55 5.90	78 78 82			
16x20 16x24	1 1	8	3 4	10 6	5.85 6.20	5.50 5.85	82 84	6-17	5.82	86
20x20 20x22 20x24 20x26 20x28 20x30	2 2 2 2 2 2 2	0 0 0 0 0 0	3 4 4 5 5	10 2 6 10 2 6	6.23 6.61 6.67 7.04 7.12 7.57	5.88 6.26 6.32 6.69 6.77 7.22	84 86 88 92 94 96	6.47 6.91 6.98 7.41 7.52	6.12 6.56 6.63 7.06 7.17	86 88 90 96 98
22x20 22x22 22x24 22x26 22x28	2 2 2 2 2 2	2 2 2 2 2 2	3 4 4 4 5	10 2 6 10 2	6.51 6.81 6.82 7.21 7.38	6.16 6.46 6.47 6.86 7.03	84 86 90 92 94	7.26 7.62 7.82	6.52 6.91 7.27 7.47	86 94 96 98
24x20 24x22 24x24 24x26 24x28 24x30 24x32	2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2	4 4 4 4 4 4 4	3 4 4 4 5 5 5	10 2 6 10 2 6 10	6.61 6.90 6.96 7.38 7.50 7.96 8.82	6.26 6.55 6.61 7.03 7.15 7.61 8.47	92 92 96 100 102 104 106	7.00 7.29 7.41 7.79 7.99 8.40 9.36	6.65 6.94 7.06 7.44 7.64 8.05 9.01	96 96 100 104 108 110 112
26x24 26x26 26x28 26x30	2 2 2 2	6 6 6	4 4 5 5	6 10 2 6	7.39 7.57 7.94 8.22	7.04 7.22 7.59 7.87	100 102 104 108	7.77 8.01 8.42 8.75	7.42 7.66 8.07 8.40	104 106 108 114
28x24 28x26 28x28 28x30 28x32	2 2 2 2 2 2	8 8 8 8 8	4 4 5 5 5	6 10 2 6 10	7.66 8.09 8.26 8.38	7.31 7.74 7.91 8.03	102 106 108 110	8.12 8.57 8.77 8.94 9.99	7.77 8.22 8.42 8.59 9.44	106 110 114 116 120
30x24 30x28 30x30 30x32	2 2 2 2	10 10 10 10	4 5 5 5	6 2 6 10	7.81 8.38 8.80	7.46 8.03 8.45	116 122 128	8.35 8.90 9.46 10.31	8.00 8.55 9.11 9.76	122 128 134 136

Sets With Two-Light Check Rail Windows

OUTSIDE VIEW

Nos. 63P1230-63P1231-63P1226-63P1227

		Out	reme		windows, windo stops, sash wei and lifts.	ow frames, inside ghts, sash cord	e trim,
Size of EachLight		Ins	reme		Glazed Single Stre	With ngth Glass	
of Glass		of Fr	ame		With Molded Cap Trim as Illustrated	With Back- Band Trim as Illustrated	Shpg. Wt., Lbs.
	Wie	dth In.	Hei	ght In.	Above 63P1232	on Page 40 63P1228	
10×20	2	1	3	10	\$6.39	\$6.04	84
10x22	2	î	4	2	6.59	6.24	86
10x24	2	1	4	6	6.72	6.37	90
10x28	2	1	5	2	7.30	6.95	92
12x20	2	5	3	10	6.73	6.38	86
12x22	2 2 2 2 2 2	5	4	2	7.19	6.84	86
12x24	2	5 5 5	4	6	7.20	6.85	90
12x26	2	5	4	10	7.46	. 7.11	90
12x28	2	5	5	2	7.62	7.27	92 96
12x30	-		5	6	8.28	7.93	
14x20	2	9	3	10	7.58	7.23	92
14x22	2 2 2 2 2	9	4	2	7.80	7.45	92 94
14x24	2	9	4	10	7.82	7.47	94
14x26 14x28	2	9	5	2	8.01	8.06	96
14x28 14x30	2	9	5	6	8.69	8.34	100
14x30	2	0	5	10	9.43	8.88	104
		1			tht Check F		ws
9669	V 46.			. 2106	With Molded	With Back-	
Size of	Wi	dth	He	ight	Cap Trim as	Band Trim	Shpg.
EachLight					Illustrated	as Illustrated	Wt.,
of Glass	Ft.	In.	Ft.	In.	Above 63P1233	on Page 40 63P 229	Lbs.
9x12	1	11	4	6	\$6.55	\$6.20	86
10x12	2	1	4	6	6.80	6.45	88
10x14	2	1	5	2	7.18	6.83	90
12x14	2	5	5	2	7.64	7.29	98
Sets W	ith	Tw	velv	e-Li	ight Check	Rail Windo	ws
	1		1	ng is	With Molded		SILL ST
Size of	W	idth	H	eight	Cap Trim as	Band Trim	Shpg.
EachLight		-			Illustrated	as Illustrated on Page 40	Wt., Lbs.
of Glass	Ft.	In.	Ft	In.	Above	63P1236	Lus.

Above 63P1234

\$6.75 7.11 7.60 8.21 7.91

8x12 9x12 9x14 10x12 10x16

4½ 4½ 7½ 7½ 10½

Where Yellow Pine Trim is wanted, we will furnish it at the same price as Fir, on request Shipped From Our Own Factory in NEWARK, N. J., Not Prepaid


on Page 40 63P | 236

84

104

\$6.40 6.76 7.25 7.86 7.56

Honor Bilt MILLWORK



Front Windows

Check Rail Front Window-13/8 Inches Thick Made of Clear California White Pine

Top sash of Window 63P7106 glazed clear leaded crystal sheet glass. Bottom sash of Window 63P7106 and both top and bottom sash of Window 63P7142 glazed clear double strength glass.


Windows are check rail design, the bottom sash may be raised or the upper sash lowered, if hung with weights. If made in one piece, to be placed stationary, add 45 cents extra, and write the word "Special" after the catalog number; also state "one-piece, stationary." Order with our casement frames, page 34.

The frames priced below under catalog number 63P9944 are our regular plain drip cap window frames, fully illustrated and described on page 33. Made with 1½-inch outside casing and include our exclusive leakproof sill. Prices include pulleys set in frame. Made with clear fir pulley stiles and clear cypress outside casings and sills. Shipped knocked down, ready to set up.

Shipped From Our Own Factory in NEWARK, N. J., Not Prepaid.

Siz	e of	Oper	ning	Top	Glass	Botton	nGlass		63P7106	63P7142	63P9944 Frame
Wi	dth	Hei	ght	Wdth.	Hght	Wdth.	Hght	Shpg. Wt.,	Glazed as	Glazed as	For Nos. 63P7106.
Ft.	In.	Ft.	In.	In.	In.	In.	În.	Lbs.	Illustrated	Illustrated	63P7142 Windows
3	8	5	0	40	14	40	40	90	\$7.85	\$4.85	\$3.53
3	8	5	2	40	14	40	42	93	8.35	5.40	3.55
4	0	5	2	44	16	44	40	102	8.65	5.65	3.80
4	0	5	6	44	16	44	44	110	8.00	6.05	3.84

Honor Bitt MILLWORK



Plain Rail Windows and Frames to Match



63P7106




500 CLEAR CALIFORNIA WHITE 11/8-INCH PLAIN RAIL EIGHT-LIGHT WINDOWS



CLEAR CALIFORNIA WHITE PINE 11/8-INCH PLAIN RAIL TWELVE-LIGHT WINDOWS




FOR CHECK RAIL WINDOWS, SEE PAGE 26



			Fo	ur-Li	ght Plain Rail Wind	ows		15 V1-20
		e of O	pening	3	11/8-Inch Thick Plain	Rail	Frame for No.	Shipping
Size of Each Light of Glass in Inches					Single Strength Glass	Weight,	63P7176 Window	Weight,
of Glass In Theres	Ft.	In.	Ft.	ln.	63P7176	Lbs.	63P9765	Lbs.
12x20 12x24	2 2	4 4	3 4	10	\$1.54	25 26	\$2.58 2.74	25 30

			Eig	ght-L	ight Plain Rail Wind	lows		
		ze of C			11/8-Inch Thick Plai	n Rail	Frame for No.	Shipping
Size of Each Light of Glass in Inches				ight	Single Strength Glass	Weight,	63P7178 Window	Weight,
of Glass In Inches	Ft.	In.	Ft.	In.	63P7178	Lbs.	63P9766	Lbs.
8x10	1	81/2	3	10	\$1.24	19	\$2.18	19
9x12 10x12	2	01/2	4	6	1.42	20	\$2.18 2.46 2.65	19 23 26

12x14 41/2 1.92 2.92 Twelve-Light Plain Rail Windows 11/8-Inch Thick Plain Rail Size of Opening Frame for No. 63P7180 Window K. D. 63P9767 Shipping Weight, Lbs. Size of Each Light of Glass in Inches Width Height Weight, Lbs. Single Strength Glass 63P7180 | In In Ft 10 6 2 6 \$1.54 1.83 2.17 1.91 \$2.58 2.85 3.01 2.90



Shipped From Our Own Factory in NEWARK, N. J., Not Prepaid.

Louvre Frame

63P7166

Rectangular Louvre Frame, of clear Cypress. Outside casing, 1% inches thick. Size of

opening:
10 in. by 1 ft. 5 in.....\$4.00
12 in. by 2 ft. 6 in.....\$4.75
Furnished with stationary wire screen and a solid wood Panel back for closing in winter. Shipping weight, 23 pounds.


Half Circle Louvre Frame



63P7167 2 ft. 6 in. by 1 ft. 4 in..... 7.06 Framed square on the inside.

Furnished with stationary wire screen and a solid wood Panel back for closing in winter. Shipping weight, 25 pounds.

Half Circle Gable Sash and Frame



63P7182
Sash only. Opening, 2 feet 6 inches by 1 foot 4 inches. 1½ inches thick, glazed, 4 lights, clear glass. Made square inside. (Shipping wt., 15 lbs.). \$4.05

63P7183

Frame only. Of clear Cypress. Outside casing, 1½ inches thick. Opening, 2 feet 6 inches by 1 foot 4 in., for 2x4 studding. Made square inside. \$5.15 Shipping weight, 20 pounds.


Shipped From Our Own Factory in NEWARK, N. J., Not Prepaid.



Sash Weights To hanga window, four sash weights are required, each weighing one-fourth the weight of entire window. Our weights are standard diameter and length, according to weight. Shipped from foundry in CENTRAL PENNSYLVANIA.

Sizes, from 3 to 8½ pounds by half pounds, and from 9 to 26 pounds by pounds. Be sure to state weight.





Honor Bilt MILLWORK

Cellar and Barn Sash

Shipped from our own factory in NEWARK, N. J., not prepaid.

Cellar Sash Two-Light Glazed Cellar Sash

Made of ClearWhite Pine 13% Inches Thick With 3-Inch Bottom Rail

Three-Light Glazed Cellar Sash

Made of Clear White Pine 13/8 Inches Thick With 3-Inch Bottom Rail



For Cellar Sash Frame See Page 34.

Three-Light Glazed Cellar Sash

SIZE OF		SIZE O	F SASH		Glazed	****	
GLASS,	Wi	idth	He	ight	S. S. Glass	Weight, Pounds	
Inches	Ft.	In.	Ft.	In.	63P7245		
8 x 10	2	4	1	3	63c	12	
9 x 12	2	7	1	5	72c	16	
9 x 14	2	7	1	7	78c	18	
10 x 12	2	10	1	5	73c	18	
10 x 14	2	10	1	7	79c	20	
10 x 16	2	10	1	9	87c	22	


SIZE OF		SIZE O	F SASH	Per Sash,	Weight, Pounds	
GLASS, Inches	Width		He	ight		
Inches	Ft.	In.	Ft.	In.	63P7241	- June
10 x 12	2	1	1	5	64c	9
10 x 14	2	1	1	7	69c	11
10 x 16	2	1	1	9	76c	13 15
10 x 18	2	1	1	11	84c	15
12 x 14	2	5	1	7	75c	13
12 x 16	2	. 5	1	9	78c	15
12 x 18	2	5	1	11	85c	17
12 x 24	2	5	2	5	98c	23
14 x 16	2	9	1	9	85c	17
14 x 18	1 2	9	1	11	93c	19
14 x 20	2	9	2	1	98c	21

Two-Light Glazed Cellar Sash

One-Light Glazed Stall Sash

One-Light Glazed Transom

One-Light Glazed Attic Sash



SIZE OF	SIZ	E O	FSA	SH	Glazed	Weight,	
Inches	Inches		Height		S. S. Glass 63P7256	Pounde	
8 x 10	1 1	$\frac{\text{In.}}{0}$	Ft.	3	52c	- 5	

Made of Clear White Pine 11/8 Inches Thick With 3-Inch Bottom Rail



Made of Clear White Pine 13/8 Inches Thick


SIZ	E OF SA	SH	Per Transom	****	
Wie	lth	Height	Glazed S. S. Glass	Lbs.	
Ft.	In.	In.	63P7251	Dos.	
2 2 2 2	6	10 12	56c 63c	7 8	
2 2	6	14 16	64c 69c 58c	10	
2 2	8 8	16 10 12 14	64c 66c	10	
2 3	8	16 14	72c 78c	11	
3 3	0	16 18	84c 92c	13 14	
3	()	20	98c	16	

Made of Clear White Pine 1% Inches Thick With 3-Inch Bottom Rail



	SIZE OF	5	IZE U	L DWD	11	Per Sash.			
	GLASS,	Wi	dth	Hei	ght	Glazed S. S. Glass	Weight, Pounds		
	Inches	Ft.	In.	Ft.	In.	63P7211	Founds		
i	16 x 20	1	8	2 2	1	\$0.70	10		
	16 x 24	1	8	2	5	-81	14		
	18 x 20	1	10	2	1	.78	12		
	18 x 24	1	10	2	5	.87	16		
ı	20 x 20	2	0	2	1	.79	14		
	20 x 24	2	0	2 2 2 2 2	5	.87	17		
	24 x 20	2 2 2	4	2	ĭ	.88	17		
	24 x 24	2	4	2	5	.98	20		
	24 x 28	2	4	2	g	1:10	24		
	24 x 30	2 2	4	2 2	11	1.17	24 26		

Barn Sash Made of Clear White Pine



GLASS, Inches

SIZE OF SASH

Width | Height Ft. In.

Ft. | In.

Four-Light Glazed Barn Sash

11/8 or 13/8 Inches Thick

No. 63P7261—11/8 in. No. 63P5082—13/8 in.









Nine-Light Glazed Barn Sash


1- 1- 1- 1- 1- 1- 1- 1- 1- 1- 1- 1- 1- 1	1 3 33	1 78	IIIC	nes	LILLOR	V BLANKS		
SIZE OF	SI	ZE O	FSA	SH	Glazed			
GLASS,	W	idth	He	ight	Glazed S. S. Glass 63P5081	Pounds		
Inches	Ft.	In.	Ft.	In.	63P5081	1 ounds		
9 x 12	2	7	3	5	\$1.63	24		

Six-Light Glazed Barn Sash

		1 3/8	Inc	hes	Ihick	
SIZE OF	SI	ZE O	FSAS	SH	Glazed	1
GLASS,				ght	S. S. Glass	Weight,
Inches				In.	63P5080	Pounds
8 x 12 1		8	3	5	\$1.10	21
8 x 14	1 1	8	3	111	1.19	24

"Black Diamond" Guaranteed Coal Chute

(To Be Set in Foundation Wall, for Delivering Coal, Wood, Etc., Into Basement)



The use of this steel coal chute eliminates the battered looking window through which coal is usually shoveled into the basement. When the door is opened it protects the wall above from flying lumps of coal. Simple in operation, and cannot be opened from the outside.

It is built of heavy copper steel. When door is closed it locks automatically. No hopper or chains.

With ordinary use it will last as long as the building. This chute will pay for itself in a short time in saving of window glass and sash. Built for any wall. Measuring opening, 213/4x16 inches.


Shipped from our store, Not Prepaid.

63P9235—Shipping weight, 45 pounds. \$4.50



Porch Enclosure Sash (Honor Bilt)






The material to completely enclose the porch pictured above was furnished by Sears, Roebuck and Co. for only \$91.59. This amount included the following items: Tran-som Bars, Headers and Studs, Beveled Sill, Beaded Partition, Bulkhead Panels, Transoms, Combination Door, Sash, Moldings and Hardware, Porch proper excluded.

Porches are intended for year around use. Convert your porch into a cheerful sun room. A glazed porch adds another room to your dwelling. We carry a full stock of Porch Enclosure Sash in 2, 5 and 8 light designs. Porch Enclosure Sash are made of clear White Pine, 1½ inches thick. High grade window glass is carefully secured with good putty and points. When ordering, be sure to give width first. Shipped from our own factory in NEWARK, N. J., not prepaid.

not prepaid.







63P7300

63P7292-63P7293

63P7299

Eight-Light Porch Sash					T	wo-L	ight	and	Five-	Light Po	rch Sash	
	Outside Measurements of 8-Light Sash		Outside Measurements of 2 and 5-Light Sash			Wt., Glazed Lbs. Clear	63P7299 5-Light Glazed Clear					
of	8-Li	ght S	ash	3374		W	idth	He	eight	BBC.	Glass	Glass
				Wt., Lbs.	8-Light	Ft.	In.	Ft.	In.	1111		
				Lus.	Glazed	2	01/4	4	75%	33	\$1.74	\$2.11
Wi	dth	He	eight		Clear	2	01/4	4	115/8	33	1.83	2.20
_					Glass	2 2 2	01/4	5	35/8	34	1.91	2.46
Ft.	In.	Ft.	In.			2	01/4	5	75/8	35	2.09	
rt.	200	Carlon.			01.00	2	41/4	4	75/8	36	1.92	2.29
1	111/4	4	75/8	33	\$1.68	2	41/4	4	115%	37	1.95	2.45
1_	111/4	5	35/8	35	1.83	2 2 2 2	41/4	5	35/8	38	2.08	2.60
2 2 2	11/4	4	75%	37	1.69		41/4	5	75/8			2.35
2	11/4	5	35%	39	1.92	2	61/4	4	75/8	38	1.98	2.45
2	11/4	5	11%	41		2	614	4	115/8	39	2.28	2.65
2 2 2	51/4	5	35/8	42	2.12	2 2 2	614	5	35%	40	2.46	2.83
2	51/4	5	115%	43	2.46		61/4	5	75/8			2.65
	51/4	0	75/8	45		2	81/4	4	115/8	41 42	2.28	2.77
2 2	91/4	5	115%	46	2.70	2 2	814	1 5	35/8	42	2.46	2.83
2	91/4	0	7 9/8	49	2.88	2	814	5	1154	45	2.98	3.35


Porch Enclosures Figured Complete by Our Experts


We will furnish all materials to completely enclose your porch, including framing materials such as studs, headers, transom bars, beveled sills, etc., combination storm and screen door, glazed porch sash, bulkhead panels, transoms, door and window stops, moldings and hardware; also all freight charges paid.

Here is an example of our direct-from-factory values: We furnished all the material test stops that frest perch sixtuagilist the space left hand account of the state of the sta

to enclose the front porch pictured in the upper left hand corner of this page for only

Free Estimates promptly given. Just send a rough sketch showing the dimensions of your porch. Let our experts send you a free estimate, including all freight charges to your station.







Hotbed Sash

Made of Clear Cypress

Size, 3 Feet Wide by 6 Feet Long With Oak "Sag Bar"





OUR
"SPECIAL"
OAK
STRIP-
SAG
BAR
MAKES
THEM
STRONG
and RIGID

Catalog	Description	Each, in 10 or		Each, in Lots of Less Than 10		
No.	2 to a series	13/8 Inches Thick	13/4 Inches Thick	13/8 Inches Thick	1¾ Inches Thick	
63P7270 63P7271	3 rows, 10-inch glass 4 rows, 7-inch glass	\$3.75 4.35	\$4.55 5.50	\$3.95 4.55	\$4.75 5.70	


Shipped From Our Own Factory in NEWARK, N. J., Not Prepaid. Glazed hotbed sash weighs 70 pounds each.

Hotbed Glass

Our extremely large sale of Hotbed Glass enables us to purchase these small lights in large quantities, and therefore we can offer them to you at prices that will make you a considerable saving. We guarantee safe delivery. Weight, per box, 50 lbs. Not prepaid.

6	3	P	7	2	6	8
---	---	---	---	---	---	---

Size.	6x 8 inches.	Per box of	150 lights	\$3.60
Size.	7x 9 inches.	Per box of	114 lights	3.65
Size	8x10 inches.	Per box of	90 lights	3.70
Size	9x12 inches.	Per box of	67 lights	3.75
Size	10x14 inches	Per box of	51 lights	3.80



Measurements

Drip Cap,

Casing,

Casing,

Head

Outside

Jamb,

Oak Sill,

Outside Casing,

Jamb,

Oak Sill,

Frames

Plain Drip Cap Door

Frames

Size in Lower detail Inches 11/8x15/8 at left shows frame with 11/8x41/4 crown mold cap in place of plain drip cap. If crown mold cap 11/8x41/4 frame is wanted, allow 50 cents 13/8x51/4 extra over price quoted for plain drip cap door frames of corresponding size. When ordering crown mold cap Crown Mold Cap for Door frame, specify catalog num-Size in Inches ber 63P9834, and state "with Drip cap, 11/8x21/2 Crown Mold, 3/4x2 crown mold cap." All parts Head Casing, 11/8x6 of crown mold cap frame are of 11/8x41/4 the same dimensions as plain drip cap frame, 18/8x51/4 except crown mold, drip cap mold and head casing. (For dimensions see lower detail at

Door Frames [Honor Bilt]

Plain Drip Cap **Outside Door Frames**

TE USE thoroughly dried and seasoned lumber kept from the weather in mammoth warehouses; when kept properly protected with paint will not warp or check.

We use practically clear Louisiana cypress for the outside casings and moldings and solid oak for the sills. There is no better material for the manufacture of the various parts of the frame.

All frames packed to secure lowest transportation rates. Will reach you in a clean and perfect condition and take the lowest freight rate. Each part

is cut to exact size. Easy to put together.

Opening size shown is outside measurement of door and inside measurement of frame. Stud opening should be 4 inches wider and 5 inches higher than outside measurement of door.

Jambs of frames are rabbeted for 13/8-inch or 13/4-inch doors.

When ordering frames be sure to give the thickness of the door for which the frame is wanted.

We ship promptly.

Door Frames With Hardwood Sills

OUR FRAMES WILL OUTWEAR THE BUILDING, because REAL CYPRESS, "The Wood Eternal," is used for all our door and window frames.

We do not use Redwood or Pine for the outside casings and moldings of our frames. Cypress takes paint readily; will not warp or check. IT IS THE BEST

WOOD for this purpose.

When ordering door frames be sure to give width first.

Made with 1½-inch outside casing and with or without transom head. Where jambs are wanted wider than 5½ inches, add 35 cents for each

additional inch or fraction thereof in the width of the jamb.

Prices of Drin Can Door Frames

R. F. F.	ces	OF 1	DEL	h cah	DOOK 1	Lame
	S	IZE		With Oak Hard- wood	With Soft- wood	Ship- ping
Wi	dth	He	ight	Sill	Sill	Weight, Pounds
Ft.	In.	Ft.	In.	63P9950	63P9949	1 ounds
2	6	6	6	\$4.25	\$3.65	42
2	6	6	8	4.35	3.70	45
2	8	6	8	4.45	3.75	46
2	6	7	0	4.50	3.80	48
2	8	7	0	4.55	3.85	49
2	10	6	10	4.55	3.85	50
3	0	6	8	4.65	3.90	52
3	0	7	0	4.70	3.95	55

Transom Head Frames

If frame is wanted with a transom head add \$1.50 to the price above of a regular frame of the same size and be sure to give height of transom when ordering.

"The best I've used in 20 years"
Says a Washington, D. C., Contractor

NOTE—If wanted for stucco construction add \$1.00 to price and state in your order "For Stucco Construction." Shipped From Our Own Factory in NEWARK, N. J., Not Prepaid. For Inside Door Jambs See Page 42

Circle, Segment and Gothic Head **Door Frames**

Constructed exactly the same way as our plain drip cap door frames, except the drip cap mold is not included. Outside casings 11/8 inches thick are practically Clear Louisiana Cypress. These frames are to fit circle head doors illustrated on page 10. They can also be furnished with segment, or gothic heads, (not illustrated). For prices see table below.

Prices of Circle, Segment and Gothic **Head Frames**

		SI	ZE		With Hard-	With Soft-	Shpg.
İ	Wi Ft.	dth In.	Hei Ft.	ght In.	63P9795	wood Sill 63P9796	Wt., Pounds
	3	0	6	8	\$9.95	\$9.25	52
	3	0	7	0	10.00	9.30	55

BE SURE TO STATE WHAT HEAD DESIGN DOOR FRAME IS FOR

Shipped From Our Own Factory in NEWARK, N. J., Not Prepaid.



Honor Bilt MILLWORK

Window Frames

Honor Bilt MILLWORK

High grade frames made of practically clear lumber. NOTE—The outside casing and the sills of our window and sash frames are made of Clear Cypress, the very best wood for the purpose. We do not use Redwood or White Pine for the outside casings and mold-

ings of our frames. Opening size shown is the outside measurement of window and inside measurement of the frame. Stud opening should be 6 inches wider and 5 inches higher than opening size of windows.

Two-Light Window Frames

TWO	-LI	gnt	AA I	nae	DA LLSI	es
Size of Glass in		Size	e of ning			hick
Window to Match		dth	-	ight	With Pulleys	Wt.,
	Ft.	In.	Ft.	In.	63P9944	Lbs.
12x20	1 1	4 4	3 4	10 10	\$2.16	24
12x26 12x28	1	4	5	2	2.48	30
14x20	1	6	3	10	2.24	25
14x24	1	6	4	6	2.40	27
16x20	1	8	3	10	2.32	26
16x24	1	8	4	6	2.48	28
16x28	1	8	5	2	2.64	32
16x30	1	8	5	6	2.72	33
18x24	1	10	4	10	2.61	29 32
18x26	1	$\frac{10}{0}$	3	10	2.64	28
20x20 20x24	2 2	0	4	6	2.44	30
20x28	2	ő	5	2	2.78	33
20x30	2 2	0	5	. 6	2.78	34
20x32	2	0	5	10	2.97	35
20x36	2	0	6	6	3.17	39
22x20	2 2	2 2	3 4	10	2.59	29 31
22x24 22x28	2	2	5	2	2.83	35
22x20	2	2	5	6	2.95	36
24x14	2	4	2	10	2.52	27
24×16	2	4	3	2	2.58	28
24x20	2	4	3	10	2.64	30
24x24	2 2 2	4	5	6 2	2.71	32
24x28 24x30	2	4	5	6	3.05	37
24x36	2 2	4	6	6	3.29	41
26×24	2	6	4	6	2.83	32
26x26	2 2	6	4	10	2.92	34
26x28	2	6	5 5	2	3.04	36
26x30	2	6		6	3.09	27
28x14 28x16	2 2	8	3	10 2	2.82	28
28×24	2	8	4	6	2.95	33
28x28	2 2	8	5	2	3.19	37
28x30	2	8	5 5 5	6	3.25	38
28x32	2	8		10	3.33	39
30x24 30x28	2	10 10	5	6 2	2.95	34
30x28 30x30	2 2	10	5	6	3.23	39
30x36	2	10	6	6	3.50	44
32x30	3	0	5	6	3.32	40
32x36	3	0	6	6	3.63	45
36x24	3	4	4	6	3.28	36
36x26	3	4	5	10	3.36	38
36x28 36x36	3	4	6	6	3.76	46
40×24		8	4	6	3.44	39
40x28	3	8	5	2	3.55	42
40x30	3	8	5	6	3.61	44
40x36	3	8	6	6	_	49
44x30	4	0	5	6		44
44x36	1 4	1 0	10	1 0	4.16	1 17

Four-Light Window Frames

Size of Glass in		Size		11/8-Inch Thick Outside Casing		
Window	Wi	dth	Hei	ght	With Pulleys	Wt.,
to Match	Ft.	In.	Ft.	In.	63P9944	Lbs.
10x20	2	1	3	10	\$2.45	28
10x22	2	1-	4	2	2.59	29
10x24	2 2 2 2 2	1	4 4 5	6	2.64	30
10x28	2	1	5	2	2.87	34
10x30	2	1	5 5	6	2.95	35
10x32	2	1	5	10	3.01	36
12x20	2	5	3	10	2.72	31
12x26	2	5 5 5 5	4	10	2.95	35
12x28	2 2 2 2	5	5 5	2	3.04	37
12x30	2	5	5	6	3.11	38
12x36	2	5	6	6	3.33	42
14x24	2	9	4	6	3.04	34
14x26	2	9	4	10	3.11	36
14x28	2	9	5 5	2	3.20	38
14x30	2 2 2 2	9	5	6	3.28	39
15x24	2	11	4	6	3.13	34
15×28	2	11	5	2	3.29	38
15x30	2 2	11	5 5	6	3.37	40
15x32	2	11	5	10	3.45	41


Eight-Light Window Frames

Size of Glass in		Size			11/8-Inch Thick Outside Casing		
Window	Wi	dth	Hei	ight	With Pulleys	Wt	
to Match	Ft.	In.	Ft.	In.	63P9944	Lbs.	
9x12	1	11	4	6	\$2.64	29	
10x14	2	1	5	2	2.83	31	
12x14	2	5	5	2	3.04	34	
12x16	2	5	5	10	3.33	38	
14-16	2	0	5	10	2 40	41	

Frames are cut to the exact size of the window for which they are intended and all that is necessary is to nail them together. Include pulleys set in place. All frames are shipped in bundles, one frame to the bundle. Will reach you in a clean and perfect condition. Bundles are wired together. They take a lower freight rate when shipped this way. As each part is cut to exact size they are easy to put together.

Shipped From Our Own Factory in Newark, N. J., Not Prepaid.

Details and Exact Measurements



Window Frames


Made with two-member leak-proof sill. Furnished with 1½-inch outside casing. Made for buildings with regular 2x4-inch studding. Where pulley stiles for window frames are wanted wider than listed, add 20 cents for each additional inch or fraction thereof and write the word "Special" after the number in the catalog. (We use only high grade pulleys.)

Crown Mold Caps for Window Frames



Window frames can be furnished with heavy crown mold cap. All parts of the frame, with this exception, are of the same dimensions as plain drip cap frames (see detail). If crown mold cap is wanted, allow 30 cents extra over price quoted for plain drip cap window frames of corresponding size. When ordering specify catalog number 63P9829 and state WITH CROWN MOLD CAP.

Plain Drip Cap Frames for Check Rail Windows



WHEN ORDERING BE SURE TO GIVE WIDTH FIRST Mullion or Double Frames

63P9945—11/8-Inch Thick Outside Casing. With pulleys.

Mullion or Double Frames are double the price of regular frames of the same window opening size.

ORDER BY NUMBER OF ARTICLE AND STATE SIZE

Triple Frames

63P9946—11/8-Inch Thick Outside Casing. With pulleys.

Triple Frames are three times the price of regular frames of the same window opening size.

ORDER BY NUMBER OF ARTICLE AND STATE SIZE

Single Sash Frames

SINGLE SASH FRAMES will be furnished at prices quoted on page 34 for Casement Sash Frames. When ordering Single Sash Frames mention 63P7991.


Prices of Sizes Not Shown

For price of frames in sizes not shown allow the price of the next larger size. If wanted for stucco construction add \$1.00 to price shown and state in order "for stucco construction."

Shipped From Our Own Factory in NEWARK, N. J., Not Prepaid.

Honor Ritt Door, Window and Sash Frames

Casement Sash Frames





The frame shown is to be used with the casement sash on page 25. Made with clear cypress outside casings, 11/8 in. thick, each piece cut to exact size. Rabbeted to receive 13/4-inch sash. Made for sash to swing in or out. When ordering be sure to mention whether you want your sash to swing in or out. If other sizes than those listed are wanted, write for prices.

Per Frame, Knocked Down and Bundled

Me	Size of Opening or Outside Measurements of Sash Width Height		63P7991 Price, Per Frame Weight, Pounds		Size of Opening or Outside Measurements of Sash Width Height				63P7991 Price, Per	Weight, Pounds	
Ft.	ln.	Ft.	In.	Traine		Ft.	In.	_	In.	Frame	
2	0	2	1	\$2.50	20						-
2 2 2	0	2	7	2.75	26	2	10	5	2	\$4.10	46
2	4	2	1	2.75	25	2	10	5	6	4.25	48
2 2	6	2	1	2.80	26	3	8	2	1	3.25	33
2	8	2	1	2.90	28	3	8	5	2	4.65	51
2	8	2	6	3.00	30	4	2	2	3	3.65	36
2	10	3	4	3.40	35						

Door Frames for Concrete, Stone or Solid Brick Buildings






This frame is made of 11/8x15/8inch clear cypress brick mold and 13/8x51/4-inch jamb, making it 63/8 inches over all for 9-inch wall. No sill or arch board furnished with this frame. Shipped knocked down and carefully bundled.

7	S	IZE		Without		With	
Wi Ft.	dth	He Et	ight	Transom Head	Weight, Pounds	Transom Head 63P7896	Weight, Pounds
2 3	8 0	6 7	8 0	\$3.00 3.12	42 52	\$3.92	57

Window and Sash Frames

For Stone or Solid **Brick Buildings**

For check rail windows. The frames are perfectly machined and ready to be put together. Outside casings and molds made of clear cypress. When ordering give size of glass and number of lights in window. Orders for single sash frames will be furnished at price of window frames of same size opening. Pockets and pulleys are included. If pulleys are not wanted, deduct 20 cents and mark word "Special" after number in catalog.



SPECIFICATIONS FOR THIS FRAME

Brick Mold... Size, 1½x1½ inches | Parting Stop... Size, ½x ¾ inch Blind Stop... Size, ½x4½ inches Pulley Stile... Size, ½x4½ inches Back Box Lining... Size, ½x4½ inches Back Box Lining... Size, ½x4½ inches Note: A jamb lining which is listed below is used with these frames when they are used in residences.

	SIZE	Per Frame	Weight, Pounds	
Width	Height	63P7897		
2 feet 0 inches 2 feet 0 inches 2 feet 0 inches 2 feet 10 inches 2 feet 10 inches 3 feet 4 inches	3 feet 10 inches or smaller 4 feet 6 inches or smaller 5 feet 2 inches or smaller 3 feet 10 inches or smaller 5 feet 2 inches or smaller 6 feet 2 inches or smaller	\$3.18 3.48 3.75 3.66 3.98 4.60	30 35 40 35 45 50	

63P803 (—Mullion or Double Frames are double the price of regular frames of same window opening size.


63P8032-Triple Frames are three times the price of regular frames of same window opening size.

Jamb Lining for Stone or Brick Buildings

Made of Clear Oak or Clear Fir.

63P8 | 32-Clear Oak. 34x45% inches. Per 100 feet\$10.95 63P9833-Clear Fir. 34x45% inches. Per 100 feet...... 4.95 Note-Add 10 per cent extra for specified lengths.

Plank Cellar Sash Frames for Stone, Concrete or Brick Wall





Section of Sash Frame for Concrete Block, Stone or Solid Brick Building

Our Plank Cellar Sash Frames made with a 1\%x5\%-inch jamb, 1\%x1\%x1\% inch ear cypress brick mold. Knocked down, bundled ready for shipment. Weight, 20 pounds each.

	S	ize of	Sash			
Size of Glass	Wid	lth.	Heig	ght	Price	
Glass	Ft.	In.	Ft.	In.		
10x12	2	1	1	5	\$1.30	
10x14	2 2 2	1	1	7	1.32	
10x16	2	1	1	9	1.34	
10x18	2	1	1	11	1.36	
12x14	2	5	1	7	1.38	
12x16	2	5	1	9	1.39	
12x18	2 2	5 5 5	1	11	1.41	
12x24	2	5	2	5	1.43	
14x16		9	1	9	1.44	
14x18	2 2	9	1	11	1.45	
14x20	2	19	2	1	1.46	

63P7894-2-Light Cellar Frame | 63P7898-3-Light Cellar Frame

		The part of the				
Size of Glass	Wic	lth	Heig	ght	Price	
Glass	Ft.	In.	Ft.	In.	12.52	
8x10	2	4	1	3	\$1.35	
9x12	2 2	7	1	5	1.38	
9x14	2	7	1	7	1.39	
10x12	2	10	1	5	1.40	
10x14	2	10	1	7	1.41	
10x16	2	10	1	19	1.44	


Note: Be sure to give thickness of sash.

Shipped From Our Own Factory in NEWARK, N. J., Not Prepaid.

Cypress Moldings

Honor Bilt

Window Sills



63P693—Main Sill.
Size, 1¾x3¾ inches.
63P692—Subsill Stock, made of Clear Cypress. Weight on 100 lineal feet, 76 pounds. Per 100 lineal feet. \$7.50
63P693—Main Sill Stock, made of Clear Cypress; takes paint readily. Weight on 100 lineal feet, 90 pounds. Per 100 lineal feet. \$9.96

Door Frame Jamb Stock



Size, 1%x5½ inches

Rabbeted Door Frame Jamb Stock, made of
Clear Fir. Will take paint readily. Give thickness
of door for which this stock is required, as rabbet
will be made for 1½-inch door unless otherwise
specified. Weight on 100 lineal feet, 99 pounds.
63P699—Door Frame Jamb Stock, Clear
Fir. Per 100 lineal feet. \$12.00

Outside Casing



Size, 11/8x41/4 inches.

Outside Casing for door and window frames, made of Clear Cypress. Weight on 100 lineal feet, 72 pounds.

63P680—Outside Casing Stock, Clear Cypress. Per 100 lineal feet. \$7.85

Pulley Stile



Pulley Stile Stock, made of Clear Fir. Plowed for 1%-inch windows. Weight on 100 lineal feet, 76 pounds.

63P698—Pulley Stile Stock, grooved to receive parting stop. Clear Fir. Per 100 lineal feet......\$3.64

Parting Stop



Prices are for 100 lineal feet in random lengths. Size, ½x¾-inch. Weight on 100 lineal feet, 12 pounds.

Blind Stop

Price is for 100 lineal feet in random lengths. Size, %x1\% inches. Weight on 100 lineal feet, 19 pounds. 63P7351—Clear

.....\$1.54

Drip Cap Molding



Clear Cypress. Prices are for 100 lineal feet.

Carried in stock in the following sizes:

For 150 Years This Cypress House Has **Defied Rain and Decay**



Bed Molding

Used to Finish Off Up in Eaves or Cornice.

63P7321 - Clear Cypress. Size, 3/4x2 inches. Weight, per 100 lineal feet, 27 lbs.

Per 100 lineal ft......\$2.15



Sprung Cove
Used in Eaves or Cornice,
Same as Bed Molding.
63P683 — Clear Cypress.
Ve. 34x234 inches. Weight, Size, ³/₄x2³/₄ inches. We per 100 lineal feet, 36 lbs. Per 100 lineal feet.\$2.87

Brick Mold

Used Around Door and Window Openings.

63P678-Clear Cypress. Size, 11/8 x 1 5/8 inches. Weight, per 100 lineal feet,

Per 100 lineal feet. \$3.15

Plaster Molding



Used on our door and window frames. When used for stucco and plaster exterior it covers the joints between the frame and plaster, making your work more weatherproof.


63P7324—Clear Cypress. Size, 3/4x2 inches. eight, per 100 lineal feet, 27 lbs. Per 100 lineal feet. \$2.15

Lattice and Battens



Clear Cypress. Used for closing in space between the ground and floor of your porch; also suitable for making wood ornamentations for yard, gardens, etc., such as trellises and garden furniture.

Crown Molding



Per 100

63P7320-Clea	r Cunrace	al Feet
Size, 3/4 x23/4 inches. 36 lbs	Weight, per 100 lin. ft.,	\$2.87
Size, 3/4 x31/4 inches.	Weight, per 100 lin. ft.,	
Size, 3/4x35/8 inches.	Weight, per 100 lin. ft.,	3.82
Size, 3/4 x41/4 inches.	Weight, per 100 lin. ft.,	4.54
Size, 34x45% inches. 58 lbs	Weight, per 100 lin. ft.,	5.25

Nosing

Used to Finish Off the Edge of Porch Flooring.



63P690—Clear Cypress. Size, 11/8x2 inches. Weight, per 100 lineal feet, 36 lbs.

Per 100 lineal feet......\$3.58

Hook Strip



Clear Fir, used in clothes closets and also as a chair rail. Size, \(\frac{5}{8}\x3\frac{1}{2} \) inches clear fir. Weight, per 100 lineal feet, 50 pounds.

Price, per 100 lineal feet in random lengths.

63P687—Clear Fir, hook strip......\$3.00

Cove Molding




63P69 | —Clear Cypress. Size Weight, per 100 lineal feet, 12 pounds. Per 100 lineal feet. Size, 3/4 x 7/8 inch.

Quarter Round



Door and Window Stop

Used on Inside Door Jamb or Window Frames to Hold Door or Window in Place.



Size, 34x138 in. Weight, per 100 lineal feet, 18 pounds. Per 100 lineal feet.....97c

Screen Molding



Used to Hold Screen Wire in Frame.
Price is for 100 lineal feet in random lengths.
Weight, per 100 lineal feet, 6 lbs.


63P7350-Clear Cypress. Size, 5/6x5/8 in. 72c

Shipped From Our Own Factory in NEWARK, N. J., Not Prepaid

Clear Fir or Clear Oak

HIGHEST GRADE MOLDINGS. Made on high speed heavy molding machines. Perfect work. Free from defects or blemishes. Made of clear stock. Sold in random lengths, 8, 10 or 12 feet (most pieces being over 10 feet). For specified lengths, add 10 per cent to prices quoted for random lengths. If oak moldings over 12 feet are wanted write for special quotations.





100 lineal feet, 30 pounds...\$1-16
63P9933
Clear Fir. Weight,
100 lineal feet, 30 pounds...\$1-16
63P7800—Clear Oak. Weight, 100 lineal
feet, 37 pounds...\$3-70
63P9755—Clear Poplar. Weight, 100 lineal
feet, 30 pounds...\$2-20
63P9624—Clear Chestnut. Weight, 100
lineal feet, 37 pounds...\$2.40



Craftsman Panel Strip

To be used underneath plate rail bracket, giving the wall a nice panel effect. Both edges rounded.

Size, 3/8x21/4 inches. Prices are per 100 lineal feet.

63P9917—Clear Fir. Weight, 100 lineal feet, 20 pounds... \$1.05 63P7627—Clear Oak. Weight, 100 lineal feet, 25 pounds...\$3.70

Folding Door Astragals



or 1%-inch door, 7 feet high or less.
3P9919—Clear Fir. Wt., 6 lbs. Each. .92c
or 1%-inch door, 7 feet high or less.
3P9973—Clear Fir. Wt., 7 lbs. Each. .92c

Cove Molding

May be used the same as quarter round and is used under stair treads, steps, stools, etc. Size, 3/x 1/8 in. Prices are for 100 lineal feet.

Round Edge Door and Window Stop



Sold in random lengths. Prices are for 100 lineal feet. Size, 63P17778 Wt., 63P9863 Wt.,

In.	Clear Oak	Ft.	Clear Fir	Ft.
3/8 x1 1/8 3/8 x1 3/8	\$1.85	12 lbs. 14 lbs.		9 lbs. 11 lbs.
	O. G. Design	. Not	illustrated	l
Size, In.	63P9752 Clear Poplar	Wt., 100 Lineal Ft.	63P9621 Clear Chestnut	Wt., 100 Lineal Ft.
7/ex15/8	\$2,20	11 lbs.	\$2.40	14 lbs.

Quarter Round Molding



Used for base shoe or to cover joints in corners. Size, 3/4 x 3/4 inches.

Prices are for 100 lineal feet.

63P9928-Clear Fir. Weight, 100

Shipped From Our Own Factory in NEWARK, N. J., Not Prepaid


Honor Bilt HIGH GRADE INTERIOR MOLDINGS



Base

Size, 34x71/4 Inches. Prices are for 100 lineal feet, in random lengths. 63P9937-Clear Fir. Weight, 100 lineal feet, 120 pounds......\$6.72

63P77 | 8—Clear Oak. Weight, 100 lineal feet, 144 pounds.....\$ | 4.00



Base

Size, 3/x71/4 Inches.
Prices are for 100 lineal feet, in random lengths.
63P9936—Clear Fir. Wt., 100 lineal feet, 120 lbs...\$6.72
63P7548—Clear Oak. Wt., 100 lineal feet, 144 lbs..\$14.00
Carpet Strip—Size, 1/x3/4 inch. Prices are for 100 lineal feet.

63P9935—Clear Fir. Wt., 100 lineal feet, 14 lbs.....58c 63P7532—Clear Oak. Wt., 100 lineal feet, 17 lbs....\$1.75

Round **Edge Casing**



Dust will not collect on this style of casing. Prices are for 100 lineal feet, in random lengths. Weights shown under the heading of pounds are the weights per 100 lineal feet.

	Chair Rail	Lbs.	Casing	Lbs.	Casing	Lbs.	Mullion Casing	Lbs.
Size	¾ x3 % in.		34 x4 1/4 in.		¾ x4¾ in.	7-32	¾x5¾ in.	
63P9932 Clear Fir 63P7597	\$3.30	60	\$4.20	70	\$ 4.67	80	\$ 5.00	88
Clear Oak	7.35	75	9.15	85	10.07	95	10.99	105
63P9748 Clear Poplar. 63P9617		60	5.40	,.			7.15	88
Clear Chest- nut		75	6.10	l		l	7.80	105



This Molding used with our 63P9932 Casing makes an attractive design of door and window trim. (See Page 40.)

Prices quoted per 100 lineal feet include only the back band. Casing must be ordered separately.

63P9934—Clear Fir. Size, 1½x1½ inches. Weight, 100 lineal feet, 23 pounds.

S1.47
63P7553—Clear Red Oak. Size, 1½x1½ inches. Weight, 100 lineal feet, 30 pounds.

S3.63P9749—Clear Poplar. Size, ½ in. x 1½ in. Weight, 100 lineal feet, 30 pounds.

S4.35
S3P9618—Clear Chestnut. Size, ½ in. x 1½ in. Weight, 100 lineal feet, 30 pounds.

of CLEAR FIR or CLEAR OAK

Honor Bitt MILLWORK

Base Moldings

These Baseboards are Made of the Highest Quality Material and Are Designed for the Best Combination of Beau-ty and Utility. The Workman-ship is Perfect. They Will Add Considerably to the Trim of Any

Three Member Base

Size, %x7% in-ches overall. Each member priced separately below. Prices and weights shown are per 100 lineal feet.

Base Mold 34x21/4 Inches, 63P9988 — Clear Fir. Wt., 30 lbs...\$1.58 63P7584 — Clear Oak, Wt., 54 lbs...\$5.05

O. G. Base

Size, 3/4x71/4 In. Price is for 100

lineal feet, in ran-

63P9938 Clear Fir. Weight, 100 lineal feet, 120 lbs....\$6.72

dom lengths.

G3P7584 — C1e ar Oak. Wt., 54 lbs... \$5.05

Base Mold
Size, \$\frac{3}{2}\text{x1\frac{1}{2}}\text{ Inches.}

G3P9753—Clear Poplar. Not illustrated. Weight, 100 lineal feet, 25 pounds.....\$2.20

G3P9622—Clear Chestrut. Not illustrated. Weight, 100 lineal feet, 25 pounds.....\$2.40

Base—3\frac{3}{2}\text{x5\frac{1}{2}}\text{ Inches.}

G3P984—Clear Fir. Wt., 90 lbs...\$5.00

G3P7550—Clear Fir. Wt., 108 lbs...\$1.35

G3P9746—Clear Piplar. Not illustrated. Square edge. Surfaced 4 sides. Weight, 100 lineal feet, 90 pounds.....\$6.60

G3P9615—Clear Chestrut. Not illustrated. Square edge. Surfaced 4 sides. Weight, 100 lineal feet, 108 pounds.....\$7.30

Carpet Strip—1\frac{3}{2}\text{x3\frac{1}{2}}\text{x1}\text{ Inches.}

G3P935—Clear Fir. Weight, 14 lbs...\$86

G3P7532—Clear Fir. Weight, 14 lbs...\$86

G3P97536—Clear Oak. Wt., 17 lbs...\$1.75

G3P9625—C1 ear

Chestrut. Not illustrated. Weight, 100 lineal feet, 100 lineal feet, 100 lineal feet, 11 pounds...\$1.20

Window Stool



Window Stool. Size, 11/8x35/8 inches. Prices are for 100 lineal feet

Window Stool. Size, 1788378 Inches.

in random lengths.

63P993 [—Clear Fir. Weight, 100 lineal feet, 80 lbs...\$ 4.20

63P77 [5—Clear Oak. Weight, 100 lineal feet, 100 lbs... | 12.65

63P9750—Clear Poplar. Weight, 100 lineal ft., 80 lbs... 6.25

63P96 [9—Clear Chestnut. Weight, 100 lineal ft., 100 lbs. 7.25

Bright, Clean Moldings

Made of selected clear fir or clear oak. Molded smooth, free from blemishes. The best moldings money can buy. Fir moldings come in random lengths from 6 to 16 feet, Oak from 8 to 12 feet, the majority of pieces being over 10 feet long. We charge 10 per cent extra for specified lengths. Write for special quotations on Oak moldings

Cap Trim

Requires three members. A popular pattern. Prices are for 100 lineal feet in random lengths.

1-Cap Molding

Size, 11/8x2 Inches

63P9927-Clear Fir. Weight, 100 lineal feet, 36 pounds......\$2.35 63P7692-Clear Oak. Weight, 100 lineal feet, 45 pounds...... 6.95

2-Head Casing

Size, 3/4x45/8 Inches

63P7637-Clear Oak Weight, 100 lineal feet, 98 pounds..... 9.65

3-Fillet

Size, 7/16x1 Inch

63P9925-Clear Fir. 63P7648-Clear Oak.

Weight, 100 lineal feet, 17 pounds...... 1.85



Craftsman Casing and Cap

Size, ¾x3¾ in. Prices are per 100 lineal feet including two members.

Can be used for Door or Window Trim.

63P9922 Clear Fir. Weight, 100 lineal feet, 64 pounds...\$2.85 63P7666 Clear Oak, Weight, 100 lineal feet, 80 pounds...\$8.45

Hardwood Thresholds

Size, 5/8x33/4 Inches 63P7890—Clear Birch Thresholds. feet 9 inches long. Each....16c feet 1 inch long. Each....17c 63P7891—Clear Oak Thresholds. 2 feet 9 inches long. Each...... **18c** 3 feet 1 inch long. Each...... **19c**

Weight, each, 2 pounds. Base Blocks

This design can be trimmed down to smaller sizes if desired. Be sure to state size when ordering. Weight, each, 1 pound.



Window Apron



Window Apron. Used under window stool to make a neat finish. Size, 3/4x3/8 inches. Prices are for 100 lineal feet, in random lengths.

Weight, 100 lineal feet, 60 pounds	3.30
63P7722—Clear Oak.	
Weight, 100 lineal feet, 75 pounds	7.35
63P9751-Clear Poplar.	
Weight, 100 lineal feet, 60 pounds	4.40
63P9620-Clear Chestnut.	
Weight, 100 lineal feet, 75 pounds	5.20

Plate Rail




Plate rail for Plate rail for dining room, dens and libraries for pictures, vases, etc. Easy to put up. Height, 334 inches, and projects 3% inches from wall. Made of

1-inch lumber dressed to 13/16 inch.

63P9924—Clear Fir. Weight, 100 lineal feet, 128 pounds. Per foot 10c 63P7854-Clear Oak. Weight, 100 lineal

Shipped From Our Own Factory in NEWARK, N. J., Not Prepaid



Protect the corners. Attractive and service-able. Made of one piece. Made in one size only, 15 x13 x inches. Prices are for each lineal foot in random lengths. 63P9920—Clear Fir. Weight, 100

lineal feet, 50 pounds..... 6c

63P9930-Clear Fir.



Door and Window Trim Sets

All interior moldings needed to trim a door or window on one side. No waste, cut to convenient lengths, liberal allowance for trimming. Trimming and fitting must be done on the job. State size of door or window to be trimmed. If size wanted is not listed, allow the price of the next larger size. Made of Clear Fir. Will take paint and enamel readily, shipped in the white, not painted or varnished. Shipped carefully bundled, one set to a bundle.

If ordered wrapped in paper with all ends and corners protected, add 8 cents per side of trim extra.

corners protected, and o tents per successful.

The window and door sets are made of colonial style moldings, illustrated below.

Sets consist of sufficient of each kind of molding necessary to trim a window or door on one side.

Casing is ¾ inch thick by 35% inches wide.

Backband is 13% inches thick by 15% inches

wide.
Window stool is 11/8 inches thick by 35/8 inches


wide. Window apron is ¾ inch thick by 35% inches

wide. Stops will be included for 25c per set extra. Shipped From Our Own Factory in NEW-ARK, N. J. Not Prepaid.


Any Size Door Up to and Including				Each Set, Consist- ing of Casing and Backband	Shipping Weight,
Wi Ft.	dth In.	Hei	ght In.	63P9916 Clear Fir	Pounds
_	8	6	8	\$1.30	16
2 3 5	0	7	0	1.35	20
6 8	0	8	0	1.55	22 24
8	0	8	0	1.90	26

7	Colonial	Trim	for	Wir	robi	N:

An Up	y Size to and	Wind Inclu	ow ding	Each Set, Consisting of Casing, Backband Stool and Apron	Shpg. Wt.,
Width Height Ft. In.		ight I In.	63P9915 Clear Fir	Lbs.	
	4	4	6	\$1.40	17
2 2 2 3	10	5 5	6	1.50	18 19
3	4	5	10	1.70	21
$\begin{pmatrix} 3 \\ 4 \end{pmatrix}$	8	6	6	1.85	27 30
					1



Clear Fir Colonial Design Moldings



Shipped in the white, without paint or varnish. Sold in random lengths, 8, 10 or 12 feet—most pieces being over 10 feet in length. Prices quoted are per 100 lineal feet in random length. For special lengths, add 10 per cent to price quoted for random lengths. Colonial four-member cove, includes numbers 63P9914 ceiling or panel mold; 63P9913, cove mold; 63P9912, sub-mold; 63P9911, picture mold. Order separately, see prices below.

63P99 | 4—Ceiling mold or panel mold when used for paneling walls. Size, \(\frac{1}{2} \) \(\frac{1}

Door and Window Stops

Size, Inches	nimicre l	63P9863	Wt., per 100 Lineal Ft., Lbs.
3/8 x 1 1/8	For Windows.	550	0
3/8×13/8	For Doors	55c 61c	11

63P9910—Two-Member Chair Rail. Size, including both members, ¾x3½ inches. Weight, per 100 lineal feet, 60 lbs., both mem-

63P9909—Mullion Casing, size, ¾x5¼ in. Weight, per 100 lineal feet, 88 lbs. \$4.75 **63P993** | — Window Stool, size, 11/x x 3 % in. Weight, per 100 lineal feet, 80 lbs.. **\$4.00** 63P9908—Window Apron, size, 3/x3% in. Weight, per 100 lineal feet, 64 lbs..\$3.15 63P9907—Backband, size, 1%x1% in. Weight, per 100 lineal feet, 26 lbs....\$2.25 63P9906—Casing, size, 34x3% inches. Weight, per 100 lineal feet, 64 lbs....\$3.15

9914


Three-Member Base

63P99 | 2—Base Mold, size, ¾x1 inch. Weight, per 100 lineal feet, 18 lbs. 6 | c 63P9937—Base, size, 34x714 inches. Wt., per 100 lineal feet, 120 lbs......\$6.40 63P9935—Carpet Strip, size, ½x¾ in. Weight, per 100 lineal feet, 14 pounds....55c

Shipped From Our Own Factory in NEWARK, N. J. Not Prepaid

9931

In Sets Ready to Nail in Place



Sets consist of sufficient of each Sets consist of sufficient of each kind of molding necessary to trim a door or window. Inside doors require two sets of trim and one set of stops. Outside doors require one set of trim and, if frame is rabbeted, no stops. Windows require one set of trim and one set of stops.

SPECIFICATIONS:

1-Cap molding is 11/8 inches thick by 2 inches wide. The ends are re-turned by machine at the factory. See illustration at bottom of page.

2-Head casing is 34 inch thick by 45% inches wide.

3-Fillet is 7/16 inch thick by 1 inch wide.



Side casing is 3/4 inch thick by 41/4 inches wide.

Window stool is 11/8 inches thick by 35% inches wide.

Window apron is 34 inch thick by 35% inches

Base blocks are 4½ inches by 10 inches by 1½ inches thick.

In ordering simply give the size f the door or window you want to trim and allow the price. In case the size you want is not shown, allow the price of the next larger size.



Molded Cap Trim for Doors

Any Siz	e Up to	head c	, consisting asing, fille and base	g of cap mo et, side casis blocks.	lding, ng
Width Ft. In. 2 8 3 0 5 0 6 0 8 0	Height Ft. In. 6 8 7 0 7 0 8 0 8 0 8 0 8 0 10 1	63P9904 Clear Fir \$1.40 1.50 1.80 2.05 2.25	Shpg. Wt., Lbs. 18 21 23 26 28	63P7591 Clear Oak \$2.65 2.95 3.35 4.25 4.65	Shpg. Wt., Lbs. 22 25 27 30 33

Mitered Stops for Door and Window Sets will be included with any Clear Fir Sets for 25 cents extra, or with any Clear Oak Sets for 40 cents extra, per opening.

The Modern Machine Method

6



Illustration above shows cap molding with end molded on the solid wood. Being machine made, the cut is clear and true. Be up to date. Save money, time and labor; buy your trim already made, ready to nail in place.



Re-turning Ends of Cap by Machine—The Modern Way.

Each Set Carefully Packed

The illustration above shows the window and door head trim just as it is sent out with these sets. Ends are molded. All parts smoothed and sandpapered. The three moldings of which the head trim is composed are nailed together, making one solid piece ready to nail in place.

to nail in place.

Cost of expert labor cut in half. Cut to exact length, ends re-turned, all parts smoothed and sandpapered. This is all done in our factory, in a manner not possible with the human hand. Entire set is packed carefully in corrugated paper, as illustrated below, sealed against dust or discoloration due to the weather.

Ready-Cut Trim Saves You Time

rigure it out for yourself. Our Ready-Cut Trim saves the time and cost of sorting out, first the side casing, then head casing, then the stops and stool, etc. Also saves the cost of mitering the head casing and cap, the cost of sawing each and every piece and then sandpapering every piece by hand.

One contractor says he saves \$2.00 per opening by buying our Ready-Cut Trim.

Buy your trim ready.

By your trim ready-cut to exact Buy, your trim ready to nall into place. Any care measure, all ready to nall into place. Any care in peter of handy man can put it in place in peter yellow. Pine Trim Sets are wanted, we will furnish them at the same price as Fir on request.

Shipped From Our Own Factory in NEWARK, N. J. Not prepaid

Molded Cap Trim for Windows

Any	Any Size Up to and Including			head casing, fillet, side casing, stool and apron.			
Wi	dth	Hei	ght	63P9903	Shpg.	63P7578	Shpg.
Ft.	In.	Ft.	In.	Clear Fir	Wt., Lbs.	Clear Oak	Wt., Lbs.
2 2 2 3 3	4 4 10 4 8	4 5 5 5	6 2 6 10	\$1.35 1.45 1.55 1.85	19 20 21 25	\$2.35 2.55 2.95 3.40	23 24 26 28
3	8	6	2	2.05	29	3.75	34

The Wasteful Hand Method



Costs Time and Money to do it this way.



The illustration above shows the usual method of mitering the end of cap molding. This does not make a good job, as it leaves a joint at the corner which is liable to open, revealing an unsightly crack.

Back Band Door and Window Trim

Honor Bilt MILLWORK **Back Band Trim Sets**

With Round Edge Casing

Made of Clear Fir, Clear Oak, Clear Chestnut or Clear Poplar, carefully sanded. Standard size moldings, in no waste sets. All inside trim needed to trim door or window. These moldings that the state of the set ings are cut to convenient lengths with a liberal allowance for trimming. Trimming and fitting must be done on the job. Entire set is carefully packed one set to a carton. Will arrive bright and clean. (See illustrations below.)

Sets consist of sufficient of each kind of molding necessary to trim a door or window. Inside doors require two sets of trim and one set of stops. Outside doors require one set of trim and, if frame is rabbeted, no stops. Windows require one set of trim and one set of stops.

NOTICE—Circle, segment or gothic head door trim sets to trim any size door shown on page 10 can be furnished for \$3.50 more than the prices quoted for regular back band door trim sets priced on this page. When ordering, give regular catalog number and size of door trim wanted, and be sure and specify whether trim is for circle, segment or gothic head design door.

Back Band-Round Edge Casing



Window Stool




Window Apron




Door Trim Sets are priced with and without stops, because stops are required for inside doors, but are not required for outside doors.

Price quoted for window trim sets include one set of stops.

Carefully Packed



Each piece of these trim sets retains its sandpapered perfection because of the corrugated paper carton in which it is packed. The carton is sealed against dust and prevents discoloration. It also protects the ends and corners against dents or scratches.



Back Band Trim for Windows

Clear Fir-Clear Oak Including Stops

Specifications:

Any	Size V and I	Vindov ncludi	v up	63P9901	63P5584	Shpg.
Wie	dth	Height		Clear Fir	Clear Oak	Wt., Lbs.
Ft.	In.	Ft.	In.			
2	4	4	6	\$1.25	\$2.10	17
2	4	5	2	1.35	2.35	18
2	10	5	6	1.45	2.65	19
3	4	5	10	1.55	3.15	21
3	8	6	2	1.65	3.45	27

Clear Chestnut—Clear Poplar Including Stops

Specifications:

Side Casing 3/4 x 4 1/4 in. Head Casing 3/4 x 4 1/4 in. Back Band 3/4 x 1 1/8 in.	Stool. 11/6x35% in. Apron. 34x35% in. Stops. 7/6x13% in.
---	--

to	and I	ncludi	ng	63P9689	63P9690	Shpg.
Wi	dth	He	ight			Wt., Lbs.
Ft.	In.	Ft.	In.	Chestnut	Popiai	- 1717
2	4	4	6	\$2.05	\$1.90	17
2	- 4	5	- 2	2.15	1.95	18
2	6		10	2.20	2.05	18
2	10	5	6	2.30	2.15	19
3		5	10	2.40	2.25	21
3	8	6	2	2.60	2.45	27
	Wi	to and I Width Ft. In. 2 4 2 4 2 6 2 10 3 4	to and Includi Width He Ft. In. Ft. 2 4 4 2 4 5 2 6 4 2 10 5 3 4 5	Ft. In. Ft. In. 2 4 4 6 2 4 5 2 2 6 4 10 2 10 5 6 3 4 5 10	to and Including Width Height Ft. In. Ft. In. 2 4 4 5 2 2 4 4 5 2 2 10 5 6 2 10 5 6 3 4 5 10 2.40	to and Including Width Height Ft. In. Ft. In. 2 4 4 5 2 2.15 2 6 4 10 2.20 2.05 2 10 5 6 2.30 2.15 3 4 5 10 2.40 2.25



\$1.20 1.25 1.35 1.50

Clear Chestnut—Clear Poplar

Includes Trim for 1 Side Only

Clear Chestnut-Clear Poplar Includes Trim for 2 Sides—I Jamb and 1 Set of Stops

Specifications:

Chestnut

Jambs..... Back Band..... Stops....

63P9687 | 63P9688

Poplar

Shpg. Wt., Lbs.

Shipped From Our Own Factory in Newark, N. J., Not Prepaid

Height

Ft. | In.

Any Size Door Up to

Width

In.

Door and Window Trim Sets Honor Bilt MILLWORK

Round Edge Interior Trim Sets

Made of Clear Fir molding. Cut to convenient lengths, fitting to be done on the job.

In ordering, give the size of the door or the window to be trimmed, and we will send all the moldings peeted.

In ordering, give the size of the usor of the window to be trimmed, and we will send all the moldings needed.

If you do not find the size you want listed, and Up allow the price of the next larger size.

These trim sets are big bargains at the prices shown. Sets consist of sufficient of each kind of molding necessary to trim a window or a door one side. Inside doors require two sets of trim and one set of stops. Outside doors require one set of trim and one set of stops. Stops are not included in the price of door or window trim sets. Stops will be included for 25c per set extra. Shipped carefully bundled. If you wish we will wrap all trim in paper for 8 cents per set extra.

Specifications:

Round edge head and side casing is ¾ inch thick by 3% inches wide.


Window apron is ¾ inch thick by 3% inches wide.

Window apron is ¾ inch thick by 3% inches wide.

Base blocks are 1½x33%x10 inches.

0	Rou	nd E	dge 1	Trim Sets for Doors		
An	y Size Incl	Up to a	nd •	Each Set Includes Head Casing, Side Casing and Base Blocks.	Shpg.	
Wi	dth	He	ight	63P9680	Wt., Lbs.	
Ft.	In.	Ft.	In.	Clear Fir	Lus.	
2 3 5 6 8	8 0 0 0	6 7 7 8 8	8 0 0 0	\$0.85 .90 .95 1.00	15 19 21 22 25	
	Roun	d Edg	e Tr	im Sets for Windov	vs	
Aı	ny Size Inclu	Up to a	nd	Each Set Includes Head Casing, Side Casing, Stool and Apron	Shpg. Wt.,	
	dth		ight	63P9681	Lbs.	
Ft.	In.	Ft.	In.	Clear Fir		
2 2 2	4 4 10	4 5 5	6 2 6	\$0.80 .85 .98	16 17 18	

Where Yellow Pine Trim Sets are wanted, we furnish them at the same price as Fir, on request.




\$100

Standard Interior Trim Sets With Round Edge Casing

Per Set Made of Clear Fir, standard size moldings and Up in no waste sets. All inside trim needed to trim door or window. These moldings are cut to convenient lengths with a liberal allowance for trimming. (Not Ready-Cut. For Ready-Cut Trim Sets see page-39. Trimming and fitting must be done on the job. Sent out carefully bundled. If you wish we will wrap all trim in paper for 8 cents per side of trim extra. If the size you want is not shown, allow the price of the next larger size.

Stops Will Be Included for 25 Cents per Set Extra.



Standard Trim Sets for Doors

Each Set, Consisting of

Territor .	and Inc		to	Cap Molding ing, Fillet, S Stool and	Side Casing
W	idth	He	eight	63P9990	
Feet	Inches	Feet	Inches	Clear Fir	Shpg. Wt., Lbs.
2	8	6	8	\$1.00	18
3	0	7	0	1.15	21
5	0	7	0	1.30	23
6	0	8	0	1.40	26
8	0	8	0	1.60	28

Standard Trim Sets for Windows

	50-9-2002577-2	Door Up cluding	Each Set, Co Cap Molding, ing, Fillet, S Stool and	Head Cas-	
	idth	He	ight	63P9991	Shpg. Wt.,
Feet	Inches	Feet	Inches	Clear Fir	Lbs.
2	4	4	6	\$1.10	19
2	4	5	2	1.15	20
2	10	5	6	1.25	21
3	4	5	10	1.40	25
3	8	6	2	1.45	29
4	0	6	6	1.50	34

Where Yellow Pine Trim Sets are wanted, we will furnish them at the same price as Fir, on request. Shipped From Our Own Factory in NEWARK, N. J., Not Prepaid

Honor Bilt

Made of Clear Fir or Clear Oak. Carpenters and contractors cannot afford to make door jambs when high grade jambs such as these can be had at such low prices. The side jambs are dadoed for head jamb, which fits into this dado perfectly. All jambs are surfaced and sanded, ready for

IMPORTANT—The jamb is $\frac{3}{4} \times 5\frac{1}{4}$ inches. If wanted wider than 51/4 inches add for each additional inch in width or fraction thereof, 39 cents

for clear fir and 70 cents per inch for clear oak.

Shipped From Our Own Factory in NEWARK, N. J., Not Prepaid.

SIZ Width	ZES Height	63P9943 Clear Fir	63P7952 Clear Oak	63P9790 Clear Chestnut	63P9791 Clear Poplar
2 ft. 8 in.	6 ft. 8 in.	\$0.98	\$2.00	\$1.65	\$1.50
3 ft.	7 ft. smaller	1.08	2.25	1.85	1.70
5 ft.	7 ft.	1.20	2.50	2.05	1.85
10 ft.	8 ft.	1.58	3.25	2.45	2.20

For Outside Door Frames See Page 32

Inside Rabbeted Door Jambs for 13 or 13-Inch Doors

Made of Clear Fir or Clear Oak. Packed to secure lowest transportation charges. Easily put together. Securely bundled.

63P9760—Clear Fir. Per lineal foot.. 12c 63P8167—Clear Oak. Per lineal foot.. 24c

Single Rabbet, 13/8x51/4 Inches

Double Rabbet, 13/8x51/4 Inches State if jamb is wanted with single or double rabbet; also give thickness of door. If wanted in special lengths add 15 per cent to prices quoted.




AND UP

3/4×5/4 STOP

Detail of inside door jamb; stop not in-cluded in prices of jambs. For prices of stops see page 36.

> Sanded as Smooth as Glass

For each lineal foot of material jambs will weigh about as follows: Clear Oak, 1½ pounds; Clear Fir, 1 lb.










Batten Shutters Colonial and

Window Shutters for two, four, eight and twelve-light windows, are furnished in two styles, Colonial and Batten. Both styles are made of clear Fir, 11/8 inches thick. Come in pairs accurately cut to fit standard sizes of windows.

Colonial Shutters, illustrated at left, are made in two-panel design, and are furnished with either crescent, clover, or urn figure in top panel. Unless otherwise requested shutters will be furnished with ters will be furnished with crescent figure in top panel. Batten Shutters are illustrated at right. Be sure to state which is wanted.

Shutters are the same width as window of corresponding glass size, and are 1 inch longer. This additional inch is for subsill frame and can be cut off if necessary.

These Shutters are made to order, which requires about 15 days.



Batten Shutters

in Win-dows

10x20 10x24 12x20 12x24 12x28

63P9361—Batten Shutters. For four-light windows. Size of Opening

Width Height

Ft. In.

Pair, Lbs.

Size of Glass			e of ning		Per	Shpg. Wt., Lbs
in Win-	Wi	Width Height		Pair,	per	
dows	Ft.	In.	Ft.	In.	5 5 4	Pair
20x20	2	0	3	11	\$4.10	13
20x24 24x20	2	0 4 4 6 6 8 8 8	3	11	4.85	15
24x24	2	4	4	7	5.20	16
24x28	2	4	5	11	5.56	18
26x26 26x28	2	6	5		5.40	19
28x24	2	8	4	3 7	5.55	19
28x28 28x30	2	8	5	7	6.15	21
30x24	2	10	4	7	5.85	20
30x28 30x30	222222222222222222222222222222222222222	10	434545455455	3 7 7 3 7	6.40	22

Size of Glass		Size	e of ning		Per	Shpg. Wt., Lbs.,
Win- dows	Wi Ft.	dth In.	Hei	In.	Pair	per Pair
9x12 10x12	1 2	11	4 4	77	\$4.80	15 16
10x14 12x14	2 2 2	1 5	5	3	5.35	18 22

Size of Glass		Siz			Per	Shpg. Wt., Lbs.,
Win- dows	Wi Ft.	dth In.	_	ight In.	Pair	per Pair
10x20 10x24 12x20	2 2 2	1 1 5	3 4 3	11 7 11	\$4.10 4.85 4.90	14 16 14
12x24 12x28 14x24	22222222	55599	4 3 4 5 4 5 5	7 3 7 3 7	5.20 5.55 5.55	16 20 19
14x28 14x30	2 2	9	5	7	6.15	22 23

Size of Glass	1	Size		Per	Shpg. Wt.,	
in Win- dows	W.	idth In.	Hei	-	Pair	Lbs., per Pair
8x10	2 2 2 2	41/2	3	11	\$4.95	14


Size of Glass		Size Ope	e of ning		Per	Shpg Wt., Lbs.,
in Win- dows	Wie Ft.	dth In.	Hei	ght In.	Pair	per Pair
20x20 20x24 24x20 24x24 24x28 26x26 26x28 28x24 28x28 28x30 30x24 30x24 30x30	22222222222222	0 0 4 4 4 6 6 8 8 8 10 10	3434545455455	11 7 11 7 3 11 3 7 7 7	\$2.20 3.07 3.41 3.90 4.48 4.89 4.481 4.91	13 15 14 16 18 18 19 19 21 21 22 23

a. d		0.				101-
Size of Glass		Siz	e of ning		Per	Shpg. Wt.,
Win-	Wi	dth	Height		Pair	Pair,
dows	Ft.	In.	Ft.	In.		Lbs.
9x12	1	11	4	7	\$2.77	15
10x12	2 2 2	1	4	7	2.87	16
10x14	2	1	5	3	4.00	18

	_					
Size of Glass		Size		Per	Shpg Wt.,	
Win-	Wi	idth	Hei	ght	Pair	Pair
dows	Ft.	In.	Ft.	In.		Lbs.
8x10	2	41/2	3	11	\$3.14	14
8x12	2 2 2 2	4 1/2	4	7	3.50	16
9x12	2	7 1/2	4	7	3.60	18
10x12	2	101/2	4	17	4.84	20

Shipped From Our Own Factory in NEWARK, N. J., Not Prepaid.

Complete Stairways



FOR THIS COMPLETE STAIRWAY Clear Fir Clear Oak 63P47

63P57 Clear Fir, Complete	63P47 Clear Oak, Complete
\$41.65 43.30 44.95	\$68.00 71.10 74.20 77.20
	Clear Fir, Complete \$41.65 43.30

Material

Made of absolutely clear stock. Carefully smoothed and sanded.

Carefully smoothed and sanded.

The prices quoted on this page include all the Newels, Rails, Steps, Risers, String Boards, Balusters and Moldings to build these stairs of the best grade of oak, birch or fir, as listed. Give catalog number of design wanted and state size. 3-foot 5-inch treads and risers used in all designs shown. This makes width of stairway 3 feet 6 inches Where Yellow Pine Stairs are wanted, we will furnish them a the same price as Fir, on request.

FOR THIS COMPLETE STAIRWAY Clear Fir Clear Oak 63P58 63P43

Height, Floor to Floor	63P58 Clear Fir, Complete	63P43 Clear Oak, Complete
9 feet 0 inches	\$53.30	\$83.60
9 feet 6 inches	55.90	88.10
10 feet 0 inches	58.40	93.10
10 feet 6 inches	60.85	97.60


Important

Right to Left Hand Turn. Be sure to say whether you want your stairs to turn to the right or left going up. Illustrations above show right hand turn.

Gooseneck Rail

Made to your order, not carried in stock—allow about 15 days. Used to connect rise in rail with level rail. Size, 1\% x3\% inches. Matches our reglar stock Colonial Stair Rail, 63P8375, illustrated and priced on page 45. When ordering be sure to state rise and run of stairs.
63P9715—Clear Birch Gooseneck.
Write for price.

Colonial Stairways



Important

Rough lumber, flooring or material for second story not included in price. These prices are for milled material only and do not include cutting to size or housing string.

Colonial Newel Cap, Including Easement



Made to your order, not carried in stock—allow about 15 days. Made to fit our Colonial Newel, 63P8330, illustrated on page 44. Size, 15/8x35/8 in. Cap, 6 inches in diameter. Made to match our regular stock Colonial Stair Rail, 63P8375, illustrated and priced on page 45. When ordering, be sure to state rise and run of stairs.

63P9716—Clear Birch Colonial Newel Cap and Easement.
Write for Price.

Easement Turnout Rail— Right or Left

Made to your order, not carried in stock—allow about 15 days. Used to continue rise of rail from stair landing. Size, 1\(\frac{1}{2}\text{3}\text{4}\) in. Matches our regular stock Colonial Stair Rail, 63P8375, illustrated and priced on page 45.

Be sure to state radius wanted; also rise and run of stairs.

63P9713—Clear Birch Easement Turnout, ight hand. Write for price.

63P9714—Clear Birch Easement Turnout, left hand. Write for price.

Clear Birch Colonial Stairs

Materials furnished for Colonial Stairway, illustrated above, include starting newel, landing newel, steps, risers, nosing, moldings, string boards, rails, starting newel cap and easement, gooseneck, stair bolts and balusters. Made of clear Birch, carefully smoothed and sanded. Furnished in the white, not painted or varnished.

Made to your order, not carried in stock. Allow about 15 days.

1	Catalog No.	Height, Floor to Floor	Price
	63P49 63P49	9 feet 0 inches 9 feet 6 inches	\$108.00
	63P49	10 feet 0 inches 10 feet 6 inches	122.65

Level Quarter Turnrail

Made to your order, not carried in stock—allow about 15 days. Used around well hole on second floor. Size, 15/8x35/8 inches. Matches

our regular stock Colo-nial Stair Rail, 63P8375, illustrated and priced on page 45. Be sure to state radius wanted.

63P9712—Clear Birch Level Quarter Turn.
Write for Price.

Shipped From Our Own Factory in NEWARK, N. J., Not Prepaid.

(Honor Bilt MILLWORK)

Built-Up Stair Newels

Honor Bilt

WELL PLEASED-SAVED \$150.00

I received all of my order in very fine condition and I am pleased with everything. Every one says it's the nicest lumber they ever saw around here and I am saving just one hundred and fifty dollars.

HENRY G. NYCE Address furnished on request.


LL our stair newels are made from thoroughly kiln dried selected stock, 1 inch thick, carefully built, smoothly finished and guaranteed. They are built to standard specifications and would cost you considerably more if purchased through any other source than our big mills. The 18-inch base on the starting newels will receive either one or two risers.

Packed in dustproof fiber boxes for shipment. Starting Newels weigh about 35 pounds and Angle Newels 38 pounds each.


"SAVED \$100 on a \$540 ORDER

The material I got from you was A1 and I saved \$100.00 on a \$540.00 order. I would be glad to show this material to anybody and give the full details about your prompt service and good prices.

A. P. Mc GOWAN Address furnished on request




Shipped From Our Own Factory in NEWARK, N. J., Not Prepaid



Starting Newels

63P8318—Clear Fir.....\$5.35 63P8308—Clear Oak \$6.25

This paneled newel has shaft 6 inches square. Base, 8 inches square, 18 inches high. Height of post, 4 feet. Paneled on four sides below and on three sides above.



Colonial Newels

Starting Newel


Base of colonial design starting newel, $4\frac{1}{2}$ inches square, diminishing slightly in width from bottom to top. Height of post, 3 feet 2 inches. The cap for this newel is illustrated separately on page 46.

63P8330-Clear Birch. Write for price.

Angle Newel Colonial design

angle newel is the same design as starting newel, illustrated above, except that the base is $3\frac{1}{2}$ inches wide and post is 2 feet 6½ inches high.

63P8331 Clear Birch. Write for price.



Starting Newels

63P8315—Clear Fir......**\$5.20**

63P8304—Clear Oak \$6.25

63P8301—Clear Birch.....\$6.20

Size of shaft, 6 inches square. Base, 8 inches square and 18 in. high. Height of post, 4 feet.



Fir.....\$4.40 63P8320—Clear Oak.....\$5.40 63P8307—Clear Birch....\$5.35

The shaft is 5 in. square. Length, 5 feet 6 inches (not measuring the ornament at bottom).

Angle Newels

63P8334-Clear Fir......\$3.80 63P8399-Clear Oak \$4.75

Shaft is 5 inches square. Length of newel is 5 feet 6 inches.

Where Yellow Pine Newels are wanted, we will furnish them at the same price as Fir, on request.


Shipped From Our Own Factory in NEWARK, N. J., Not Prepaid

High Grade Stair Material

Honor Bilt MILLWORK

Made of CLEAR FIR, CLEAR OAK or CLEAR BIRCH Carefully Sanded

Stair Rail



Size, 21/2x31/2 Inches

63P8342-Fillet to Match. Per foot. 3c


Colonial Stair Rail



Size, 13/4x35/8 Inches

Colonial design of Stair Rail is now becoming very popular.

Shoe Rail



With Fillet. Size, 3/4x23/4 inches. for 13/4-inch or 11/8-inch Balusters. Rabbeted

63P8346—Clear Fir. Per foot..... 63P8352—Clear Oak. Per foot.....10c

Round Hand Rail



Size, 13/4 Inches

The Hand Rail shown in illustration is used on closed stairway construction, being secured to the wall with our wall rosettes and hand rail brackets.

63P8345—Clear Fir. Per 100 lineal ft. \$ 8.00 63P8354—Clear Oak. Per 100 lineal ft. | 2.00

Wall Rosettes



This Rosette or Plate is used at the end of the rail where it leads against a wall and the center portion is large enough to receive our big rail 3½ inches wide or to receive our hand rail brackets shown below.

63P8348—Clear Fir. Each.

63P8361—Clear Oak.

Each.

30c

63P8384—Clear Birch.

30c

Hand Rail Brackets

These Hand Rail Brackets are Each. \$0.23 Per dozen. 2.75

Shipped From Our Own Factory in NEWARK, N. J. Not prepaid.

Stair rail and string board shipped in random lengths from 8 to 12 feet. Write for special quotations on oak over 12 feet long.

Treads and Risers


Tongued and grooved treads and risers make a rigid construction and do not permit the treads to pull away from the risers or show open joints. Will not creak. Sizes quoted provide for a 9½-in. run and a 7½-in. rise, but we can supply treads and risers for any rise and run. Be sure to mention rise and run when ordering. Stair Treads weigh about 3½ pounds each lineal foot. Risers, about 1½ pounds.

Treads and risers are furnished 3 ft. 5 in. long. This makes stairway 3 ft. 6 in. wide.

NOTICE-Our NOTICE—Our Tread and Risers Are Tongued and Grooved. This makes rigid con-struction. No Creaking. No open Joints.



Stall Heads	Laci
63P8266-Clear Fir. 11/6x11 inches	\$0.68
63P828 —Clear Oak. 11/6x11 inches	1.40
63P8283—Clear Birch. 11/6x11 inches	1.45
Stair Risers	
63P8267—Clear Fir. 3/4x71/2 inches	.30
63P8285—Clear Oak. 34x71/2 inches	.68
63P8287—Clear Birch. 34x7½ inches	-64



In ordering winders be sure to state whether you want them to turn to the right or to the left as you go upstairs. For instance, winders shown in sketch above are right hand winders. If you want them to turn in the opposite direction, order left hand winders. Winders weigh about 90 pounds per set.

Stair Winders

63P8275—Clear Fir, set of 3 with 2 risers...\$ 7.10 63P8276—Clear Oak, set of 3 with 2 risers... 10.00 63P8278—Clear Birch, set of 3 with 2 risers... 9.90

Stair Cove

Half Circle End Treads and



Very carefully manufactured and give an attractive finish and appearance to any flight of stairs. When ordering be sure to state whether the circle end is at the right hand or left hand side going up the stairs. The picture shows a left hand end. If you want the circle on the other end, be sure your order reads right hand. "Weight, each, about 55 pounds.

For Stairs 3 Ft.

Weight, each, about 55 pounds.

For Stairs 3 Ft.
5 Inches or Less
6 3P7844—Clear Fir. Each. \$6.80
6 3P7821—Clear Oak. Each. 7.60
6 3P7826—Clear Birch. Each. 7.50

Landing Tread



Size, 11/4x31/4 Inches Used on the top landing of stairs and platforms.

a, each, about o pounds.	-	Ft. 5 In.
3P8254-Clear Fir		300
3P8257—Clear Oak		.44c
3P8259-Clear Birch		.43c

Return Nosing



Size, 11/6x11/4 Inches Weight, per lineal foot, about 4 ounces.

	1.	Per Lin	
63P8296-Clear	Fir	 	Зс
63P8293-Clear	Oak	 	6с
63P8295-Clear	Dirch	 	6с

String Boards



We carry in stock two styles of String Board. Styles63P8344,63P8377 and 63P8378 are of plain design and are intended to be used when the hall is finished with a one-member base. Styles 63P8343 and 63P8380 two-member string boards.

E | 9 63P8344 | 63P8343 63P8377 | 63P8380 TWO-TWO-MEMBER. ONE-MEMBER. 34x13 in. over all.

One-Member -Clear Fir. Per foot. -Clear Oak. Per foot. -Clear Birch. Per foot. Two-Member

63P8343—Clear Fir. Per foot for two-member. 18c 63P8380—Clear Oak. Per foot for two-member. 32c

Stair Balusters

We carry in stock these two designs of Stair Balusters in oak, birch and fir.

Balusters weigh about 11/4 pounds each.

63P8402-Clear Fir. 13/4x13/4x32 inches. Each...31c 63P8364-Clear Oak.

13/4x13/4x32 inches. Each...39c

63P8368-Clear Birch. 13/4x13/4x32 inches. Each...39c

63P8403-Clear Fir. 13/4x13/4x32 inches. Each...31c

63P8366-Clear Oak.

13/4x13/4x32 inches. Each...39c 63P8383—Clear Birch.

13/4x13/4x32 inches. Each...39c

9 5 63P8402 Clear Fir. 63P8364 Clear Oak. 63P8368 Clear Oak. 63P8368 Clear Oak. 63P8368 Clear Birch.

Square Baluster Stock

We furnish this square Baluster Stock in plain red oak and fir, clear stock, in random lengths. Size, 1\(\frac{1}{2}\)x1\(\frac{1}{2}\) inches. Weight, per 100 feet, about 22 pounds.

63P8389—Clear Fir. Per foot.....



Where Yellow Pine Stair Material is wanted, we will furnish it at the same price as Fir, on request

Colonial (MILLWORK) Columns

We illustrate two designs of our Colonial Lock Joint Built-Up Columns which can be furnished with either plain or Composition Cap. Constructed to withstand the worst weather conditions. Made from selected straight grained Washington Fir lumber, practically clear and smooth, thoroughly kiln dried. Will not check or warp.

IMPORTANT—Give columns a good coat of priming as soon as received to keep out moisture.

10

10

10

12

10



With Composition Cap 63P8073 63P8079 See prices below




Colonial Lock Joint Built-Up Columns

The illustration above shows an end view of our lock joint columns, showing how the staves of these columns interlock, allowing for contraction and expansion.

BUILT-UP COLUMNS

Columns will add greatly to the selling or rental value of your home, to say nothing of the added beauty and comfort. Plain shaft columns may be cut down to fractional parts of a foot. These columns are strictly high grade and when you receive them they are oiled, not painted. Fine workmanship and lumber used throughout their manufacture.

For dividing or splitting these columns, add 35 cents.



63P8076 With Plain Cap

The cost of erecting

a pergola is slight. We

send all the material necessary cut to exact

size. We supply a rough

cedar post for each col-

umn, so that the post can extend down into the

ground and give a good

substantial foundation.

This post can be set in concrete if desired, which

will give even a more

solid foundation. Fur-

nished in any size desired. We quote three stock

sizes to give an idea of

price, but will be glad to

quote on special sizes on

Made of clear Fir stock, oiled Plain Shaft Fluted Shaft Height Diameter 63P8073 63P8070 63P8076 Over All, Feet ping Weight With Com-position Cap With With Plain Cap Composi-tion Cap Plain Cap Pounds Inches 27 \$4.95 \$6.40 \$3.10 \$4.55 6.55 33 6 8 3.25 4.70 5.10 6.75 6 0 3.45 4.90 5.30 40 7.25 5.40 5.35 8 6 3.50 7.70 46 5.85 5.80 8 8 3.95 8.25 50 6.35 8 4.50 6.40 7.00 8.85 53 6.95 8 10 5.10

53 6.75 6.35 8.60 6 4.50 9.30 62 7.05 8 5.20 7.45 8.15 7.75 10.00 66 9 5.90


11.80

12.95 Shipped From Our Own Factory in NEWARK, N. J.

63P8070 With Plain Cap

Colonial Pergolas

9.95



NOTICE-Pergolas are not carried in stock. Please allow 15 days to make shipments.

We will quote prices for any special size pergola on request.



Pergola, size, 8 feet wide by 8 et long, including 4 columns, beams, 6 cross beams and 3 lattice

63P8987.....\$42.65 Shipping weight, 650 pounds.

Pergola, size, 8 feet wide by 14 feet long, including 6 columns, 4 beams, 10 cross beams and 6 lattice

63P8988.....\$85.65 Shipping weight, 925 pounds.

Pergota, size, 10 feet wide by 20 feet long, including 8 columns (like illustration), 4 beams, 13 cross beams and 8 lattice strips.


63P8989 Shipping weight, 1,200 pounds.

Shipped From Our Own Factory in NEWARK, N. J. Not Prepaid.

request.

Porch Columns and Newels





Made of Clear Fir

\$125

AND UP


In ordering be sure to give size and length wanted. Sizes shown are before planing. After planing and finishing columns will measure about 5% inch less than sizes given.

For dividing or splitting this column, add 10 cents to catalog price.

63P8175

Size, In.	Lgth., Ft.	Each	Wt., Lbs.
4x4	8	\$1.25	20
5x5	8	1.94	27
5x5	9	2.25	37
6x6	8	2.85	48

Colonial Built-Up Newel



63P8150

Matches Our Colonial Columns on Page 46

63P8175

Made of Clear Fir

Diameter of shaft at base, 7 inches. Length, 4 feet. Weight, 23 pounds. 63P8150—Each......\$3.10 Solid Newels

Made of Clear Fir

70c

AND UP

Sizes shown are before planing. After planing and finishing newels will measure about 5% inch less than sizes given. The height given is exact.

Size Shaft, Inches	Length, Feet	63P8182 Each	Weight, Pounds	
4x4	4	\$0.70	11	
5x5	4	1.05	15	
6x6	4	1.40	24	

63P8182

Turned Porch Balusters Made of Clear Fir

Special Low Price of

11C Each


Give catalog number and size. Weight, each, 1 pound.

ze, In. Each
3/4 x20 3/4 x24

Large Size Colonial Balusters 63P8 | 6 |

Size, Inches	Each	Per Crate of 50
2½x20 2½x24	16c	\$7.60 7.60

Four-Member Colonial Porch Rail



Made of clear fir. Size, over all, $5\frac{3}{4}x3\frac{1}{2}$ inches. Shipped knocked down, bundled. For $\frac{7}{8}$, $1\frac{3}{8}$ or $2\frac{3}{4}$ -inch baluster. Please state size baluster. Weight, per foot, $1\frac{1}{4}$ pounds.

63P8 | 84—Per lineal foot......20c

Square Porch Columns

Made of Clear Fir


Corners made of heavy 2-in. stock and panels are securely locked by our patent lock joint. Columns diminish in width from bottom to top, giving the proper architectural effect. Prices include cap and base. In ordering give size and length wanted. For dividing or splitting, add 20 cents.

63P8075

Size, In.	Height, Feet	Wt., Lbs.	Each
6x 6	6	33	\$2.20
8x 8	6	45	3.25
8x 8	8	51	3.95
8x 8	9	55	4.37
10x10	8	67	4.90
10x10	9	71	5.20
12x12	8	85	5.78
12x12	9	95	6.67


Square Porch Newel






Made of clear fir. Of same rigid construction as our square column. Newel post, 7½x7½ inches, 3 feet 8 inches high. The newels diminish in width from the bottom to the top, giving the proper architectural effect. Price includes molded cap and base. Weight, 25 pounds.

Square Balusters



Baluster Stock or Frieze Rail

63P8161



Made of clear fir. Prices are for 100 lineal feet. Size, 13\%x13\% inches. Weight, per 100 feet, 40 pounds.
63P8206—Per 100 feet..\$2.50

Top Porch Rail


63P8212



Made of clear fir. Size, 134x35% inches. Weight, per foot, 1 pound.

63P8191 Per foot.......6c

Bottom Porch Rail



Made of clear fir. Size, 13/4x35/8 inches. Weight, per foot, 1 pound.


63P8193

Per foot.......6c


Shipped From Our Own Factory in NEWARK, N. J. Not prepaid.

China Closet Sash

Made of clear fir or clear oak, $1\frac{1}{8}$ inches thick, in sizes listed below. Glazed with leaded colored art glass, leaded glass, plain double or single strength glass.




Glazed Double Strength Glass 63P9995—Clear Fir. 63P6986—Clear Oak.



Glazed Single Strength Glass 63P9996—Clear Fir. 63P6989—Clear Oak.



Glazed Leaded Glass 63P9997—Clear Fir. 63P6987—Clear Oak.



Glazed Leaded Glass With Figure in Colored Art Glass 63P9998—Clear Fir. 63P6988—Clear Oak.


	SIZ	E		I		1 Light ength Glass	4 0	Sin	Glazed 6 l		
Wid Ft.	In.	Heig Ft.	In.	63P9995 Clear Fir	Weight, Pounds	63P6986 Clear Oak	Shipping Weight Pounds	63P9996 Clear Fir	Weight, Pounds	63P6989 Clear Oak	Shipping Weight, Pounds
1 1	6 8	4 4	0	\$2.05 2.20	25 28	\$2.40 2.55	26 29	\$3.00	26 29	\$3.35 3.50	27 30

SIZE Glazed With Leaded Glass						Glazed Leaded Glass With Figure in Colored Art Glass			ss		
Ft.	In.	Hei Ft.	In.	63P9997 Clear Fir	Weight, Pounds	63P6987 Clear Oak	Shipping Weight, Pounds	63P9998 Clear Fir	Weight, Pounds	63P6988 Clear Oak	Shipping Weight, Pounds
1 1	6 8	4 4	0	\$4.05 4.45	35 39	\$4.40 4.75	36 40	\$6.05 6.60	35 39	\$6.95 7.70	36 40

Where Yellow Pine is wanted, we can furnish it at the same price as Fir, on request

Cupboard Doors

Strictly "A" Grade
NO. 1 QUALITY
Cross panel design shown to the left, carried in clear fir only. Vertical panel design shown to the right, carried in clear fir or clear oak. 11/8 inches thick.



63P9887 4 Feet High



2 Ft. 6 In. High

CLEAR FIR ONLY



63P9886




CLEAR FIR CLEAR OAK

63P9886 63P6943 4 Ft. High

-	SIZES				63P9887 Cross Panels.	63P9886 1 Panel.	63P6943 1 Panel.	Shipping
	Width Ft. In.		He Ft.	ight In.	Clear Fir, Each Door	Clear Fir, Each Door	Clear Oak, Each Door	Weight, Pounds
	1 1 1 1	6 8 6	2 2 4	6 6 0	\$1.04	\$1.06 1.10 1.45	\$2.35 2.47 3.15	7 8 12
	1	8	4	0	1.48	1.50	3.56	14

Shipped From Our Own Factory in NEWARK, N. J., Not Prepaid




Easily Installed

Sets right against plastered wall. Adds beauty and charm to your dining room or living room. Corner China Closet has triangular back as shown in the cross section view.

SPECIFICATIONS

Made of clear Fir or clear Oak with Fir panel back. Upper section has 3 adjustable shelves, lower section, 1 shelf. Upper doors are 2 foot 8 inches wide by 4 feet 3¾ inches high, 1½ inches thick. Glazed with clear glass, divided with lead bars. Trim as illustrated is our Colonial Back Band Trim shown on page 38. Can also be furnished with any other design of trim as shown on pages 36 to 41 at the same price. Hardware or dishes are not included. Cabinet is 3 feet 5¾ inches wide, over all, 7 feet 1¾ inches high, 1 foot 3 inches deep. Packed to secure the lowest transportation charges. Easily put together. Furnished in the white, not painted or varnished. Shipping weight, 178 pounds. Not prepaid. Not prepaid.

Hanging China Case



What a delightful addition to a dining room wall. A hanging cabinet with glass doors of small square panes reminiscent of old New England households. Decorative, yet highly practical china closet for installation against wall. Leaves room underneath for side table, Leaves room under-neath for side table, tea cart or chair. Cabinet designed to fit any style of home architecture. Easily installed with hang-ers. No hangers or hardware in-


or hard ware included.

Specifications:
Made of clear Fir
3 ft. 1 in. wide over
all, 3 ft. 5 inches
high, 8½ in. deep;
inside depth, 7 in.
Two adjustable
shelves. Shipped
neatly packed in
dustproof fiber cartons. Set up ready
to hang. Shipping
weight, 100 pounds,
not prepaid.

\$15.20

63P9668-Hanging China Case.....

China Closet and Sideboard



What a decided convenience for dining room, kitchen or large pantry. A built-in sideboard in natural wood that may be finished to harmonize with the balance of the woodwork or even painted to add a bright touch of color to the room. Glass doors at the top for china and glassware with ample drawer and cupboard space below for linens and silver, make this a most practical unit.

SPECIFICATIONS

Made in Two Sections, Ready to Set Up

Furnished in beautiful clear Fir.
Height of opening in wall, 7 feet.
Width of opening in wall, 4 feet 6 inches.
Depth of opening in wall, 1 foot 3 inches.
Height from floor to counter, 2 feet
8 inches.

Size of china closet doors, 1 foot by 2 feet 91% inches.
Backed with tongued and grooved beaded ceiling.

s, keady to Set Up
Shelves are adjustable.
Thickness of counter or shelf, 13/6 inch.
Shipped set up all ready to set in
place. Chinaclosetfurnished complete with
glass doors and casing, as shown in illustration, excepting hardware, at the price
named. Any other style trim shown on
pages 36 to 41 will be supplied if desired,
at the same price. Shipping weight, 330
pounds. Not prepaid.

63P9889—Clear Fir\$49.30

We do not furnish drawer pulls or hinges with these sideboards as the hard-are should match the other hardware in your house. See pages 76 to 79 for ware should match the other natuware in year hardware. Where Yellow Pine is wanted, we can furnish it at the same price as Fir, on

Buffet



The buffet still continues to be a popular dining room, built-in feature. The mirrored top makes an attractive appeal, reflecting in its shining surface the articles placed before it. Glass doored cupboards below and plenty of drawer space make this buffet especially convenient.

The buffet shown on this page is the very latest design, identical to buffets now being used in the most modern apartments and residences in large cities. One of the special features is that they are made to set against the wall. Can be used either in a new or old building. Made of the very best grades of either beautiful clear Fir or clear Oak. Workmanship is strictly the best cabinet work.

SPECIFICATIONS OF BUFFET

Shipped set up all ready to set in place. Complete buffet includes clear plain plate mirrors above counter, glazed sash doors and adjustable shelves in compartment back of each sash door. The sash doors are divided with wood muntins, and glazed with six lights of clear glass.

Furnished in beautiful clear Fir or clear Oak. Width, over all, 5 feet 9 inches. height to top of counter shelf, 3 feet 5 inches; depth from front to back, 1 foot 6 inches; Mirrors are 12 inches high; end mirrors are 15 inches wide; center mirror is 27 inches wide. Height, over all, 4 feet 9½ inches. Shipped to you set up all ready to set in place. Hardware not included in price. Shipp. wt., 378 lbs. Not prepaid.

63P9900—Clear Fir (not stained or varnished).

557.75
63P8656—Clear Oak (not stained or varnished).

61.50
Where Yellow Pine is wanted, we can furnish it at the same price as Fir, on request.

Shipped From Our Own Factory in Newark, N. J., Not Prepaid


Bookcased Openings and Colonnades

One of these Bookcased Openings or Colonnades will greatly beautify any arched opening.
Where Yellow Pine Bookcases or Colonnades are

wanted we can furnish them at the same price as Fir on request.



Head Trim, Casing, Base Blocks, Jambs, etc., are not part of the Colonnade nor of the Bookcased Opening shown here, and therefore, are not included in price. For Trim see pages 36 to 41



Bookcased Opening

Made of Beautiful Clear Fir or Clear Oak. Each of the bookcases shown is made 4 feet 1 inch high; width, 1 foot 4 inches; depth from front to back, 1 foot 2 inches. The cap and base extend beyond these measurements 1 inch. The side and back of the bookcases are paneled. The side that fits against the jamb is plain. The door is glazed with high grade leaded glass. Each case is fitted with three adjustable shelves. The material and workmanship are the best. No hardware included. Shipped SET UP (put together) ALREADY TO SET IN PLACE.


NOTE—The bookcases can be had to fit on either side of consoles, fireplaces or other places at a slight additional cost. Write for quotations, describing where bookcases are to be used. IMPORTANT—Always state whether the paneled side of the bookcase is to be on the right or left hand as you face the front or glazed side. Shipping weight, 200 pounds per pair, not prepaid.

63P9897—Bookcases, as described above, clear fir, made to fit against 5¼-inch jambs. Per pair.

\$27.80

63P6793—Bookcases as described above, clear oak, made to fit against 5½-inch jambs. Per pair.

\$35.75



Bookcased Colonnade


Made of Beautiful Clear Fir or Clear Oak. Can be used in room of any width. Cases are 4 ft. 9 in. high, 2 ft. 4 in. wide and 12 in. deep. Has three shelves. Door in each case glazed with six lights of clear glass. Ends of cases are made to set over a jamb 51/4 in. wide. The backs and exposed ends have one three-ply wood panel. Hardware not included. Shipped SET UP (put together),


ALL READY TO SET IN PLACE.

Columns are 8 in. square at bottom and taper to 7 in. at top.

Furnished in the white (not oiled or varnished). Carried in stock to fit openings 6 ft. 8 in.; 7 ft.; 7 ft. 6 in. and 8 ft. high. If intermediate or larger sizes are wanted, write for prices.

63P9899—Clear Fir. Per pair.....\$47.50





Colonnades

Made of Beautiful Clear Fir or Clear Oak. Height of pedestal and panel work, 24 inches. Top over pedestal and panel work, 10 inches wide, and made to fit on each side of jambs 5½ inches wide. The column base resting on the pedestal is 7½ inches square. Size of column at base, 6 inches. Size of column at top, 5 inches. Use but one column and pedestal for openings less than 7 feet wide, and allow but half the price of a pair. Shipped SET UP (put together) ALREADY TO SET IN PLACE. Carried in stock to fit openings of the following heights: 6 feet 8 inches; 7 feet; 7 feet 6 inches; 8 feet. If openings are intermediate or larger than any height specified, write for price and allow a few days' additional time to ship.

When ordering give exact width of opening from jamb to jamb and exact height from floor to head jamb. Specify width first. Shipping weight, 200 pounds.

Catalog No.	Kind of Wood	Design of Column	Design of Cap for Column	Price, per Pair
63P9896	Clear Fir	Round	Plain turned wood	\$24.60
63P8462	Clear Oak	Round	Plain turned wood	30.45
63P9894	Clear Fir	Square	Plain wood	23.35
63P8467	Clear Oak	Square	Plain wood	29.30

Prices are for the colonnade in the white (not varnished). If wanted to fit jambs wider than $5\frac{1}{4}$ inches, add \$2.00 to above prices. When jambs are 9 inches wide we suggest setting the end of pedestal up against jambs.

Bookcase Colonnade

The cases are made 3 feet 2 inches wide, 3 feet 6 inches high from the floor to the top shelf. Each bookcase is 12 inches deep and has two shelves. The ends of the cases are made to set over jambs 5½ inches wide. The backs of the cases have two wood panels same height as the cases in front. Columns are 10 inches square at the bottom and taper to 8 inches square at the top. Paneled on four sides and have molded caps and bases. We will furnish the colonnades in any height required. Furnished in the white (not oiled or varnished). Carried in stock to fit openings 6 feet 8 inches; 7 feet; 7 feet 6 inches, or 8 feet high. For intermediate or larger sizes write for prices. Suitable for opening over 9 feet wide. Shipped SET UP (put together), ALL READY TO SET IN PLACE. Shipping weight, 300 pounds.

63P9898-Clear Fir. Per pair.....\$53.50


Hardware not included in price. When ordering give width from jamb to jamb and height from floor to head jamb. Specify width first.

Built-In Bookcase

Honor Bilt MILLWORK

Built-In Bookcase Open Shelf Design


Built-in bookcases are decidedly the vogue. The one below is especially interesting and appealing with its leaded glass doors through which one's books peer out in a most friendly manner.



Specifications: Made of Clear Fir or Clear Oak. Has three adjustable shelves. Pair of doors are 2 ft. 8 in. wide by 3 ft. 11 in. high, 1½-in. thick. Glazed with Clear Glass, divided with leaded bars. Cabinet is 3 ft. wide and 4 ft. 7½ in. high over all, 12 in. deep; inside depth, 9½ in. ¾-in. veneer panel back. Hardware is not included.

Construction: This bookcase is really distinctive in design. The top of the case is nosed on the front and two side edges. The front edges of the three adjustable shelves on the inside are also nosed. The ends are paneled, and the entire cabinet comes to you carefully packed in sealed cartons. Packed to secure lowest transportation charges. Easily put together. Furnished in the white, not painted or varnished. Shipping weight, 103 pounds.

63P9655—Clear Fir.....\$20.60 63P9506—Clear Oak...... 24.00



Very attractive built-in bookcase. Appropriate for almost any type of home. The open shelves above and closed cupboard base below afford a convenient arrangement. Popular as built-in bookcase for both sides of the fireplace.

Specifications: Requires a recess opening in wall 2 ft. 6 in. wide, 7 ft. 6 in. high, 8 in. deep, but any proportion of change in size can be made. Cupboard space below is 12 in. deep, extending



Telephone Cabinets

Modern conveniences in a typically modern setting. A built-in telephone stand that's going to save time and annoyance by keeping the instrument and hanging cords off the floor and out of theway.

hanging cords off the hoor and out of the way.

Telephone Cabinets are an important piece of built-in furniture. The telephone and its accessories require a convenient cabinet all its own. Here is a very pleasing design with the wires, bell box, etc., hidden, but easily accessible. Recess opening in wall, 1 ft. 2½ in. wide, 2 ft. 8 in. high; depth, main shelf, 8 in. Bin has 3½-in. inside depth. Back band trim. Door is of 3-ply wood panel. Set up ready to set in place with all hardware applied. Carefully packed in cardboard cartons. Shipping weight, 26 pounds.


63P9651—Clear O3P9502—Clear Oak. Each....\$4.70

Hanging Book Shelves

Hanging shelves make an attractive accessory for any room. Can be installed in any one of a dozen suitable places in the home. Quite suitable for books, china, bric-a-brac and art objects. They harmonize beautifully with any furnishings.

Specifications: Made of Clear Fir, 2 ft. 1 in. wide, 2 ft. 10 in. high, 5½ in. deep. Includes three shelves. Securely packed in cardboard carton. Will reach you bright and clean. Packed to secure lowest transportation charges. Easily nut together. Fur. Easily nut together. Fur. Easily put together. Furnished in the white, not painted or varnished. Shipping weight, 9 pounds.

63P9670-Clear Fir.



Shipped From Our Own Factory in NEWARK, N. J., Not Prepaid

Honor Bilt MILLWORK

Modern Kitchen Cabinets

Modernize Your Home at Low Cost

ITCHEN CABINETS that speak volumes for efficiency, convenience and comfort. The room where most women spend practically two-thirds of every day should be strictly modern in every respect, and at the same time, alluring, pleasant and Very desirable central working units, such as any of the arrangements shown at the bottom of both this and the opposite page, can be made from these cabinets. Big generous size cabinets both above and below the working plane or table, give ample room for everything you require. Open a door, or pull out a drawer. What you need at your finger tips.

The pride and joy of every woman is a cheerful, neat, conveniently planned kitchen. What could be more attractive to the feminine taste and prove more efficient than the arrangements we have pictured at the bottom of this and the opposite page, and these are only a very few of the many combinations that can be made from these units. An abundance of shelves that will hold quantities of canned goods, linens or kitchen utensils.

canned goods, linens or kitchen utensus.

There are dozens of uses for cabinets, which are pictured in this group. They will serve you efficiently and faithfully for a long, long time.

For specifications see opposite page.


Shipped From Our Own Factory in NEWARK, N. J. Not Prepaid.

Utensils and dishes in cabinets not included.




HARDWARE

Equipped with heavy nickel plated brass hinges, easily operating nickel plated catches of special design and nickel plated drawer pulls, as illustrated above.



63P9662—Ceiling Wall Unit or Upper Section. Made of Clear Fir. Width, 3 ft.; height, 4 ft. 6 in.; depth, 12½ in. Includes cap mold, wood panel back, three adjustable shelves and all hardware. Shipping weight, 90 pounds. Each. \$14.95 63P9659—Counter Unit or Base Section. Made of Clear Fir. Width, 3 ft.; height, 2 ft. 10 in. to top of counter shelf; depth, 1 ft. 6 in. Includes wood panel back, 1½ in. thick, counter shelf and all hardware. Shipping weight, 71 pounds. Each. \$13.60



63P9661-Ceiling Wall Unit or Upper Section. Made of Clear Fir. Width, 1 ft. 8 in.; height, 4 ft. 6 in.; depth, 12½ in. Includes cap mold, wood panel back, three adjustable shelves and all hardware. Shipping weight, 50 pounds, Not Prepaid.


.63P9660—Counter Unit or Base Section. Made of Clear Fir. Width, 1 ft. 8 in.; height, 2 ft. 10 in. to top of counter shelf; depth, one cutting board, one lower shelf, wood panel back and all hardware. Shipping weight, 57 pounds, Not Prepaid. Each.....\$10.15



63P9663—Broom Closet. Made of Clear Fir. Width, 1 ft. 8 in.; height, 7 ft.; depth, 1 ft. 3 in. Includes cap mold, wood panel back, shelf and all hardware. Shipping weight, 68 pounds, Not Prepaid.

Each.....\$12.45

63P9665—Ceiling Unit to be used with Storage Unit 63P9664 or Broom Unit 63P9663 when they are used with combinations comprising ceiling wall units, in order to line up with the top sections. Made of Clear Fir. Width, 1 ft. 8 in.; height, 1 ft. 6 in.; depth, 1 ft. 3 in. Includes cap mold, wood panel back and all hardware. Shipping weight, 25 pounds, Not Prepaid. Each....\$4-60



63P9665

Many popular combinations can be made to fit any size kitchen. A few suggestions are illustrated at the left.



Of the Finest Construction

With These Attractive Built-In Features

HE maximum of beauty, comfort and convenience built into both new and old homes is the modern tendency. Fine cabinet work and built-in conveniences do much to make a house—a home. We show throughout this book many built-in features for your kitchen, dining room, living room, bed room and bathroom.

All our cabinets are manufactured in our own factory by expert cabinet makers. We have been especially careful in selecting the design and materials. Distinctive features, such as lipped drawers, lipped doors, rounded corners and edges make cleaning easy.

Our unit system of kitchen cabinets provides many combinations. A few are pictured here. A number of units can be ordered and we will supply a single counter shelf to connect Be sure to state if single counter shelf is wanted.


SPECIFICATIONS

These cabinets are made of Clear Fir. Carefully machined and sandpapered. Complete unit includes fronts, doors and counter shelves 11/8 inches thick, drawers and slides, bread board, ends, tops, bottoms, backs, shelves moldings where shown, and all hardware. Unfinished no paint or varnish. Shipped ready to put together. Fronts and ends are glued up. Doors and drawers lipped ready to install. Everything cut to exact size. Securely packed to secure the lowest transportation charges in cardboard cartons sealed against dust. Easily put together. Shipped by freight or express only from our own factory in NEWARK, N. J., NOT PREPAID.

Utensils and dishes in cabinets not included.



63P9666—Hanging Wall Unit or Upper Section. Made of Clear Fir. Width, 3 ft.; height, 3 ft. over all, depth 12½ in. Includes cap mold, panel back, two adjustable shelves and all hardware. Shipping weight, 57 pounds, not prepaid. Each.....\$10.85




Honor Bilt MILLWORK


63P9669—Hanging Wall Unit or Upper Section. Made of Clear Fir. Width, 1 ft. 8 in.; height, over all, 3 ft.; depth, 12½ in. Includes cap mold, panel back, two adjustable shelves and all hardware. Shipping weight, 35 pounds, not pre-


Each.....\$7.25

63P9667—Counter Unit or Base Section. Made of Clear Fir. Width, 1 ft. 8 in.; height, 2 ft. 10 in. to top of counter shelf; depth, 1 ft. 6 in. Includes four lipped drawers, drawer slides, work board and all hardware. Shipping weight, 54 pounds, not prepaid. Each...\$11.60










SPECIFICATIONS

The cabinets shown here are carefully constructed by expert cabinet makers in our own factory. The distinctive features of these cabinets that make them better than the average kitchen cabinet are the rounding of all corners and all edges. In the enlarged section above, a part of the counter top has been cut away in order to show these rounded corners, which adds to the beauty of their appearance, besides making them easy to clean. Doors and drawers are lipped. Ends of cabinets are paneled.



63P9664—Storage Unit. Made of Clear Fir. Width, 1 ft. 8 in.; height, 7 ft.; depth, 1 ft. 3 in. Includes cap mold, wood panel back, five adjustable shelves and all hardware. Shipping weight, 82 pounds, not prepaid.

Each.....\$13.95

Many popular combinations can be made to fit any size kitchen. A few suggestions are illustrated at the right.



63P9804—Kitchen Cabinet. Clear Cypress, with 2 ends and back as shown above. Shipping weight, 200 lbs. Not prepaid. \$23.95 63P9803—Kitchen Cabinet, with only one end and no back. Shipping weight, 175 pounds. Not prepaid. Clear Cypress. \$14.75

Honor Bilt MILLWORK

ITCHEN CABINET No. 63P9804 illustrated at left is made of Clear Cypress.

These cabinets or dressers are strictly high grade cabinet work. Made to set anywhere in the room where sufficient wall space is allowed. No hardware included.

waii space is allowed. No hardware included.

Kitchen Cabinet No. 63P9803 is made of Clear Cypress. Same specifications as Kitchen Cabinet No. 63P9804, except has no back and finished on one end only. Made to set in a corner. Reversible. Can be used in right or left hand corner.

Shipped packed to secure the lowest transportation charges in cardboard carton. EASILY PUT TOGETHER.

Complete cabinet measures 4 feet wide by 8 feet high over all.

Bottom section measures 18¾ inches from front to back, 2 feet 10 in. from floor to top of counter shelf. Contains 2 lipped drawers and 2 doors 1⅓ inches thick. Has one removable shelf in back of panel doors.

doors.

Top section is 12 in. deep. Has 2 glazed doors 1½ in. thick. Glazed with clear glass. Contains 3 shelves with adjustable metal supports. For hardware, see pages 77 and 78.

Kitchen Cabinet 63P9782, illustrated at right, is made of beautiful Clear Fir. Furnished with two ends and back. Made 3ft. 6in. wide and 7ft. 6 in. high.

Bottom section with the four drawers and flour bin extends back 17 in. The top part extends back 12 in. The counter shelf or working table is 18¾ inches from front to back. Hardware not included in price. See pages 77 and 78 for hardware.

Top section has two doors ½ in. thick, with clear glass, and contains three shelves, with adjustable metal supports.


FASILY PUT TOGETHER

EASILY PUT TOGETHER.



63P9782—Kitchen Cabinet. Clear Fir...\$23.75
Shipping weight, 200 pounds. Not prepaid.
This cabinet can be had with panel doors in upper section instead of glazed doors, and with door in lower section instead of flour bin, for the same price. If you want these changes made, be sure to mention them in ordering.

Chest of Drawers



Chest of Drawers for under pantry shelves, in closets, under drain boards, as shown in the illustration at the right, and in many other places.

Specifications: Made of clear fir. Construction is skeleton. Face sandpapered. Drawers carefully fitted, easy running and lipped. If wanted with sides, top, bottom or back, nail finishing lumber in place, as skeleton is very rigidly constructed. Height, 2 feet 5 inches from floor; width, 3 feet 4 inches; depth, 2 feet. Each drawer is 6 inches deep on the face. Shipped set up, without paint or varnish, carefully crated and guaranteed to arrive in good condition. Hardware not included. Shgs. wt., 65 lbs. Not prepaid.

63P9873—Chest of Drawers, Clear Fir. \$9.55

Clear Fir

Flour Bin

This Flour Bin is made of clear fir, is 1 foot 6 inches wide by 2 feet 6 inches high. Extends back 9 inches at the bottom and 17 inches at the top. Weight, 20 pounds. Not prepaid. 63P9841—Clear Fir.....\$3.15
Flour Bins Are Packed to Secure Lowest Trans-

to Secure Lowest Trans-portation Rates. Eas-ily Put Together.


Hardware Not Included.



Modern Convenience

The illustration above shows how some of the modern kitchen conveniences shown below may be "built-in." Note how the chest of drawers 63P9873 goes under the drain board at the left. The storage bin 63P9871 fits under the right hand drain board.

Single Drawers



FRONT VIEW




SIDE VIEW

Made of clear fir. All set up ready for use. The face is lipped, which means it projects slightly beyond the opening in which the drawer fits. Shipping weight, each, 14 pounds. Not prepaid. Shipped set up already for use. Pulls Not Included. 63P9872-Clear Fir.

Height, Inches	Depth, Inches	63P987
Inches	Thenes	Dacii

Width, Inches	Height, Inches	Depth, Inches	63P9872 Each
14	6	18	\$0.65
16	6	18	.70
18	6	18	.76

Storage Bin



Made to match the chest of drawers shown at left. It is same dimensions as the chest of drawers and construction is skeleton, so it can be placed under shelves, etc. These can be placed under shelves, etc. These Cabinets can be combined into a kitchen work bench. Made of clear fir. **Shipped set up.** No hardware included. Shpg. wt., 40 lbs. Not prepaid.

Clear Oak Drain Boards

Made of clear oak nice clean stock. Grooved and beveled. Shipping weight, 14 pounds. Not prepaid.

63P7792—Size, 13/16x22x24 in. \$1.52



63P772 — Size,
11/8x22x24 inches.
The extra thickness
makes this board much less likely to warp out of

All items on this page shipped from our own factory in NEWARK, N. J., not prepaid.

Honor Bilt MILLWORK Built-In Honor Bilt MILLWORK Ironing Board Outfits

Always Ready for Use-Never in the Way

A labor saving built-in feature for your kitchen. Complete full size ironing board, including sleeve board. Easy to install, always handy and yet never in the way. Usually installed with electric light socket in the compartment, so electric iron can be conveniently attached.

A Combined Ironing Board and Service Table


Note the small illustration below to the right which shows how the serving table is attached. Ironing board is furnished either with or without the table. Refer to description of board below.

Shipped to you ALL SE UP READY TO INSTALL except for fitting of doors and trim.



Made of clear fir. Opening in wall, 14 inches wide, 80 inches high, 4½ inches deep. Will fit between studding placed 16 inches on center. Ironing board is 11½ inches wide by 49 inches long, 32 inches from floor. Sleeve board, 5 inches wide, 23 inches long. Serving table, open 22½ inches wide by 40 inches long; ¾x3½-inch casing furnished for trimming.

Shipped From Our Own Factory in NEWARK, N. J., Not Prepaid.




Completely Concealed

Illustration above shows how our built-in ironing board is com-pletely concealed. Nothing is seen but a neat panel in the wall.




Convenient and Practical

Above illustration shows ironing board as it appears in a typical kitchen. Includes doors, round edge trim and all hardware except door hinges and latch. Door hinges and latch should be ordered separately to mate other hardware in your home. Carefully packed in cardboard carton. Will reach you bright and clean.



Strong Construction

Note strong rigid construction of our built-in ironing board. The sleeve board is hanging within easy reach, ready for use any time needed.



Serving Table Feature

Illustration above shows how serving table is used. In many cases this eliminates the ne-cessity of having a regu-lar table in the kitchen.

Built-In Medicine Cabinet

6


Above; ironing board and sleeve board ready for use; serving table folded up out of the way.

Madeof clear Fir. Plain plate mirror, 14 in. wide by 18 in. high. Three a d j u s t a b l e shelves. Fur-nished with trim nished with trim as illustrated. Recess opening in wall, 1 ft. 8 in. wide by 2 ft. 4½ in. high; depth, over all, 4 in. Size of door 1 ft. 6 in. by 1 ft. 11 in. high. Shpg. wt., 35 lbs. All set up ready to install. Shipped on packed.

Specifications: Mirrors
18 x 24 inches.
Inside dimensions, 15x21x4¼
inches. Outside
dimensions of
flange,17¼x23¼
x1¼ inches. Wall
opening, 15½x
2½x3 inches.
Shipping weight,
50 lbs.
Facked
in Individual
wood boxes.
63P1775
Each. \$13.95
Shipped From
Factory in
OHIO, Not Prepaid.



Bathroom Cabinet




A most convenient article of furniture for the bathroom. Plenty of room for towels and various toilet articles. Note lower com-partment makes a most convenient receptacle for soiled towels and linen.

Specifications

Specifications
Made of clear Fir. Height, 4 feet. Width,
2 feet 2 inches. Depth, 1 foot. Has four
drawers and two compartments.
Furnished in the white; that is, without paint or
varnish. Hardware not included in price. Shipped
set up, all ready to set in place. Carefully crated
and guaranteed to reach you in good condition.
Shipping weight, 130 pounds.
63P9864—Bathroom Cabinet, Clear Fir.
Each. \$19.95
Shipped From Our Own Factoryin NEWARK,
N. J., Not Prepaid.

Built-In Medicine Cabinet




S9.25 or varnish.
Shipped From Our Own Factory in NEWARK, N. J., Not Prepaid.



63P1785 Each....\$18.90 Shipped From Factory in OHIO, Not Prepaid.

Wardrobe

Double Unit Clothes Closet



A very good closet arrangement. Plenty of room for complete wardrobe in which garments are kept in better condition than in ordinary closets. Has hat or blanket compartment, 2 drawers at the bottom for shoes. Furnished complete with shelves, drawers, clothes rod, panel doors and trim.

Packed to secure the lowest transportation charges. Easily put together. Door hinges, locks and drawer pulls are not included in price. These should be ordered separately to match the other hardware in the room. Back and sides are not finished as wardrobe is intended to set in a finished plastered opening.

Required recess opening in wall 2 feet 6 inches deep, 6 feet 10 inches high, 4 feet 5 inches wide. Doors furnished are our regular 1½-inch 2-panel Clear Fir doors described on page 15. Back band trim furnished with this wardrobe is our back band trim illustrated on page 40.

63 P92 22—Clear Fir Wardrobe, including 2-panel Fir doors, each door size, 2 feet wide by 6 feet 8 inches high. Shipping weight, 125 pounds. \$27.50

Honor Bilt Aromatic Red Cedar Lining

3/8x21/2 Inches, Aromatic Red Cedar, Tongued and Grooved and End Matched

Now every home can have its Aromatic Red Cedar Clothes Closet. Aromatic Red Cedar for clothes closets keeps moths away. Manufactured in such away. Manufactured in such form that it may readily be installed in the closets of old or new homes. Clothes may be hung on regular hangers in the usual way. Any article wanted is readily accessible and can be found and removed without disturbing the remainder. Aromatic Red Cedar Closet Lining is made \(^3\)8-inch thick by 2\(^1\)2 inches wide, with tongued and grooved edges and ends matched. The cedar lined closet is superior to a storage chest, and makes the regular closet a big, roomy moth deterrent compartment of fine appearance and thorough utility. It affords con-venient all year storage for furs and woolens, which allows ready access to every garment.

Aromatic Red Cedar Closet Lining is shipped in cartons containing 48 board feet to the carton. Enough to cover 40 square feet of surface. Sold in full cartons only. Shpg. wt., 45 pounds....\$5.95

for New or **Old Closets**





Illustration Shows Closet Lined With Aromatic Red Cedar Lining


63P9812-Aromatic Red Cedar Closet Lining. Per carton (48 board feet to the carton).



Packed in Cartons as Illustrated Above

Shipped From Our Own Factory in NEWARK, N. J., Not Prepaid.


Breakfast Alcoves



Colonial Breakfast Alcove

A new and very desirable design. Made of Clear Fir and sand-papered ready for finish. Furnished with seating capacity of four, requiring floor space 6 feet wide by 4 feet deep. Equally desirable papered ready for finish. Furnished with seating capacity of four, requiring floor space 6 feet wide by 4 feet deep. Equally desirable when set up in a corner, or against a wall in your kitchen. Shipped in the white, without paint or varnish. Shipped in sections, packed to secure the lowest transportation charges. Easily Put Together. Packed in cartons sealed against dirt and dust. Will arrive bright and clean.

Specifications



Breakfast Alcove

A new design. Packed to secure the lowest transportation charge. The sections are assembled. Easily put together. Made of Clear Fir, sandpapered, ready to put together and finish. Requires floor space 6 feet wide by 4 feet deep. Equally desirable

when set up in a corner or set up against a wall in your kitchen. Shipped in the white without paint or varnish. Wrapped in tough paper and crated.

Specifications

Table, width 2 feet 2 inches; length, 3 feet 8 inches; height from floor to top, 2 feet 6 inches. Each bench, width on seat, 1 foot 11/8 inches; length, 3 feet 8 inches; height, over all, 4 feet. Shipping weight, 210 pounds. 63P9294—Breakfast Alcove, Clear Fir . \$19.20

FLOOR PLAN Shipped From Our Own Factory in NEWARK, N. J., Not Prepaid.

·· di

Honor Bitt MILLWORK

Kitchen Cabinets

Honor Bilt MILLWORK

ectional Built-In Kitchen Furniture


There are dozens of uses for cabinets, such as we picture on this page. They will serve you efficiently and faithfully for a long, long time. Notice the tall one to the right side of the page with the small door at the top and the long one at the bottom. Just the place for brooms, dust mops or vacuum cleaner. Keep your polishes, floor wax and dust cloths in the upper compartment.

This built-in kitchen furniture is manufactured in one of the world's largest factories devoted exclusively to kitchen equipment. More than a quarter of a century spent in the study of kitchen and kitchen problems has developed this complete line of sectional built-in kitchen furniture.

Construction: Only the highest grade material used. All panels, backs and drawer bottoms are 3-ply. Door rails and stiles are made of heavy rock maple to add strength and prevent warping. Front frame joints are made doubly rigid by heavy metal T and angle plates. Drawers are of special lock joint construction. All sections are fastened together with heavy non-rust nickel plated bolts, with wing nuts.

Finish: All cabinets are beautifully finished in high grade lacquer, offering a choice of white, gray, old ivory or Venetian green. Interior of upper cupboards and cupboard doors may be had with two-tone decoration of contrasting color.

Porceliron Table Tops. All porceliron tops, bread drawers and removable pan in bottom of broom unit are made of genuine porceliron, a guaranteed product, which insures years of satisfactory service. Is sanitary and easily cleaned. Porceliron table tops are available in any desired length up to 10 feet. This is to accommodate the use of one or more bases together. Be sure and state if single porceliron top is wanted and mention size. Shipped all set up, finished in any one of the four colors mentioned, ready for installation from factory in EASTERN INDIANA, Not Prepaid. We require about 3 weeks to ship because of finishing. Be sure to state color wanted.



Shelf Side Unit As Illustrated Above

As Illustrated Above
Contains five adjustable shelves. Width, 16
in.; height, 86 in.; depth,
22 in. May be had with
the door hinges on the
right or left hand side
as you face the cabinet. Be sure to state which is wanted.

63P9196—Shelf Unit. Each...\$36.40 Be sure to state color you wish cabi-net finished in. Shipping wt. 125 lbs.

Kitchen Cupboards As Illustrated Above Upper Section

Furnished 34 in. and 40 in. wide. 34-in. section has two doors, 40-in. section has three doors. Both sections are 51 in. high from top of base section and 13 in. deep. Clearance between top and bottom section is 17 inches.

63P9 189 — Unper sec-

section is 17 inches.

63P9 | 189 — Upper section, 34 in. wide.

Each \$25.20

Shipping weight, 97 pounds.

63P9 | 9 | —Upper section, 40 in. wide. Ea. \$29.40

Shipping weight, 110 pounds.

Be sure to state color you wish cabinet finished in.

Base Sections

Contain two drawers and two doors as illustrated above. Comes 35 inches high to top of counter shelf and 22 inches deep. Furnished in two widths, 34 and 40 inches.

63P9188—Base Section, 34 inches wide. With porseliron top, 25x34 inches.
Shipping weight, 94 pounds.
63P9190—Base Section, 40 inches wide. With porceliron top, 25x40 inches. Each.\$31.50
Shipping weight, 104 pounds.
Be sure to state color you wish cabinet finished in.



Porceliron Drawer
The porceliron bread and cake drawer is a dustproof, non-absorbent drawer of porceliron. Regular equipment in bases 63P9184, 63P9186 and 63P9183.




Porceliron Pan

This porceliron pan is regular equipment in broom unit cabinet 63P9195 for polish mops and vacuum.



Silver Drawer
Equipped with removable corduroy tray. Here is a needed convenience which is regular equipment on bases 63P9184, 63P9186 and 63P9183.





Sliding Tray

These sliding traysof frame ply wood are applied in all base sec-tions.

Ritchen Cupboards

As Illustrated Above
Furnished 34 in., 40 in. and
50 in. wide. 34 in., ection has
two doors, 40 in. section has
two doors, 40 in. section has
three doors, 1 large and 2
small, as illustrated above,
50-in. section has three large
doors, All sections are 51 in.
high from top of base section
and 13 in. deep. Clearance
between top and bottom section is 17 in.

63P9189—Upper Section, 34 in. wide. Ea. \$25.20
Shipping weight, 107 pounds,
63P9191—Upper Section, 40 in. wide. Ea. \$29.40
Shipping weight, 110 pounds,
63P9187—Upper Section, 50 in. wide. Ea. \$25.00
Shipping weight, 126 pounds,
63P9187—Upper Section, 50 in. wide. Ea. \$35.00
Shipping weight, 126 pounds,
Be sure to state color you
wish cabinet finished in.

Base Se


Broom Unit

As Illustrated Above
Contains two adjustable shelves with removable porceliron bottom. Width, 16 in.; height, 86 in.; depth, 22 in. May be had with doors hinged on right or left hand side as you face cabinet. Be sure to state which is wanted.

63P9195—Broom Unit. Each..\$33.60 Be sure to state color you wish cabinet fin-ished in. Shipping wt., 116 pounds.


Hardware

Crystal glass knobs with patented locking rings of brass are used on all drawers. Doors are equipped with heavy nickel plated brass hinges and easily operated nickel plated catches of special design.



Many popular combinations can be made to fit any size kitchen, suggestions are illustrated here,





SEARS, ROEBUCK AND CO.

Attractive Mantels and Fireplace Screens

6


PROVIDE for a fireplace in your new home, or, if you are remodeling, do not overlook a brick mantel.

We supply everything necessary to complete the mantel, including face brick, mantel shelf (made of clear fir, or clear including face brick, mantel shelf (made of clear fir, or clear oak), fire brick lining for fireplace, wrought iron trimmings where shown, tile flashing, color for mortar, tile for hearth and angle bars. The mantel shelf is shipped in the white, not enameled or varnished. Price does not include throat damper or ash dump, these must be ordered separately. (See page 59.) We furnish a complete set of working plans. Only perfect material supplied. The bricks are packed in barrels and carefully leid in convolute so, that they reach destination in first fully laid in sawdust so that they reach destination in first class condition.

We can supply the designs listed in either smooth face or rough face brick, in the following colors: Rough Texture Brick-Brown with black dots, deep red, cream or medium gray. Smooth Surface Brick-Soft gray, cream or deep red.

Please bear in mind that the colors might vary somewhat, but will closely resemble the description.

The brick for mantels is shipped from factory in PENN-SYLVANIA, not prepaid. The mantel shelf is shipped from factory in NEWARK, N. J., not prepaid. We do not furnish the common brick, mortar, cement or foundation brick.



Colonial Design Brick Mantel

Price does not include fireplace fixtures. For prices see page 59.
Total height, 4 feet 3 inches; width, 6 feet 1½ inches; depth to plastered wall, 3½ inches. Brick opening, 50 inches wide by 35 inches high; fireplace opening, 34 inches wide by 29 inches high. Size of hearth, 24 inches by 65 inches. Not prepaid.

63P9849—Colonial Brick Mantel as described above, with clear fir frame and shelf. \$47.20
63P9269—Colonial Brick Mantel, with clear oak frame and shelf. 50.30
The brick for the above mantel weighs 850 pounds. The frame and shelf weigh 125 pounds.



Specifications


The mantel is 7 feet 3 inches wide over all and 5 feet 3 inches high. Width of body, 6 feet 6 inches. The fireplace is 36 inches wide by 30 inches high. The hearth is made of quarry tile and is 18 inches by 78 inches. Price does not include fireplace fixtures. For prices see page 59. Shipping weight, 2,175 pounds, not prepaid.

63P9854-Mantel as described above, with clear fir shelf......\$69-00 63P3372-Mantel as described, with clear oak shelf 71.95


Be sure to state color and kind of brick wanted

3-Fold Spark Screen


New and very attractive design. Well constructed. Fabric is heavy steel wire screening, 8 meshes to the inch, and finished in black japan. The framework is a hammered work is a namiliered design finished in burnt antique brass, 30 inches high. Side folds are 12 inches wide, center fold 24 inches wide. Weight, 12 pounds. Shipped from our PHILADEL-PHIA store by freight or express, not prepaid.



63P42 | 3-Three-Fold Spark Screen \$7.65



4-Fold Spark Screen



PHILADELPHIA store. We pay the postage.....\$7.70

These screens are attractive in addition to the protection they afford. Made up of four folds. Each fold 12 inches wide, 30 inches high. Weight, 13 pounds.

We pay the postage

63P4211—Heavy Black Spiral Weave Fab-ric, with round black frame trimmed with brass handles, hinge caps and knobs.....\$5.05

63P4214 — He avy Black Fabric with ham-mered brass finish frame. Same construction as screen No.63P4213 except 4-folds wide instead of 3. Shipped from our

Spark Guard

This is the well known common low priced wire guard for use with grates or open fireplaces. Made of heavy crimped copper plated wire, 1½-inch mesh, and lined with fine tinned wire cloth. The framework is heavy steel wire. Well crated. Shipped by freight or express from our PHILADELPHIIA store, not prepaid.

63P4215—Spark Guard. 24 inches wide by 30 inches high. Shipping weight, 10 pounds. \$2.20

63P4216—Spark Guard. 30 inches wide by 30 inches high. Shipping weight, 11 pounds. \$2.60

63P4217—Spark Guard. 36 inches wide by 30 inches high. Shipping weight, 14 pounds. \$2.95

63P4218—Spark Guard. 36 inches wide by 36 inches high. Shipping weight, 16 pounds. \$3.65

63P4219—Spark Guard. 42 inches wide by 36 inches high. Shipping weight, 16 pounds. \$3.65

63P4219—Spark Guard. 42 inches wide by 36 inches high. Shipping weight, 23 pounds. \$4.10

Spark Guard


A very elegant Spark Guard. Well constructed. Beautifully finished. Will harmonize handsomely with either black or brass fireplace fur-nishings.

The fabric is steel wire screening, six meshes to the inch, and finished in dead black japan. The framework is made of heavy steel rods. Screen is much more substantial than ordinary guards. The handles and ornamental scrolls are real brass and look very neat against the black background.


Strongly wrapped and crated. Shipped from our PHILADELPHIA store by freight or express, not prepaid.

63P4220—Spark Guard. 31 inches wide by 31 inches high. Shipping weight, 20 pounds. \$5.85

63P4222—Spark Guard. 37 inches wide by 31 inches high. Shipping weight, 21 pounds. \$6.15



High Grade Fireplace Furnishings



63P4809

Five-Piece Fire Set

Hand wrought design, burnt brass finish, complete with stand, shovel, tongs, brush and poker. Match Andirons 63P4809. Antique finish with bright brass illuminated effects. Total height, 30 inches. Weight, 20 lbs. We Pay the Postage.

63P4808.....\$7.30

Hand Wrought Andirons

Ornamental design burnt brass finish, matches Fire Set 63P4808. Total height, 18 inches. Depth from front to back, 19¼ inches. Weight, 18 lbs. We Pay the Postage


Andirons Hand Wrought Iron Design, Total Height, 26 Inches.

And Up

to Match—Quality Guaranteed

Massive fireplace furnishings that will help to beautify your home. While our LOW PRICES will save you considerable money, you will find these sets are high grade, the same as sold by stores that cater to the most exclusive trade.

These illustrations do not do justice to the fine line—these fine furnishings are worthy of a place in the finest homes. Prices are extremely low for these high grade sets. If you do not find them to be one of the finest bargains you have ever purchased from Sears, Roebuck and Co., you can ship them back and we will return your money and all transportation charges.



All items on this page are shipped from our PHILADELPHIA store, PREPAID Unless Otherwise Specified

Five-Piece Fire Set

Square Head Wrought Iron Design Fire Set, ebony (black) finish, complete with stand, shovel, tongs, brush and poker. Match Andirons 63P4126. Total height, 29 inches. Weight, 23 lbs. We Pay the Postage.

63P4170..... \$5.55

Andirons




Square Top, Ebony (Black) Finish Hollow Back Andirons. Matches Fire Set 63P4170. Total height, 18 inches; upright post, 3 inches; head, 5 inches. Total depth, front to back, 18 inches. Weight, 35 pounds. We Pay the Postage. 63P4126—Per pair......\$4.20

Andirons and Fire Sets Four-Piece Fire Set

Round Head Handle Wrought Iron Design Fire Set, complete with heavy stand, shovel, tongs and poker. Suitable for colonial or mission fireplace. Burnt brass or black finish handles. Matches Andirons 63P3901, 63P4802 and 63P4805. Total height, 25 inches. Weight, 13 pounds. We Pay the Postage.

63P4160 Black finish.. \$3.45 63P4161 — Black with Burnt Brass Finish Handles..... \$3.80



Andirons



Andirons



Hand Wrought Iron Art Nouveaux Design Burnt
Brass or Black Finish Hollow Back Andirons.
Total height, 13½ inches. Depth from front to back,
20 inches. Weight, 18 pounds. We Pay the Postage.
63P4802—Black finish.
Per pair. \$3.10
63P4805—Burnt brass finish.
410

Per pair.

Throat or Dome Damper

Pay the Postage.
Per pair.
63P483 |—Burnt brass finish.
pounds. We Pay the Postage.

pounds. We Pay the Postage. Per pair....

Depth, front to back, 19 inches. 63P4830—Black finish. Weight, 22 pounds. We


\$4.70 Weight,



Our Adjustable Throat Damper relieves the brick mason from all trouble in shaping the fireplace throat. The maximum amount of heat will be obtained from the fire and yet all the smoke will go up the chimney. The regulating handle goes through the breast of the chimney, an easy and convenient way of controlling the draft. Damper can be closed completely in summer if desired. Throat area of the damper should in no case be less than one-tenth the area of the fireplace opening.

Size, Over All, Inches	Size of Throat, Inches	Maximum Size of Fireplace	Shipping Weight, Pounds	63P4175 Each
34x13 40x13		30x30 inches 36x30 inches		\$5.10

Cast Iron Portable Coal Grate DULL BLACK FINISH



Shipped by Freight or Express Only-Not Prepaid

	Total Length, Inches	Width, Front to Back, In.	Length, of Back, Inches	Crated, Weight, Pounds	Not Prepaid
63P4070	19	12	161/4	49	\$5.15
63P4071	203/4	12	181/4	53	5.35
63P4072	233/4	13	20	55	6-15
63P4073	251/4	13	221/2	58	6.35
63P4074	28	13	25	65	6.75
63P4075	31	13	273/4	72	7.20

Automatic Ash Dump



Will

throughout, with trap doors firmly fastened. Works freely and is a great

any fireplace. Size, 6x7 inches. Weight, 3 pounds. We Pay the Postage.

63P4176......60c

Ashpit Door

Ashpit Door, including frame, made with flanges to hold it securely in the brickwork of the chimney. Size, 10x12 in. Weight, 15 pounds. We Pay the Postage.



Concrete Machinery


Buy that concrete mixer or that block machine from this page at prices lower than wholesale. Get the benefit of our enormous manufacturing facilities and our tremendous buying power.

Grouped on this page are the most popular items in our large complete line of Concrete Machinery and Concrete Mixers. And the prices! From 20 to 35 per cent less than prices usually quoted elsewhere for machines of equal quality. Nowhere else can you get

guaranteed concrete machinery of such high quality at such a saving. Our customers tell us that our machines have all others beaten for volume of production, low cost of upkeep, dependability and real dollar-for-dollar value.

Molds of All Kinds 5 and 10-Foot Machines

There is only enough room on this page to show our smaller mixers and concrete block machines. If you need a larger capacity machine than we show here, or one better suited to your requirements, or if you pre-fer to see these machines in larger illustrations with more complete descriptions, write at once for our new Special Concrete Machinery Catalog. It contains our entire line, including 5 and 10-foot concrete mixers; also a large variety of models for concrete products, including block machines, urns, columns, balusters, brick molds, silo molds, automatic block tampers, pallets, sill and cap machines, pier molds and chimney molds.



Triumph Block Machine

A good block making outfit at a moderate price for anyone wishing to make blocks for his own use. Makes blocks face down, using a wood pallet. Makes 8x8x16-inch blocks with rock face and double air space. Flask is locked with simple latches attached to endgates. Two men make from 100 to 125 blocks per day. Either mounted on substantial iron stand as shown or furnished with hinge lugs to fasten to bench. Each outfit contains: Two Joist Block Attachments
Pluss for making solid
Dicks,
Oe Striker,
One Double End Tamper,
One sample Wood Pallet,
Additional parts and attachments can be furnished
extra.

contains:

One Rock Face Plate for whole blocks,
One Rock Face Plate for half and quarter blocks,
Two Rock Endgates,
Two Orre Endgates,
Two Dividing Plates,
One Gable Block Dividing Plate for making gable blocks.

Write for Your

> Copy of This Concrete Machinery Catalog PR532BM

You will find this Concrete Machinery Catalog complete, interesting, helpful, valuable. Every machine and every accessory fully described. Whether you wish a large capacity machine for contract work, or a smaller one for personal use, you'll find just the right size and type of machine to do your work fast and economically, the price will more than please you. Write today for this book. Just say, "Send me your Concrete Machinery Catalog PT532BM," and we will send you one by first mail, FREE.

Wizard Block Machine



A complete outfit for quantity production of high grade building blocks. Used by many leading block manufacturers. Priced low enough to make its use profitable on farms or other places where concrete products are in demand. Makes 8x8x16-inch blocks. Makes blocks face down. Each outfit contains:

One Wizard Machine on

Triumph Concrete Mixer



Especially suited for farm and general use. An ideal mixer for small jobs, such as concrete floors, walks, driveways, foundations, cellars, feed troughs, etc. Thoroughly mixes concrete, mortar or plaster, wet or dry. A good feed mixer. Will pay for itself in a short time. Capacity, 1½ to 2 cubic feet per batch. One batch a minute. Operated by hand or power. Strong construction. Mixing drum is heavy 16-gauge sheet steel with heavy cast iron bottom mounted on a 1½-inch angle iron frame. Guaranteed full satisfaction.

63P5998 — Triumph Concrete Mixer, on stand. Shpg. wt., 215 lbs. Not prepaid..\$25.75

Harvard Concrete Mixer

Sears Roebuck and Co.

CONCRETE

MACHINERY



Capacity, 4 Cubic Feet



Wizard Concrete Mixer with Engine

This Wizard Concrete Mixer is the ideal mixer for small or medium size jobs. All contractors who handle miscellaneous concrete construction should own one of these light, inexpensive machines, in addition to their mixers generally used on large jobs.

used on large jobs.

The important feature of the Wizard Concrete Mixer is in the taper of the drum, which with the help of three simple and easily cleaned mixing blades on the inside, keeps throwing the material from the mouth and back to the center of the barrel, thereby insuring a thorough mix in the shortest possible time.

in the shortest possible time.

THE TILTING DRUM of the Wizard permits loading on one side and discharging on the other side of the mixer, especially convenient for pouring into form work, as the mixer, being light in weight, can be moved along the forms, loaded on one side and discharged on the other side directly into forms.

SPECIFICATIONS

Capacity—4 cubic feet of unmixed material per batch, or 40 to 50 cubic yards per day.

Mixing Drum measures 33 inches deep by 26 inches in diameter with 17%-inch opening; constructed of steel with a one-piece cast bottom.

Tilting Gears are a 4 to 1 ratio, making it very easy to it the drum when loaded to capacity. Will turn the barrel that mixer can be loaded on one side and discharged on

Transmission—Chain drive No. 62, malleable iron, with prockets and gears of semi-steel. Drive shaft, 14-inch

Power-Equipped with our famous 1% horse-power Economy Gasoline Engine with built-in magneto, which eliminates the use of batteries and all engine trouble caused by batteries. Our engine is one-third larger than engines generally used on this type and size of mixer.

Frame constructed of 4-inch steel channels with cast iron standards, supporting mixing drum. All bolts fitted with lock washers.

Truck Wheels are all steel, 18 inches in diameter, with cast hub; 3-inch grooved tread. Axles are 1¼-inch cold rolled steel.

rolled steel.

Tread—44 inches, front and rear.

Dimensions—Length, over all, 6 feet 7 inches; width, over all, 4 feet 2 inches; charging height, 3 feet 6 inches; discharge height, 22 inches.

Engine Housing made of heavy steel plate and measures 3 feet 6 inches long by 22 inches wide by 30 inches high and can be removed by loosening four bolts.

Four Cubic Foot Wizard Concrete Mixer, Complete with Engine Shipping weight, 1,065 pounds, not prepaid.

\$157.30

63P599

All Articles on This Page Shipped from Our Own Factory in OHIO, Not Prepaid

See How Much We Save You



on Dependable Guaranteed UMBING and HEATING EQUIPMENT

HERE'S value! A complete Bathroom Outfit for only \$65.30; others as low as \$57.45. A beautiful porcelain Kitchen Sink for only \$18.25. A Pipeless Furnace as low as \$62.75. Values like these show how much you can save by purchasing high grade plumbing and heating goods at our low factory-to-you prices. They prove that we are the unquestioned leaders in plumbing and heating equipment values. Every item illustrated here, as well as in our mammoth complete stock, is first quality guaranteed merchandise—goods of the very highest grade. We do not handle "B" grade or substandard goods.

Lowest Factory-to-you Prices!

Our Bathtubs, Lavatories and Kitchen Sinks are made of high grade cast iron, coated with genuine "Triple A A A" porcelain enamel, snow-white and glistening. Fittings are all solid brass, nickel plated. Closet Outfits have modern sanitary tanks and bowls, with china lever pull and latest improved flushing mechanism. Hot Water and Steam Boilers and Hot Air Furnaces built to the highest engineering standards, and are unexcelled for economical home heating. Our new style Tubular Radiators are the very latest pattern, universally popular. Every article priced to save you money, and backed by our liberal "money back" guarantee. A certificate guaranteeing proper and satisfactory operation also goes with every complete plumbing or heating system.

NEW Easy Payment Terms on All Plumbing and Heating Goods

Just choose the things you want now, and pay a few dollars down. Then pay as you use. That's the new Sears-Roebuck plan on all Plumbing Supplies and Equipment, Bathroom Fixtures, Kitchen Sinks, Laundry Tubs, Water Heaters, Range Boilers, Heating Plants and Pipeless Furnaces. Every bit of such material you need can now be combined in a single Easy Payment purchase, provided your order for Plumbing and Heating amounts to \$25,00 or more, Write for our Modern Plumbing and Heating Catalog, T578BM, and details of this Easy Payment Plan.

Let These Free Books Save You Money

The items you see on this page—all we have room to show here—are truly representative of the unusual values we offer. They are a foretaste of the real worthwhile savings on Plumbing and Heating Equipment at the World's Largest Store. With these items as a guide, you can readily appreciate what an enormous saving you will make by purchasing a complete plumbing or heating system at our direct-from-factory prices.

purchasing a complete plumbing or heating system at our direct-from-factory prices.

Get our Plumbing and Heating Catalog in which you'll find everything you need to modernize your kitchen, bathroom or laundry, or for installing a complete plumbing or heating system, including pipe, fittings, tools and all, at prices within easy reach of the moderate budget. Every article faithfully pictured and carefully described. Write today for this free Plumbing and Heating Book T578BM.

Our Plumbing Instruction Book, PT7777BM, shows our simple method by which you can easily do your own plumbing work. Likewise, our Heating Instruction Book, PT5734BM, illustrates and describes in simple terms the installation of a complete steam or hot water heating system. But first get our complete Plumbing and Heating Catalog T578BM, sent postpaid on request.

Also send us rough sketches of your basement first.

Also send us rough sketches of your basement, first floor and other floors with dimensions of the rooms and height of the ceilings, and let us show you how much we can save you on a GUARANTEED Heating or Plumbing

Sink Only Without Fittings

Steam **Heating Systems**

Hot Water **Heating Systems**

FOR 5-ROOM HOUSE

prefer to do the work themselves by our simple easy method. With our method you do not need a skilled plumber or steamfitter. It eliminates all difficult lead work and wiping of joints. All con-nections are made with ordi-nary screw threads. If you can cut and thread pipe and screw it together, you can easily do the

Easy to Install!

getting these goods from Sears. And you can also make a still further saving


by doing your own in-

Most of our customers


stalling.

You save about half by

This Guarantee With Every Plumb-ing System We Sell









AND UP

Free Books

Modernize With Tile!

Sears Super-Tile-Just Nail It On

WALL TILE furnished in sheet form, ready to install on any wall. Beauty, charm, originality in your home may now be had at very little expense with Sears Super-Tile. A strong, tough board with a highly polished enamel-like surface that does not chip, crack, craze or discolor. Can be sawed, planed, nailed, or glued the same as lumber. Sears Super-Tile costs less than half the price of porcelain tile, yet it has all the desirable features entertained in regular glazed

tile—beauty and permanence unsurpassed. It is sanitary, moisture-proof, vermin-proof, is not affected by heat or cold or by grease or steam from cooking or washing, and is easily cleaned. An occasional bath with a damp cloth will keep it looking new and fresh year after year.

Sears Super-Tile is furnished in a variety of fadeless colors: White, Cream, Light Green or Blue. Plain, smooth, polished surface.

> This variety of colors enables one to select a color scheme suitable to his individual taste.

> > Sears Super-Tile can be installed in your Kitchen, Pantry, Bathroom, Nursery, Breakfast Nook, Dining Room or Hall.

> > If yours is an old house, mod-ernize it with Sears Super-Tile. It will make the home more attractive and add greatly to its resale value.

If you are building a new Home, make sure to get Sears Super-Tile in the kitchen, pantry, bathroom and laundry. It will not only add charm and comfort to your home, but will save the expense of redecoration for all



Cap and Metal Moldings

Moldings are furnished in all standard colors including Ebony Black. By using Ebony Black moldings with any standard colors a more striking and attractive effect is secured. Cap molding comes in 4-ft., 8-ft. and 12-ft. lengths only. Metal moldings come in 4-ft. and 8-ft. lengths only. Metal moldings are made of zinc and guaranteed not to rust.

63P9356—Cap Molding. Per lineal foot. 14c
State color wanted. 63P9357—Metal Interior Corner Molding. Per lineal foot. 14c
State color wanted.

"You Can Lay It Yourself"

Our floor tile is made in 1-inch hexagons. It is furnished pasted on sheets of paper about I foot wide by 2 feet long. The design is carefully worked out at the factory, so that the laying is an easy matter. Many of our customers lay their own tile, but we recommend employing an experienced cement worker or tile setter.

NOTE-When ordering, always allow an extra foot or two for fitting.

Ceramic Mosaic Floor Tile

Illustrated at the Right





63P1173


63P1155

63P1170

GLAZED WHITE WALL TILE


Tiled walls in the bathroom or kitchen will cost a little more than plastered walls, but tile is the cheapest in the end. When once properly set it practically never needs to be repaired or refinished. Our tile is highest grade. Everyone who builds or remodels a home can now afford to put in tile floors and walls, at least in the bathroom, kitchen and vestibule. Tile is durable, attractive, easily cleaned and perfectly sanitary.

We offer a high grade glazed white wall tile with a complete set of trim (cap, base and corners) at a low price.




GLAZED WALL TILE

Furnished in Plain White Only
63P1150—Wall tile, size 6 inches by 3 inches. Per square foot
63P1155—Cap, size 6 inches by 2 inches. Per lineal foot31c
63P1167—Interior angles for cap. Each23c
63P1166—Exterior angles for cap. Each23c
63P1173—Base, size 6 inches by 2 inches. Per lineal foot31c
63P1171—Interior angles for base No. 63P1173. Each23c
63P1177—Exterior angles for base No. 63P1173. Each23c
63P 185—Exterior corner lip, size 3 inches by 3¾ inches.
Each
63P 187—Interior corner lip, size 3 inches by 3¾ inches.
63P1170—Base, size 6 inches by 6 inches. Per lineal foot72c
63P1160—Interior angles, for base No. 63P1170. Each54c
63P1161—Exterior angles, for base No. 63P1170. Each 54c
63P1162—Right stops for base No. 63P1170. Each54c
63P1163—Left stops for base No. 63P1170. Each54c
Shipping weight, per square foot, about 41/4 pounds.
Shipped From Factory in OHIO, Not Prepaid.



Section of Wainscoting sh Cap 63P1155, with Wall 63P1150 and Base 63P1173.



Ceramic Mosaic Floor Tile
Plain White Floor Tile
63P1000—1 inch hexagons mounted on
paper. Price per square foot, 30 cents. Shipping weight, per square foot, 3 pounds.

ping weight, per square foot, 3 pounds.

Plain White Floor Tile, relieved with dots
of 6 black tiles.
63P1030—1 inch hexagons mounted on
paper. Price per square foot, 35 cents.
Dots can also be furnished in Chocolate, Red,
Buff, Blue or Green at the same price.
Shipping weight, per square foot, 3 pounds.
Shipped From Factory in OHIO, Not Prepaid.



Freight Rates on Millwork

From Our Factories in OHIO or NEW JERSEY, Whichever Is Nearer Your Station

Freight charges amount to very little compared with the substantial saving we make you on all millwork, lumber and building material of every description. We quote prices that just include the actual manufacturing make you a substantial saving.

An Easy Way to Figure What Your Freight Will Be

To figure the amount of freight on any bill of goods, you need only to know: First, THE WEIGHT. Second, THE CLASSI-FICATION. Third, THE RATE. The approximate weights on millwork are given throughout the book, or on this page. These weights will vary slightly, but will give you a fair idea of what the approximate freight will be.

CLASSIFICATION

The Railroads Charge for Freight according to its classification. For example: Unglazed doors take third class rate east. By referring to other side of this sheet you will find the third class rate to the nearest town in your state. If the table below does not contain the article you want, you can, as a rule, use the rate given on some article of similar nature.

Merchandise Classification Is Governed by Locality

It varies according to the section of the country. For example: Doors, paneled, etc., take fourth class freight rate to eastern sections of the country, but take the third class freight rate to southern sections of the country.

In the Table Below you will find two columns marked (East), (South), respectively, and in each column is shown what classification or rate of freight the merchandise takes in that section.

On the Other Side of This Sheet we show opposite each pounds for each classification. When you look up your nearest town in the list on the other side of this sheet refer to the table below and you will find what class freight the articles take; then refer again to the table on other side of this sheet and find what the rate is for that class to your town and then figure at that rate per 100 pounds, according to the weight given in the description of the goods. For example, suppose you are figuring the freight on Paneled Doors and you live in Buffalo, N. Y., or Buffalo, N. Y. (in Eastern Section) is the nearest town to you. Referring to the table below you will find that Paneled Doors take the third class rate in (East) territory. Referring back to the other side of this sheet you find that the third class freight rate to Buffalo, N. Y., is 55 cents per 100 pounds, therefore the freight on Paneled Doors to Buffalo, N. Y., will be 55 cents per 100 pounds.

We Pack and Ship our goods in a manner that secures for you the lowest freight charges.

WEIGHTS

Throughout the catalog we give shipping weights on most of the items shown. We also give a table herewith which will enable anyone to figure the weight on ordinary millwork items. The Panel Doors referred to in this table are One, Two and Five Cross-Panel Doors.

Panel Doors	1¾ Inches	Thick			
Mill was en tracked	White Pine	Fir	Oak	White Pine	Fir
2 ft. 2 ft. 8 in. by 6 ft. 8 in. 3 ft. by 7 ft.	58 lbs.	49 lbs.	60 lbs. 85 lbs. 100 lbs.	59 lbs.	37 lbs. 54 lbs. 65 lbs.

Table of Approximate Molding Weights

	34x1-Inch, Wt., per 100 Feet Lineal		34x5-Inch, Wt., per 100 Feet Lineal	34x8-Inch, Wt., per 100 Feet Lineal
Fir		45 lbs.	75 lbs.	120 lbs.
Yellow Pine		36 lbs. 45 lbs.	60 lbs. 75 lbs.	96 lbs. 120 lbs.
Oak		54 lbs.	90 lbs.	144 lbs.

WINDOW FRAMES
With 11/3-Inch Outside Casing, Plain Drip Cap, will average 45 pounds.
With 11/3-Inch Outside Casing, Crown Mold Cap, will average 50 pounds.
Window Screens will average 10 pounds each.
We will gladly quote a delivered price on any order you make up from

this catalog.

RATE

The table on the other side of this sheet tells you what the freight rates are to towns in different sections in every state. This table makes it plain and simple. The rate for 100 pounds to your station is almost, if not exactly, the same as it is to the town nearest you, found in the list on the other side of this sheet. Freight charges can be paid at the station when you get the goods.

As an Example of How to Figure Freight Charges

We submit an order received from one of our customers living in Harrisburg, Pa., a distance of about 150 miles from the factory. We plainly show the items ordered and the weight of each item, which can be easily ascertained by referring to the approximate shipping weights shown opposite our prices on all doors, windows, etc. For weights of molding and articles not shown opposite prices

we submit a table of weights on miscellaneous millwork. After ascertaining this total weight, refer to the freight table on this page and it is an easy matter to find the proper classification which determines the rate per 100 pounds; when added up it gives you the total freight charge on the entire shipment.

Quantity	ARTICLES	Size	Weight, Each	Total Weight	Takes Class	Rate per 100 Pounds	Charges
3 6 1,000 feet 1 110 12	Panel Doors, Windows, 2-light, Check Rail, Glass S. S. Molding, Glazed Front Door, Spindles, Brackets	24x28 1½ inches 2-8x6-8x1¾ 1½ inches	22 pounds 6 lbs. per 100 feet 77 pounds	77 pounds 24 pounds	3d 1st 3d 1st 3d 3d 3d	42c 63c 42c 63c 42c 42c	\$0.73 .83 .25 .49 .10
The feetable on the	same bill of goods shipped from our fa	etory to Ind	ianapolis, Ind., wo	ould amount t	o only \$2,20.		\$2.45

FREIGHT CLASSIFICATION

1 stands for First Class. 2 stands for Second Class. 3 stands for Third Class. 4 stands for Fourth Class.

11/2 stands for 11/2 times First Class.

	Classification of Merchandise		ARTICLES		Classification of Merchandise	
ARTICLES	(East)	(South)	ARTICLES	(East)	(South)	
Balusters. Blocks. Brackets. Cabinets. Coloumns, built up or solid. Door and Window Frames, knocked down. Doors, Glazed, plain, figured or stained glass (not plate). Doors, glazed, leaded or plate glass. Doors, paneled, also Sash Doors without glass. Glass, window, colored, enameled or ground, leaded, curved line patterns. Glass window, colored, enameled or ground, leaded, straight angle or line patterns. Glass, window, plain or colored, not leaded.	1 1 3 3 1 1 1 3 3 1 1 1 2 1 1 1 2 1 1	4 4 3 1 4 4 3 1 4 1 1 4 1 1 3 1 1 3 1 1 3 1 1 4 1 1 3 1 1 1 1	Lumber (Studding, Sheathing, etc.), write for special carload rates. Lumber, finishing, listed in this catalog. Moldings (unfinished). Newels, built up or solid. Sash, glazed with common or plain glass. Sash, glazed with leaded or plate glass. Sash, not glazed. Sash Weights in bundles. Screens—Door and Window. Shutters. Spindles. Stair Newels Stair Newels Stair Rails and Porch Rails.	3 3 1 1 1 4 1 1 3	4 4 3 3 2 3 4 2 4 2 4 3 3 3 3 3 3 3 3 3	

WRITE FOR FREIGHT RATES ON LUMBER, LATH AND SHINGLES, SIDING, ETC. WE WILL SEND YOU A DELIVERED PRICE TO YOUR CITY

Freight Rates on Millwork

From Our Factories in OHIO or NEW JERSEY, Whichever Is Nearer Your Station

Refer to Opposite Side of This Sheet for Freight Classification to which the articles you are ordering belong. Find the approximate weight as quoted on the page where the articles are quoted. Then refer to this page and find under your state the name of the town nearest you. The freight rate to that town will be found to be almost if not exactly the same as the freight rate to your own station.

Shipping From Our Own Factories Direct to You saves you retail profits. Controlling our supply of lumber from the time it leaves the forests of the Pacific Coast, or the Southern forests, and manufacturing it in our own factories with the most improved methods, enables us to sell you millwork at the price retail dealers pay. The freight charges amount to very little as compared with the saving we make for you by handling it on the "direct from the factory to you" basis.

We Guarantee to Make You a Saving on Millwork, Lumber and Building Material after you have paid the freight charges. Upon receiving your materials, if you don't consider you have made a substantial saving you are at liberty to return them to us at our expense and we will return your money and any transportation charges you paid.

To Contractors and Builders, We Announce That We Make Shipment of Millwork and Lumber from OUR OWN FACTORIES. In our fireproof warehouses we carry in stock, ready for quick shipment, about 100,000 doors, 150,000 windows and millions of feet of moldings, together with other millwork products, all in bright clean condition. We crate all orders carefully, so that they reach destination in first class condition. You take no risk.

Prepared Felt Roofing and Building Papers will be shipped from CHICAGO, ILL., PHILADELPHIA, PA., ATLANTA, GA., MEMPHIS, TENN., or from some one of our factories or warehouses in your vicinity as shown in the description of the article, which will enable us to give you much quicker delivery, and the benefit of the LOWEST FREIGHT CHARGES.

NOTICE—Freight rates printed in heavy black face type are the rates per 100 pounds from OUR FACTORY in Newark, N. J. Those printed in light face type are the rates per 100 pounds from OUR FACTORY in Norwood, Ohio.

	1st Class Freight, per 100 Lbs.	2d Class Freight, per 100 Lbs.	3d Class Freight, per 100 Lbs.	4th Class Freight, per 100 Lbs.	orned	1st Class Freight, per 100 Lbs.	2d Class Freight, per 100 Lbs.	3d Class Freight, per 100 Lbs.	4th Class Freight, per 100 Lbs.
ALABAMA— Birmingham Brewton Dotham Mobile Montgomery	\$1.63 1.93 1.96 2.02 1.78	\$1.39 1.64 1.67 1.72 1.51	\$1.14 1.35 1.37 1.41 1.25	\$0.90 1.06 1.08 1.11 .98	MISSISSIPPI— Hattiesburg. Jackson Natchez New Albany. NEW HAMPSHIRE—	\$1.97 1.84 2.00 1.56	\$1.67 1.56 1.70 1.33	\$1.38 1.29 1.40 1.09	\$1.08 1.01 1.10 .86
CONNECTICUT— Hartford. Waterbury	.57 .57	.48	.41	.31	Berlin	.90 .79	.79 .67	.60 .56	.43 .43
DELAWARE— DoverFrankford	.65 .70	.56 .60	.44	.34	Atlantic City	.60 .32	.50	.42	.32 .16
DISTRICT OF COLUMBIA— Washington	.70	.60	.50	.38	Buffalo New York Syracuse NORTH CAROLINA—	.79 .32 .67	.69 .27 .57	.55 .22 .48	.34 .38 .16 .34
FLORIDA— Jacksonville Miami Pensacola	2.15 2.69 2.02	1.83 2.29 1.72	1.51 1.88 1.41	1.18 1.48 1.11	Charlotte	1.44 1.33 1.44	1.23 1.14 1.23	1.08 1.00 1.08	.88 .81 .88
Tallahassee. Tampa. GEORGIA— Atlanta.	2.06 2.38	1.75 2.02	1.44 1.67	1.13 1.31	OHIO— Columbus. Steubenville. Toledo	.59 .84 .73	.50 .71 .62	.39 .56 .49	.30 .42 .37
Dalton Savannah Valdosta Waycross	1.48 2.00 2.00 2.03	1.26 1.70 1.70 1.73	1.04 1.40 1.40 1.42	.81 1.10 1.10 1.12	PENNSYLVANIA— Erie Harrisburg Philadelphia	.85 .63 .42	.75 .54 .34	.57 .42 .29	.40 .32 .23
ILLINOIS— Cairo	.89 .81	.75	.60 .54	.45 .41	Pittsburgh Scranton RHODE ISLAND— Providence	.85 .67	.75	.57 .44	.40 .32
Rock IslandSpringfieldINDIANA— Evansville	.92 .84	.78 .71	.56	.46 .42	SOUTH CAROLINA— Charleston. Columbia. Greenville.	1.95 1.79 1.70	1.66 1.52 1.45	1.37 1.25 1.19	1.07 .98 .94
Fort WayneIndianapolisRichmond	.66 .57 .48	.56 .48 .41	.44 .38 .32	.33 .29 .24	Sumter TENNESSEE— Jackson	1.85	1.57	.92	1.02
South Bend	.76 .89 1.12	.65 .76	.62	.49	Knoxville	1.28 1.46 1.25	1.09 1.24 1.06	1.02 .88	.70 .80 .69
Morehead	.57 .97	.48 .82	.38	.30 .53	Bennington	.67	.60	.50	.38
Bangor Millinocket Portland MARYLAND—	1.02 1.67 .86	.90 1.45 .73	.69 1.15 .60	.50 .85 .43	Luray Marion Richmond Roanoke Rockymount	1.03 1.74 .79 1.14 1.29	.90 1.48 .67 .97	.70 1.15 .59 .79	.48 .79 .47
Baltimore	.65 .70	.56 .60	.44 .50	.34	WEST VIRGINIA— Charleston	.73 .99	1.13 .62 .87	.97 .49 .66	.61 .37 .47
Pittsfield	1.62	1.33	1.02	.74	Wheeling. WISCONSIN— Ashland. La Crosse.	1.62 1.51	1.33 1.23	.56 1.02 .94	.42 .74 .67
Detroit	.79 .84 1.03	.67 .72 .87	.53 .57 .69	.40	MadisonMarinetteMilwaukee	1.26 1.17 .90	1.07 1.00 .77	.83 .79 .61	.61 .59 .46

SEARS ASPHALT ROOFING

Makes the Best and Cheapest Roof

See How Easy To Put On



Figure 1—Showing how Valleys are put on before laying roof.



Figure 2—Roofing is laid bottom capped at top.




Figure 3-Method of finishing edges and corners.




Figure 4—Finishing around chimney with roofing cement.

GIVES A FIRE RESISTING ROOF THAT AFFORDS REAL PROTECTION

To roofing materials will give you as much coverage per dollar nor as low roofing cost per year as our fire resisting asphalt roofings. They are by far the most economical roofings you can buy, whether for a brand new roof or for reroofing purposes. Easy and economical to put on.

Below are the comparative costs of different kinds of roofs for an average size house with a roof area of

16 squares (1,600 sq. ft.). Labor figured at \$1.00 per hour on all roofs. Cedar shingles laid 4 inches to the 16 squares (1,600 sq. ft.). Labor figured at \$1.00 per nour on an roots. Cetaal singles laded inches weather, or 900 shingles to the square (100 sq. feet). See for yourself how much you can save by using one of our guaranteed asphalt roofings; and also bear in mind that our prices are for a fire resisting roof that has passed the severest hot blast flame test and other tests of the Underwriters' Laboratories. these roofings sufficiently fire resisting to affix their label for low insurance rate and safety.

These Figures Prove the Economy of Our Roofings G

Kind of Roof		Material Labor	Total Cost	Estimated Life of Roof	Cost per Year
Clear Cedar Shingles	Shingles Nails Labor	\$86.40 5.47 57.60	\$149.47	12 Years Not Guaranteed	\$12.45
"Fire-Chief" Shingle Roll Roofing	Roofing Labor	47.68 16.00	63.68	17 Years' Guarantee	3.75
"Oriental" Plain Slate Surfaced Roofing	Roofing Labor	32.80	48.80	17 Years' Guarantee	2.87
"Best-of-All" Roofing, 65-lb.	Roofing Labor	36.00	52.00	16 Years' Guarantee	3.25

These figures show vividly the tremendous economy of Sears Asphalt Roofings.

BUY ROOFINGS THAT THE GUARAN'

Greatest Guarantee We've Ever Written

Every one of our roofings are guaranteed unconditionally. You are assured the full life of service stated in each guarantee, whether it be 11 years or 17 years. When laid properly, our roofing far outlasts the guarantee. Many customers write us that roofing purchased from us over 20 years ago is still giving excellent service.

Lay It Fast—It Goes on Easy

Our asphalt roofings are easy to lay. Compared with shingling, laying an asphalt roof is an easy job that can be done remarkably fast. One width across the roof covers as much surface as can be covered with wood shingles in 3½ hours by an experienced shingler. It should take an inexperienced man only 16 hours to cover an average roof of 1,600 square feet with roll roofing, whereas a shingling job would take one man 58 hours just for shingling alone, while to remove the old shingles would require another 4 hours.

Our asphalt roofings can be laid right over the old roof. See illustration at right. This makes reroofing doubly easy and also gives practically double roofing protection. It also gives a warmer home in winter and a cooler one in summer, as the old shingle roof covered with our asphalt roofing acts as an insulating material.

For reroofing always use 1¾-inch roofing nails which are long enough to go clear through the old shingles, and you will be certain of a good job.

Here's the Right Way to Lay Roofing

It is best to start at the bottom, or eave, and work up to the ridge. Each width of roofing should be laid with the proper lap and nailed every foot along the upper edge to hold in place until the lap is completely nailed.

Be careful in working over the laid roofing that you do not punch any holes or drop loose nails on the finished roof.

To avoid buckling, start nailing in the center of the strip and nail towards the two ends.

Enjoy Lowest Factory-to-You Prices'


We are the world's unquestioned leaders in honest, rock bottom roofing values. Twentyfive years' experience in roofing is behind our roofings. Right now there are over one million roofs covered with Sears, Roebuck and Co.'s roofing. Your roofing dollars have far greater purchasing power here than elsewhere.

Easy Payment Terms on Roofing, Asphalt Shingles, Steel Siding, Steel Roofing and Accessories

If Your Order Amounts to	Add for Easy Payments	First Payment With Order	Monthly Payments
\$25.00 to \$30.00	\$3.00	\$5.00	\$5.00
30.01 to 35.00	4.00	6.00	6.00
35.01 to 40.00	4.50	7.00	7.00
40.01 to 45.00	5.00	8.00	8.00
45.01 to 50.00	5.50	9.00	9.00
50.01 to 60.00	6.00	10.00	9.00
60.01 to 70.00	6.50	12.00	10.00
70.01 to 80.00	7.00	14.00	10.00
80.01 to 90.00	7.50	16.00	11.00
90.01 to 100.00	8.50	18.00	11.50
100.01 to 125.00	10.00	20.00	12.50
125.01 to 150.00	12.50	25.00	14.00

For Amounts Over \$150.00 Write For Terms

Lay It Right Over the Old Roof



You don't have to remove the old roof in order to put on our asphalt roofing. Just lay it right over the old roof. The old shingles under our asphalt roofing act as an insulating material.

SPECIAL OFFER!



This Roofing Knife made of fine steel, firmly set in a solid handle, handy for many household purposes is sent with each roofing order.

lighest Guaranteed

Inderwriters TOUR TOUR STANDARD OF THE STAN

We Guarantee

Oriental Slate Surfaced Asphalt Roofing for 17 years. If it does not give satisfactory service for a full 17 years, we will allow full credit for each year less than guaranteed. This applies to material only and not to application or nailing.

For example: If on July 1, 1929, you bought 20 rolls of 17-Year Guaranteed Roofing at \$2.05 per roll—total cost \$41.00—and on July 1, 1943, this roofing proves defective (giving 14 years' service), we will then allow the equal of 3 years' service, or a credit of \$7.23 on a new order for roofing. \$7.23 on a new order for roofing.

Super Asphalt Roll Roofing

Now! Easy Payment Terms, See Page 65

If you want to save money re-roof now! Don't wait longer! The World's Largest Store is now quoting rilow prices on Oriental Slate Surfaced Asphalt Roofing. You get high quality, guaranteed service at the greatest possible saving. Many brands of roofing that do not give nearly as satisfactory service as Oriental are still selling for \$3.00 to \$3.50 per roll. Estimate the amount of roofing you will need at once and send us your order today.

Guaranteed for 17 Years

Our Guarantee for Roofing is the outgrowth of over 25 years' experience in the manufacture and sale of ready roofing by the World's Largest Store. It is with the knowledge of high and long lasting quality that we can guarantee our roofing for a longer period, because our roofing lasts longer than we claim.

Sears, Roebuck and Co. were first to guarantee ready roofing for a term of years. Our first guarantee was for 12 years. The weight of our Oriental Roofing when first guaranteed was only 80 pounds per roll. Yet customers have written that this roofing lasts much longer. We have gradually improved the quality and increased the weight of our roofing until it now weighs 85 to 90 pounds per roll, and with each change in quality we extended the number of years in our guarantee. Now Oriental Slate Surfaced Asphalt Roofing, one of the best prepared roofings made, is guaranteed for 17 years! Right now, there are more than one million roofs covered with Sears, Roebuck and Co.'s roofing.

It Protects Your Home From Fire

By using Oriental Slate Surfaced Asphalt Roofing instead of wood shingles, you can save about 12 per cent on fire insurance in most localities. This roofing is listed as standard by Fire Underwriters' Laboratories.

Heavy - Durable - Weatherproof

Extra heavy and durable. Snowproof and supproof. Rain only washes it clean. Good in every climate. Better than wood shingles. Can be laid over old shingles, saving the expense and dirt in tearing them off. Suitable for buildings with a roof having a pitch of 1½ inches or more to each running foot. Has a beautiful red or green slate color that will not fade. An excellent value!

Weight, 85 to 90 Pounds per Roll
Including nails and cement. Contains 108 square feet and will cover 100 square feet of roof surface, all in one piece.

For New Roofs

Oriental Slate Surfaced Asphalt Roofing, complete with 1-inch large headed galvanized roofing nails and cement for laps. Roll covers 100 square feet. Not Prepaid.

48Y2 | 63-Red. 48Y2 | 62-Green. Guaranteed 17 years.

Per Roll

For Over Old Shingles

Complete with 1¾-inch large headed galvanized roofing nails to lay over old shingles and cement for laps. Roll covers 100 sq. ft. Not Prepaid.
48Y|479-Red.
48Y|476-Green.
Guaranteed 17 years.

CAUTION! When Choosing Slate Surfaced Roofing, Buy Only Roofing With 2-Inch Watertight Lap Joint. If slate or pebbles lie between the two layers of roofing, the joints will loosen

Shipped freight or express NOT PREPAID. For shipping point nearest you see page 67. For Easy Payment Terms and Special Roofing Knife Offer, See Page 65.

EASY to FIGURE YOUR NEE


There are only two things to do to figure how much roofing or shingles to buy. (1) find the number of square feet in your roof; (2) divide by number of square feet in roll or bundle to find the number of rolls or bundles you need.

For Gable Roofs like figure A, multiply the length (22) by the length of rafters (15), to get (330), the number of square feet on one side of roof. Multiply by 2 and you have (660) the total number of square feet on both sides of the roof. Next divide by square feet in a roll (100) or bundle (50), to get quantity (7 rolls) or (14 bundles) you need.

For Hip Roofs as in figure B, multiply the length of the roof (20) by the shortest distance from the peak of the roof to the edge (12). Now divide by 2 to get the number of square feet on that side (120). For square roof, multiply by number of sides (4) to get total area (480), divide by 100 to get 5 rolls needed or divide by 50 to get 10 bundles. If roof is not square find area of each side separately.

For Dormers and gables as in figure C, multiply the length (6), by the longest rafter (8) and divide by 2 for area of one side (24); multiply by 2 for total (48) sq. ft. Order 1 roll or 1 bundle of shingles.

Order roofing packed with 134-inch nails if to be laid over old wood shingles. Use 1-inch nails for roofing applied directly to sheathing. For asphalt shingles order nails separately. We will be glad to estimate for you, if you will send us the dimensions of your roof.



Page 66



The Best Smooth Roofing Made!

Leading roofing experts say: "Best-of-all is the best smooth finish roofing made." It is the most economical asphalt roofing you can buy. Outwears wood shingles, or tar roofing. Three weights, medium, heavy and extra heavy. Lay it right over roof boards or your old wood shingles. Just the roof for homes, sheds, garages, factories, farm buildings and warehouses. Heavy and extra heavy grades are listed as standard by the Fire Underwriters Laboratories—saving you at least 12 per cent fire insurance in most localities.

Highest Quality Materials Used

Made from highest grade materials we can buy. Every roll made to our own tested and tried formula. The blending of the asphalt is controlled by our special process and by actual test lasts longer than the years specified in our liberal guarantee. Only thick, heavy roofing felt, best grade asphalt and other quality materials are used. It is double coaded and surfaced, giving a black, smooth finish. Absolutely weatherproof! Will not melt or evaporate; elastic, pliable and tough. Free from odor. Will not discolor rain water. Each roll contains 108 sq. ft., and will cover 100 sq. ft. of roof surface.

Guaranteed 14 48Y3032—HeavyWeight \$185 -55-pound rolls. Listed as standard by Fire Underwriters Laboratories. PerRoll

Complete with 1-inch Galvanized Nails and Cement for Laps. Not prepaid.

For over Old Shingles. Com-plete with 1¾-inch Galvanized Nails to lay over old shingles and Cement for Laps.

Guaranteed 11 Years

Guaranteed 11 Tears

48Y303! — Me di u m
Weight—45-pound rolls.
A lighter weight roofing than the Heavy and Extra Heavy weights. Will give many years of roofing service and is far better than most lower priced roofings. Complete with 1-in. Galvanized Nails and Cement for laps. Not prepaid.

Composition Roofing

Made of roofing felt, saturated with asphalt, has smooth finish on both sides. Satisfactory, where long wear or fine appearance is not necessary. Furnished with cement and nails (not galvanized).

4873 | | — Light weight.

35-pound rolls. Not prepaid. PerRoll

Average weight per roll is shown. We do not pre-pay transportation charges on roofing.

Guaranteed 16 Years

48Y3O33—Extra Heavy Weight — 65-pound rolls. Listed as standard by Fire Underwriters Laboratories. Per Roll
Complete with 1-inch Galvanized Nails and Cement for Laps. Not prepaid.

For over Old Shingles.
Complete with 134-inch Galvanized Nails to lay over old
shingles and Cement for
Laps. 48Y912 — Extra Heavy Weight—65-pound rolls, Not Per Roll prepaid.



48Y9 | | — Heavy weight— PerRoll 55-pound rolls. Not prepaid.



from loss. Many of our customers tell us that Fire-Chief Roofing laid 17 years ago is practically

as good as the day it was laid. For New Roofs

Fire-Chief Shingle Design Asphalt Roofing complete with 1-inch large headed galvanized roofing nails and cement for laps. Not prepaid.

48Y488—Red.

48Y489—Green.

For Over Old Shingles

Fire-Chief Shingle Design Asphalt Roofing, complete with 1½-inch large headed galvanized roofing nails to lay over old shingles and cement for laps. Not prepaid. 48Y 167—Red. 48Y 172—Green.

Quick Shipment and Low Freight Rates Wherever You Live

Cour roofing warehouses are located in many sections of the country. Each warehouse is the shipping point for the territory nearest to it with lowest freight rates for roofing materials. Below we list locations and shipping points of our largest roofing factories and warehouses. See how dose we are to your home! You save on price of the good rofing, and you also save money on the short haul freight charges. Shipd from PHILADELPHIA, PA., BOSTON, MASS., ALLANTA, G.A., MEMPHIS, TENN., NEWARK, N. J., YORK, PA., CENTRAL NEW YORK, WESTERN NEW YORK, ALBANY, N. Y., DETROIT, MICH., or SOUTH-ERN OHIO. Best-of-all roofing can be shipped from GREENSBORO, N. C., at 20 cents extra per roll. Oriental Asphalt Roofing or Shingles, 30c extra per roll or bundle. Send orders to nearest store. We do not prepay transportation charges on roofing.



Per Roll Now Sold on Easy Payment Terms and Roofing Knife Offer

ROOFING WAREHOUSES

SAVE MONEY Buy Slate Surfaced



Save Least 12% on Fire Insurance in Using Asphalt Shingles in Place of Wood Shingles

Listed as Standard by Fire Under-writers' Laboratories

Per Bundle

and Up

SHIPPED BY FREIGHT OR EX-PRESS ONLY, NOT PREPAID. FOR PREPAID. FOR SHIPPING POINT

NEAREST YOU RE-

FER TO PAGE 67.

GUARAN-TEED SHINGLES 17 \$910 YEARS er Bundle AND UP **Oriental** Slate

Surfaced Asphalt Shingles 4-In-1 Strip Style-Easily Laid at Low Cost

4-In-1 Strip Style—Easily Laid at Low Cost

Guaranteed 17 Years—Listed as Standard by Fire

Underwriters' Laboratories.

Our Asphalt Strip Shingles are rigid, lasting, beautiful, fire resisting
and economical. Will not warp, curl or blow in the wind. Climate
will not affect them. Roof a new house or reroof right over the old
wood shingles without taking them off. Made of heavy roofing felt,
best grade of asphalt and crushed slate. Easy to handle. Laid with
less work and less expense than wood shingles and last longer. Low
like individual shingles. Shingles furnished 10 inches wide or 12½
inches wide. One bundle of 10-inch shingles will cover 50 square feet
of roof surface. One bundle of 12½-inch shingles will cover 33½
square feet. Not Prepaid.

Catalog No.	Color	Width of Strips	Wt., Per Bundle	Per Bundle
48 Y 293 I 48 Y 293 0 48 Y 293 3	Red Green *Blended	10 in. 10 in. 10 in.	100 lbs. to cover 50 sq. ft.	\$2.65 2.65 2.80
48Y 288 48Y 289 48Y 29	Green	12 ½ in. 12 ½ in. 12 ½ in.	82 lbs. to cover 33 sq. ft.	2.10 2.10 2.20
401			The same of the sa	

\$2.10 2.10 2.25 2.35 2.35 Greentone Redtone *Blended in a nice proportion of red, green and tan.

Per Bundle

and Up

Oriental Slate Surfaced Individual Style Asphalt Shingles

Hexo Style-Guaranteed 17 Years

Makes an attractive roof that is different! Lay this guaranteed, permanent fire resisting roof now. It will make your home more comfortable, attractive, and the permanent fire resisting roof now. It will make your home more comfortable, attractive, and the permanent of the perm

Color

Green *Blended

Catalog No.

Super Individual Style Oversize-Overweight-Guaranteed 17 Years Listed as Standard by Fire

Underwriters' Laboratories Underwriters' Laboratories
These shingles in rich colors of red, green, blue-black or blended to make rour red, seem the label and economical. You can satisfy your taste perfectly fur can satisfy your taste perfectly at the satisfy and the satis

	1	ot repaid.	
Catalog No.	Color	Wt. per Bundle, Lbs.	Per Bundle to Cover 25 Sq. Ft.
48Y 28 48Y 282 48Y 283 48Y 284	Red Green Blue-Black *Blended	75 75 75 75	\$1.58 1.58 1.58

Oriental Slate Surfaced Asphalt Ridge and Flashing

Flashing

For ridge or flashing around chimneys. To be used with any of our asphalt roofings or shingles, or as a starting strip under the first row of shingles at the eaves. Length of roll, 25 feet. Width, 8 inches. Weight, 13 pounds. Not Prepaid. (Not illustrated.)

48 y 9608—Surfaced with Crushed Red Slate. Per roll. ... 45c 48 y 9608—Surfaced with Crushed Green Slate. Per roll. ... 50c 48 y 9611—Surfaced with Blended Slate. Per roll. ... 50c 48 y 9611 inches wide. 25 feet long. Same quality as our shingles shown above. Weight, 25 lbs, per roll.

48 y 96 | 5—Green. Per Roll 80c 48 y 96 | 7—8 Blended. Per Roll 80c 48 y 96 | 7—8 Blended. Per Roll 80c 48 y 96 | 7—8 Blended. Per Roll 80c 85c

Now! Easy Payment Terms and Special Roofing Knife Offer on Page 65.

Large Head Galvanized Nails

11/4 pounds 1-inch Galvanized Nails required per bundle to lay on roof boards; two pounds 13/4-inch nails required per bundle to lay over old shingles. Not Prepaid.

48 Y 3 O 4 I - Nails, 1 inch

*Blended is a nice pro-portion of Red, Green and Tan.

Oriental Slate Surfaced Asphalt Shingles

Standard Individual Style

Listed as Standard by Fire Underwriters Laboratories

Guaranteed for 17 Years

Beautiful red, green and blended color slate surfaced shingles. Give triple protection and insulation. Fire resisting, guaranteed, permanent. Our low price enables you to save as much as \$100.00 over prices

elsewhere, on a single roof.

Quick Service. We have a large quantity ready for immediate shipment. Furnished in size about To be laid 4 in. to the weather. Not Pre-

Catalog No.	Color	Wt., per Bdl., Lbs.	Per Bundle to Cover 25 Sq. Ft.
48Y2926	Red	60	\$1.20
48Y2927	Green	60	1.20
48Y2929	*Blended	60	1.30

Best-of-all Smooth Finish Asphalt Valley

Made of same material as our extra heavyweight Best-of-all Roofing described on page 67. Not Prepaid. (Not illustrated.)

48Y9607—Length of roll, 25 feet. Width, 16 in. 75c



BUY NOW! PRICES LOT

Compare these low prices with what you have to pay elsewhere for Genuine Wood Fiber Wall Board. Quality is the highest grade.

Use Wood Fiber Wall Board for both new and old buildings. Anyone can easily apply this wall board with excellent results. No experience needed, all you need is a saw and a hammer. Use it in a new building or remodel an old one, it is equally serviceable. Suitable for halls, garages, stores, lodge halls, office buildings or any place where quick work, decorative possibilities and warmth are desired.

Why Pay More Elsewhere?

Wood Fiber Wall Board, under another name, sells elsewhere at 40 to 50 per cent higher prices. Why pay more—buy here at reduced prices and save. Clean, dry, sanitary and durable. Can be painted or tinted any color. Does not split. Rooms ready for occupancy as soon as applied. Insulate against heat and cold. Various lengths from 6 to 12 feet. Use wood panel strips over joints. Wood Fiber Wall Board shipped by freight or express only from NEWARK, N. J., or WESTERN NEW YORK, not prepaid. Carefully bundled for shipment. Be sure to state width wanted.

48Y3196—Plain Light Cream Finish. Both sides alike. Sheets, 32 or 48 inches wide. State length and width wanted. 1/2 inch thick.

Width In.	Length, Feet	No. Sq. Feet, Sheet	Shpg. Wt., per Sheet, Pounds	Per Sheet	Width In.	Length, Feet	No. Sq. Feet, Sheet	Shpg. Wt., per Sheet, Pounds	Per Sheet
32 32	6 7 8	16 183/3 211/3	9 11 12	46c 53c 61c	48 48 48	6 7 8	24 28 32	14 16 18	\$0.68
32 32 32 32 32 32 32 32	10 12	24 263/3 32	14 15 18	68c 76c 91c	48 48 48 48 48 48	9 10 12	36 40 48	20 22 27	1.03

Wood Panel Strips

For use with wall board. Panel Strips are shipped by freight or express only from CINCINNATI, OHIO, or NEWARK, N. J., NOT PREPAID

DING PAPERS Save Heat

Just the thing for homes, garages, poultry houses, barns, cellars and storerooms. Keeps your buildings warm in winter, cool in summer. Saves fuel, saves money. Our low prices quoted here save you even more. These fine building papers are used by thousands of builders. We recommend them for standard quality, highest values. Manufactured from select material. We believe them to be the best building paper values you can buy. All building papers and felts shipped from our store. Ask for samples.

as 46c per Sheet.

TARRED FELTS

Tarred felt is one of the best kinds of building paper for lining floors and for use between sheathing and siding. Used under stucco and brick veneers; also for gravel roofs. Made of carefully selected felt, thoroughly saturated with redistilled American coal tar. Not prepaid.

48Y3050—Tarred Felt. 250 square ft. per roll. Wt., per roll, 60 lbs. \$1.95
We recommend this for all first class jobs, because it is the thickest. Used extensively for roofing temporary buildings. It makes an excellent insulating felt and should be used under all floors.

48Y3054—Tarred Felt. 400 sq. ft. per roll. Wt., per roll, 60 pounds. \$1.95
Tarred Felt, medium thickness. This thickness of tarred felt is used for gravel roofing where several layers are specified. It is not as thick as 48Y3050, but is very satisfactory where a medium grade of work is required.

48Y3055—Tarred Felt. 500 square feet per roll. Wt., per roll, 60 lbs. \$1.95

Used everywhere under siding and between floors, as lining for freight cars, crates, boxes and barrels. Saves contents from dust and dirt. Makes dwellings warmer and drier. Rosin sized. We recommend Leader Brand as the thickest, toughest and most durable, but Competition Brand is a fair grade. Each roll 500 square feet.

feet. Y3000—Leader Brand, 36 in. wide. 48Y3000—Leader Brand, 36 in. wide. Wt., 40 lbs. Per roll, not prepaid....90c 48Y3007—Competition Brand, 36 in. wide. Wt., 20 lbs. Per roll, not prepaid....45c

Blue Plaster Cardboard

Less than one-half of a cent a square foot for our Fulton Brand Blue Plaster Cardboard. Used as a low priced material for ceiling and above wainscoting; also used in buildings where a low cost interior finish is desired. Good for lining garages and poultry houses. Keeps out wind and cold.

A heavy paper, about the thickness of ordinary cardboard with smooth surface. Made only in "A" grade from carefully selected stock. Strong and durable. A pleasing shade of blue. Easily put on with ordinary large headed tacks or 6-oz. bill posters' tacks. For sheathing purposes it would be hard to obtain a warmer, stronger or tougher material. Rolls are 36 inches wide.

48Y30 | 2—Blue Plaster Cardboard, 250 square 75c Wt., per roll, 30 lbs.

lbs. Not Prepaid.



Per Roll

of 250 Sq. Ft.

Here's Better Insulation!



No More Large Coal Bills More Sweltering SEALTITE Protects

A cold, draughty home is not only uncomfortable, but unhealthful. It is also very expensive to heat. Check the wasteful escape of heat through your roof, especially. That is where your greatest loss occurs. You can save 35 per cent on your fuel bills here alone. You can avoid the discomfort and wasteful expense by insulating with SEALTITE. Savings in fuel bills alone will soon reimburse you for the outlay.

Weather and Sound Proof

SEALTITE is made of a layer of chemically treated hair, interwoven and fitted together to form a uniform hairfelt. This hairfelt is then sewed between two layers of heavy waterproof paper made especially for the purpose. The paper cover protects the hairfelt and acts as a deflecting surface for sound and heat. The finished product provides the most efficient sound deadener and heat and cold insulator ever offered the public. SEAL-TITE is vermin-proof, everlasting, fire resistant and easy to install. It is made 1/2 inch thick. Generally speaking this thickness is recommended for heat and cold insulation of roofs, outside walls or ceilings and for sound deadening of floors and partitions.

Acts Like a Blanket

SEALTITE — An all purpose blanket type building sulation. Consists of a thick layer of felted hair and insulation. fiber sewed between 80-pound waterproof asphalt building felt. The covering of building felt protects the insulating fibers and acts as an ideal deflecting surface for sound. SEALTITE is equally efficient as a heat and cold insulation and sound deadener when applied to ceilings, outside tion and sound deadener when applied to ceilings, outside walls and roofs where insulation is most needed. Keeps cold out in winter and insulates against heat in summer. Saving in fuel pays for insulation in a short time. Easily applied in frame construction, brick veneer, stucco on metal lath or tile and brick walls. May be placed between studding or applied to outside of studding beneath sheathing. Instructions for applying will be sent with each order. Furnished in rolls 36 inches wide and 50 feet long, weighing 75 pounds. Shipped from NEWARK, N. J., or MILWAUKEE, WIS., Not Prepaid.

Comes in Rolls—Easy to Apply

48Y3201-Per roll containing 150 square feet. Shipping weight, 75 pounds. Not prepaid

We guarantee you will be entirely satisfied with SEALTITE.

COOLER IN SUMMER



Goodwall Sheet Plaster is a fire resisting gypsum rock composition plaster of even thickness between two sheets of heavy cardboard. These cardboards are so saturated with the fire resisting gypsum composition that they make Goodwall Sheet Plaster far more fire resisting than regular lath and plaster.

Here Are Its Many Advantages

It enables you to do a better job for less money and can be applied by yourself.

WARMER

IN WINTER

It is equal in service and strength to a lath and plaster wall.

It does away with lath stains and hair cracks.

It deadens sound as effectively as lath and plaster.

is vermin-proof and can be painted, papered or kalsomined.

It can be covered with a plaster coat of any thickness, but 3% of an inch hard plaster for first coat Quick delivery at low freight charges from many shipping points: NEW BRIGHTON, N. Y., GRAND RAPIDS, MICH., OAK-

and % of an inch top coat finish for second coat will be sufficient to make a smooth and seamless wall. It is dry. No need to wait for weeks to drive the dampness out.

It is clean. No muss and dirt when you apply it. It cuts out cost of lath; none needed with Goodwall Sheet Plaster.

It will not break when being nailed.

It can be cut with a saw, or broken with a clean edge by scoring the cardboard on both sides with a knife, breaking where scored.

Size, In.	Thick- ness In,	Sq. Ft	Shpg. Wt., Crated per Sheet	Per Sheet
32x 48	3%	10%	20 lbs.	\$0.22
48x 72	3%	24	52 lbs.	
48x 84 48x 96	3/8	28 32 36	60 lbs. 69 lbs.	1.96
48x108	3/8	36	77 lbs.	1:23
48x120	3/4	40	86 lbs.	

GRAND RAPIDS, WICH., OAK-FIELD, N. Y., FORT DODGE, IOWA, GYPSUM, OHIO, SWEETWATER, TEXAS, or PLASTERCO, VA., Not Prepaid. Plaster

[For First Coat]

Specially Prepared Hard Specially Prepared Top Coat **Plaster**

Figure For second coat. Shipped in good strong bags with sheet plaster. If you want a real white finish order our white top coat. Quantity required to cover 100 square feet, 10







Suitable for covering table tops, stoveboards, heat shields, etc. Grade No. 9. Size of sheet, 36 by 84 inches. Weight, per sheet, 14 pounds

pounds. 48Y4601—Per sheet. \$1.95

Used on steel, slate or shingle roofs. Comes in 10-foot lengths, 8-inch girth, in our heavyweight 28-gauge or extra heavyweight 26-gauge.

in our heavyweight 28-gauge or extra heavyweight 26-gauge. Heavyweight 28-Gauge Galvanized Steel 4873 167*—Weight, per length, 5 pounds, Per length....45c Extra Heavyweight 26-Gauge Galvanized Steel 48Y3341-Weight, per length, 7 pounds, Per length..... 55c

All Articles on this page shipped from our store. Items starred (*) also shipped from Newark, N. J.

Square Bead Eaves Trough adds to the appearance of your home, besides giving weather protection. Made of extra heavyweight U. S. Standard 26-gauge galvanized steel with plain ioints for soldering. The 3-inch conductor pipe 48Y3303 is suitable to use with this trough. Width, across top, 4 inches. Ten-foot lengths weigh 10 pounds.

Outside Corner Miters End Caps For left hand end of Square Bead Eaves Trough. Size, 4 in. Weight, each, 2 oz. Size, 4 in. Weight, each, 1 pound. 48Y3405* 78c 48Y3404*

11c For right hand end of Square Bead Eaves Trough. Size, 4 in. Weight, ea., 2 oz. 78c 48Y3403* 11c

Outlet Tube Size, 3 in. Weight, each, 3 ounces. For Square Bead Eaves Trough. Length, 13 in. Weight, each, 3 ounces. 48Y3821* 6c

Each

Inside Corner Miters

Size, 4 in. Weight, each, pound. 48Y3406* 786

HEARTH-NO BETT GALVANIZED STEEL—BOTH SIDES COATED WITH PURE ZINC RESISTS FIRE, LIGHTNING AND HAIL Protect your buildings against the most destructive elements. Our steel roofing and siding resists fire, lightning, wind and hail. We guarantee every sheet. CORUGATED STEEL ROOFING Sheets actually measure 26 inches wide. Both have a covering width of only 24 inches on account of the side lap. Allow from 4 to 6 inches for end laps, depending upon the pitch of roof. For siding, a 2-inch end lap is sufficient. Allow for side laps to cover 100 square feet of surface; this does not include the end laps. Prices of 1½-Inch Corrugated Steel Roofing

Prices of 2½-Inch Corrugated Steel Roofing								
Catalog No.	Per 5-Ft Sheet	Per 6-Ft. Sheet	Per 7-Ft. Sheet	Per 8-Ft. Sheet	Per 9-Ft. Sheet	Per 10-Ft. Sheet	Per 12-Ft. Sheet	Wt., per 100 Sq. Feet
48Y3105-28-Gauge Painted.	33c	41c	47c	54c	\$0.60	\$0.66	\$0.85	68 lbs.
48Y3106-28-Gauge Galvanized.	52c	63c	73c	83c	.94	1.04	1.28	84 lbs.
48Y3123-26-Gauge Galvanized.	58c	70c	810	93c	1.04	1.16	1.43	98 lbs.

Prices of 11/4-Inch Corrugated Steel Roofing								
Catalog No.	5-Ft.	Per 6-Ft. Sheet	7-Ft.	8-Ft.	Per 9-Ft. Sheet	Per 10-Ft. Sheet	Per 12-Ft. Sheet	Wt., per 100 Sq. Feet
48Y3107—28-Gauge Painted.	34c	42c	49c	56c	\$0.62	\$0.69	\$0.87	68 lbs.
48Y3108—28-Gauge Galvanized	53c	64c	74c	85c	.96	1.06	1.29	84 lbs.
49Y3125—26-Gauge Galvanized.	59c	72c	83c	95c	1.06	1.18	1.46	98 lbs.



We furnish two thicknesses as follows: Heavy Weight U. S. Standard 28-gauge and Extra Heavy Weight U. S Standard 28 gauge. EXTRA HEAVY is fully one-fifth heavier than Heavy Weight. We recommend the Extra Heavy Weight as it costs but a trifle more and wears twice as long. WE DO NOT SELL LIGHT OR STANDARD GAUGE STEEL ROOFING. Roofing described as "painted" is given one coat and requires additional paint. Use galvanized steel for seashore territory.

CRIMPED STEEL ROOFING

Durable and Economical. Has covering width of 24 inches after lapping one crimp over other. Requires no soldering, folding or hemming of seams or joints; anyone who has ordinary mechanical ability can put it on. For V Strips for crimp roofing, see No. 48V3081 listed below.

Easy Payments Now on Steel Roofing, Siding and Accessories, See Page 65

Prices of Two-V Crimp Steel Roofing

Prices of Three-V Crimp

ME KOOK

Catalog No.	Per 5-Ft. Sheet	Per 6-Ft. Sheet	Per 7-Ft. Sheet	Per 8-Ft. Sheet	Per 9-Ft. Sheet	Per 10-Ft. Sheet	Per 12-Ft. Sheet	Wt., per 100 Sq. Feet
48Y3077-28-Gauge Painted.	32c	39c	45c	51c	58c	\$0.64	\$0.79	69 lbs.
48Y3078-28-Gauge Galvanized.	0-0-1	THE RESERVE	69c		087	.98		85 lbs.
48Y3080-26-Gauge Galvanized.	54c	64c	76c	86c	97c	1.07	1.33	98 lbs.

Frices of Three-V Crimp Steel Roofing								
Catalog No.	Per 5-Ft. Sheet	Per 6-Ft. Sheet	Per 7-Ft. Sheet	Per 8-Ft. Sheet	Per 9-Ft. Sheet	Per 10-Ft. Sheet	Per 12-Ft. Sheet	Wt., per 100 Sq. Feet
48Y3086-28-Gauge Galvanized.	49c	59c	71c	81c	\$0.89	\$0.98	\$1.23	86 lbs.
48Y3083—26-Gauge Galvanized	56c	67c	79c	89c	1.01	1-11	1.37	100 lbs.

Face Steel Siding Size of single brick, 234x834 in. In sheets, 60x28 inches. Sold only in full sheets, painted or galvanized, as quoted below. Weight, painted, 64 pounds; galvanized, 78 pounds per 100 square feet. Furnished only in 28-gauge.

Catalog No. Brick Face Steel Siding

Brick

48Y3 6	Painted
48Y3 7	Galvanized

39c 57c Beaded Steel for Ceilings or Sidings

Made from U. S.
Standard 28-gauge
steel, painted on both
sides with iron oxide
paint, ground in linseed oil. Sheets cover
24 inches from center
of outside beads and
can be furnished in 5,
6, 8 and 10-ft. lengths.
The beads are small
corrugations, % inch
wide by % inch deep
and 3 inches from center to center. Always
allow for end lap.
Siding or Ceiling.


Rock Face **Steel** Siding

Size of single stone, 7x12 inches. In sheets, 60x28 inches. An excellent facing for stone fronts. Easily applied. Weight, painted, 64 lbs.; galvanized, 78 lbs. per square of 100 square feet. Furnished only in 28-gauge.

maned only in 20-gauge	•
Rock Face Steel Siding	Per Sheet 60x28 inches
ntedvanized	41c

3V-CRIMPED

Galvanized or **Black Sheet Steel**



48Y3225—Galvanized Flat Sheet Steel, standard grade. Size of sheet, 28x96 inches. State gauge wanted. No. of gauge. . . . 28 26 24 Wt., per sheet, lbs. . 15 17 22 Per sheet. 84c 9 [c \$1.08

48Y3222—Black Sheet Steel, State No. of gauge..... Wt., per sheet, lbs.

Corrugated Ridge Roll

Catalog No.

48Y3 | 42 | Pai 48Y3 | 43 | Gal

Nails Use 1 lb. 1-in. | Nation | N

Wood V Strips for V Crimp Roofing

A triangular wood strip for use on each side, under the crimps. Two V Crimp requires 50 feet; Three-V Crimp requires 100 feet per square.

48Y308 | — Wood V Strips. Per 100 feet. Weight, 60c



Lead Washers

For making nails weatherproof. Use 1/2 lb. for 100 sq. ft. of steel roofing.




Majestic Galvanized Steel Ventilators

Extra heavy U. S. Standard 22, 24 and 26-gauge galvanized steel is used in the manufacture of our Majestic Ventilators, according to size. Equipped with four stay rods which hold them securely in place on the roof. A wire screen is provided to keep birds out. Your choice of gold bronzed horse or cow weather vancely stay of the Comment Shipped from CENTRAL OHIO. Not Prepaid.

Catalog No.	Size Flue	Size Base	Height	Wt., Lbs.	No. Cattle	Each
48Y655	20 in. 24 in. 28 in. 30 in.	29 in. 36 in. 40 in. 44 in.	7 ft. 6 in. 8 ft. 8 in. 9 ft. 5 in. 10 ft. 4 in. 10 ft. 6 in. 11 ft. 3 in.	115 155 182 235 252 396	4 6 8 12 14 20	\$22.00 25.60 29.20 34.95 37.35 45.60

Prince Galvanized Steel Ventilators

Suitable for small buildings, such as small barns, hog houses and poultry houses.



Shipped from CENTRAL OHIO, Not Prepaid.

Galvanized Steel Valley

Made of U. S. Standard 28-gauge galvanized steel in a continuous strip, locked joints. Full lengths are 25 feet and 50 feet. Width, 14 inches. 48 Y 3 I 97—Calvanized Steel Valley in rolls, 28-gauge.
25-foot roll. Weight, 20 pounds. \$1.85 50-foot roll. Weight, 40 pounds. 3.70 Shipped from our store, Not Prepaid.



High Grade Metal Ceilings

This neat and tastefully designed steel ceiling is used very extensively for stores and moderate priced buildings. A pattern appropriate for any size room.

48Y31|4
Steel Siding or Ceiling Covering, furnished in sheets of 24x96 inches, which includes allowances for side and end laps. Weight, per square, 56 lbs. Painted in a light drab color on both sides. Per sheet...

48Y31|8—Design




48Y3 | 18—Design Border. Width, 3inches. Per 4-foot length. 16c Save \$35 to \$60 on a Simplex Sectional Garage

Many Exclusive Features—Easy Payments

Simplex Sectional Garages are sturdy and economical. They have every garage feature that has stood the test of time and experience. The following facts indicate the exceptional value of our garages: They are designed to be built easily and quickly, but to be of permanent construction. Their laminated interlocking joints are actually stronger than two-by-four studding. Equipped with the latest improved Triple Sliding Doors. Complete satisfaction GUARAN-TEED. Although our low prices are from factory-to-you, we arrange low monthly payments. A garage quickly pays for itself in saving of rent. We have a wide choice of designs, all of wonderful value. Ask for our Free Garage Catalog T659BM.

The SECURITY



AS LOW AS

DOWN \$10.00 per Month


Double Frame Garage 55PB17

TF YOU HAVE a limited space you will find that the single car Security Garage is just what you want. It is furnished with the Sears Triple Sliding Doors, one of which can be used as a service door. The single car garage is furnished with two sash, 24x26 inches and a service door. Two-car garages have two sets of sliding doors as shown in the illustration, three sash and one side door, 2 feet 6 inches by 6 feet 6 inches. Sold for cash or on liberal easy payment afford to pay rent on a garage when you can not seen. You cannot afford to pay rent on a garage when you can own terms. one so easily.

Furnished in the following sizes:

Catalog No.	Width and Length	Price	Shipping Wt., Lbs.	Add for Foundation Posts If Wanted
55PB 1 55PB 3 55PB 4 55PB 6 55PB 8 55PB 8A 55PB 8B	9 ft. 3 in.x18 ft. 3 in. 12 ft. 3 in.x18 ft. 3 in. 12 ft. 3 in.x21 ft. 3 in. 16 ft. 3 in.x18 ft. 3 in. 18 ft. 3 in.x18 ft. 3 in. 18 ft. 3 in.x21 ft. 3 in. 21 ft. 3 in.x18 ft. 3 in.	\$158.00 176.00 192.00 245.00 256.00 276.00	2,300 2,900 3,400 3,500 3,800 4,500 4,500	\$2.25 22.25 22.750 22.500 3.000
55PB 9	21 ft. 3 in.x21 ft. 3 in.	296.00	5,100	3.50

The ECONOMY



AS LOW AS \$10.00 per

Month

55PB50 Frame Garage

"CONOMY" garages are flat roof, swinging door garages, popular in many sections of the country. They are primarily designed as sturdy and neat garages at the lowest possible prices. They do not have many of the exclusive features found in the Simplex garages, but will be found very serviceable. Sections are easily bolted together by any handy man. You can recet it yourself over the week end. Less than a year's rent will pay for it. You cannot afford to rent a garage any longer. These garages are 8 feet high in front, sloping to 7 feet in rear. The roof is made of 1x6-inch No. 2 dressed and matched, covered with our Best-of-all Black Asphalt Roofing, guaranteed for 14 years.

Furnished in the following sizes:		Price	Shipping Weight, Pounds	Add for Founda- tion Posts If Wanted	
55PB50	10 ft.x14 ft.	\$ 90.00	1,700	\$2.25	
55PB51	10 ft.x16 ft.	99.00	2,000	2.25	
55PB52	10 ft.x18 ft.	109.00	2,400	3.00	
55PB57	18 ft.x18 ft.	161.00	3,600	4.25	



These garagesare equipped with Sears Triple Sliding Doors. a feature that eliminates dangerof damaging your car in going in and out of the garage, besides assuring you year around convenience.

The AVENU



AS LOW

DOWN \$10.00 per Month

55PB37 Double Frame Garage

The Avenue Garage makes a good investment. If you get the single car size it will pay for itself over and over again in the saving of rent. But if you order the double garage, you can in addition enjoy a profitable income from a tenant car owner.

The Avenue will harmonize with almost any style of architecture. It is a strong, well built, hip roof garage.

It is furnished in eight sizes, suitable for either one, two or more cars. There is a garage for every car owner. See table of sizes.

The illustration above shows the two-car garage. It has three full size sliding windows and a service door. It has, also, two sets of Sears Triple Sliding Doors, one set of doors for each car.

The one-car garage has one set of Sears Triple Sliding Doors, two windows and a side or rear door.

Catalog No.	Width and Length	Price	Shpg. Wt., Lbs.	Add for Foundation Posts if Wanted
55PB31	9 ft. 3 in.x18 ft. 3 in.	\$165.00	2,300	\$2.25
55PB33	12 ft. 3 in.x18 ft. 3 in.	189.00	2,900	2.25
55PB34	12 ft. 3 in.x21 ft. 3 in.	202.00	3,400	2.75
55PB36	16 ft. 3 in.x18 ft. 3 in.	256.00	3,500	2.50
55PB37	18 ft. 3 in.x18 ft. 3 in.	263.00	3,800	2.50
55PB38A	18 ft. 3 in.x21 ft. 3 in.	286.00	4,500	3.00
55PB38B	21 ft. 3 in.x18 ft. 3 in.	286.00	4,500	3.00
55PB39	21 ft. 3 in.x21 ft. 3 in.	305.00	5,100	3.50

Attractive Designs, High Quality, Low Prices

0

Artistic Metal Ceilings

Suitable for Stores, Offices, Churches, Schools, Etc.

Metal ceilings are suitable for private or public buildings. Churches, schools, offices, theaters, music halls, lodge rooms, stores and dwellings are particularly adapted for using metal ceilings.

Our designs are attractive. The patterns are from en-

our designs are attractive. The patterns are from entirely new dies which are perfect and clean cut. You will find our metal ceiling prices enable you to make a big saving.

Metal ceilings take a very low freight rate. In most territories metal ceilings are shipped as fourth class and the freight charges amount to very little. To give you an idea of how small the freight charges will be: An order of 100 square feet of ceiling or side wall material, crated ready for shipment, weighs about 70 pounds and is shipped as fourth class freight.

We pack our metal ceilings in a most careful manner and guarantee safe delivery to any point in the United States. Our Pocahontas design is carefully packed in bundles for

ESTIMATES

If you are unable to estimate the amount of metal ceiling required for your rooms, send us a sketch of the room and show measurements of all the offsets and our Estimating Department will gladly figure this for you. Be sure to state the style of ceiling you want.

We furnish, without extra charge, with any pattern of metal ceilings, except on the Pocahontas design on page 75, or side walls, special nails for putting up the metal; also the wood brackets for molding and cornices when precessary.

when necessary.

SOFT WOOD FURRING STRIPS

About 100 lineal feet of furring strips are required for each square f metal ceiling.
48 × 3060—Size, 14x¼ inch. Per 100 lineal feet (not prepaid)..\$1.40

13 FT 6 IN

MAGRET Illustration Shows Principal Parts of Com-plete Ceiling. You Get the Entire Ceiling When You Order by Number in Catalog. HOW TO ORDER


It is best to send us a small sketch or drawing showing the exact outline of your ceiling, including offsets, if any. Show measurements on all four sides, as buildings are frequently out of square. Be sure to show locations of doors and windows and give exact distance from the ceiling. For side walls be sure to locate doors, windows, vestibules, chimneys or other offsets. Give the distance from the top of the doors and windows to the ceiling and from the bottom of the windows to the floor; also give height of walls and baseboard.

1st—To the actual width of the ceiling add twice the size of the cornice drop printed below the design you select; this gives you the proper width to figure. 2d—To the actual length of the ceiling add twice the size of the drop printed below the design you select; this gives you the proper length to figure.

3d—Multiply these two results, width and length together and you have the area, or the number of square feet to order.

For example, we will take a square room 12x12 feet. The design you select has a cornice with a 9-inch drop. To the 12-foot ceiling we must add twice 9 inches, or 1 foot 6 inches, the drop of the cornice on both walls, which gives us 13 feet 6 inches for each dimension. 13 feet 6 inches multiplied by 13 feet 6 inches equals the area, or 182¼ square feet.





Cornice Filler Mold Furnished in Sheets 24 Inches Wide by 48 Inches Lor 6-Inch Design

> Suitable for Small Rooms Only


Cornice drops on wall 4 inches.

Add 8 inches to length and width of room to allow for cornice before calculating number of square feet required for this design.

48Y2465-Per 100 square feet, including wood brackets for

Expanded Metal Lath

For outside stucco finish or for interior work where fireproof construction is desired. Shipped in bundles of 10 sheets. Sheets are 27x96 in. and contain 2 square yards. Will break bundles if necessary.



Suitable for Large Rooms, Especially Churches, Halls and School Rooms

Cornice drops on wall 4 inches.

Add 8 inches to length and width of room to allow for cornice before calculating number of square feet required for this design.


Shipped in Bundles 10 Sheets

оню.

Shipped from factory in CENTRAL



	I I I was a long to	GALV	ANIZED	5 1 17 5 5					
	Catalog No.	Per Square Yard	Yards, per Bundle	Weight, per Square Yard, Lbs.					
8	48Y2820 48Y2822	24c 31c	20 20	2.5 3.4					
	GET DO.	PAINTED							
	48Y28 0 48Y28 2	17c 21c	20 20	2.2 3.0					
	Shipped from	factory in I	EASTERN OHIO.	Not prepaid.					



Easily installed. Heavy tin adjustable box to fit any floor from 4 to 11 inches. Use with pipeless furnace, cabinet or any stove. Makes stove unnecessary in upper floors; reduces fuel costs. Unbreakable steel, black japanned floorplate, white enameled ceiling plate. Two heavy coil springs hold parts together. Our prices save you \$1.00 to \$2.50 over prices elsewhere. We Pay the Postage.

Gives proper circulation of air, so needful in providing pure air to all rooms.

Our tremendous volume factory purchase makes possible this great price saving to you.

	Size	Each, Postpaid
99T2118	8x10 inches	\$2.45
99T2116	9x12 inches	2.85
9972119	10x12 inches	3.50
99T2120	12x15 inches	5.75
99T2117	14x18 inches	9.50

Hinge Set

Storm and Screen Door Trimmings

Storm and Screen Door Latch 48¢ Post-

Can be set to prevent opening door from outside. Fits doors % to 1½ in. thick, opening out. Size, 2x2% in.

9T4092—Lemon brass finish, Postpaid......48c

Numeral Nails

For screens, storm windows, etc. Raised figures. We Pay the Postage.

9T4095—Numbers from 25.

Hooks and Eyes



9T4224 We Pay the Postage.

Hook, inch.. 2 3 4 Doz. 10c 15c 21c



18¢ O Postpaid

.....18c

Storm and Screen Hangers

Reinforce frames at corners, For hanging all full length screens and sash. Easily hung and removed from inside of window, Prevent rattling, Galvanized steel, rustproof. Complete with screws, hooks and eyes, set Postraid.

Storm and Screen Door Check

..\$1.40

"We are pleased to inform you that we have equipped all of our gas and oil service stations with your new bronze double cushion all metal weather trips, and we have found them to be very satisfactory in every case of the control of Oil tempered steel, nicely ja-panned. Length, 16 in. Size, 932-in.

We Pay the Postage.

Spiral Door

Springs

9T4102 2 for.....



Here's Real Protection The only

stri made that will

assure a permanent

contact for all time

between sash and frame. Rustproof,

durable bronze, formed "S" shape to

A User Says:

weather

WEATHER STRIPS Keep Out Cold!

For Windows

99T4300 99T4302 99T4304

Make your home snug and cozy at very little expense. Heat-seal your doors and windows at the cost of a few cents each.

provide a snug weatherproof seal that conforms to all warping, shrinkage and expansion of sash. It requires no skill to install, and invisible when installed. Will not sing, hum or vibrate and prevents window from rattling. A building once equipped with bronze weather strip never has to be re-equipped. We Pay the Postage.

40 Post-paid

Weatherstrip Your Home Prevents Sickness - Saves Fuel

Postpaid

EASY TO

Heavy Felt
Weather Strip
Stop those draughty cracks
around doors and windows. Package of 100 feet, including tacks.
Width, % inch.
We Pay the Postage.
916207-100 feet for...58c

Window Ventilators



For Openings Up to

99T4308-For doors 3x7 feet .. \$1.25

Postpaid

INSIDE

Fresh air without a draft, dust or dirt. Light and easy to adjust. We Pay the Postage.

\Latest Type-Approved by U.S. Government

TITITITIT



Made according to latest U.S. Government specifications. After July 1, 1929, this is the type of Rural Mail Box required by U.S. Postoffice regulations.

WEFAY POSTAGE Extra large

Extra large parcel post box. Extra strong, Made of galvanized sheet steel, aluminum finish, Will last for years, Gives absolute protection to your packages from rain and bad weather. Holes provided for fastening to post. Measures about 23% inches long, 11 inches wide and 13% inches high, inside measure. When requested we stencil your name on both sides of this box and send cardboard stencil without extra charge. We Pay the Postage.

Letters and Polished aluminum, easily read letters and numerals. 3 inches high. Nails included. Print letters or numerals wanted. Numerals

House Num-bers 204

Guaranteed Rustproof **Mail Boxes**



B6 And Up Postpaid



Of 26-gauge steel, Rust-proof, 11x5½x2½ in. Lock and two keys, Name plate and pyralin window. Gravity hinge keeps door closed. Spring clip.

easily read letters and numerals. 3 inches high. Nails included, Print letters or numerals wanted. We any the Postage.

9T4002—Letter. 4c
9T4006—Numeral. 4c
9T4008—Each. 10c
9T4008—Each. 10c





Steel Stove Shovel Steel Stove Snovel
One piece. Black enameled.
Scoop, 9x4/2x2 in.
Length, over all,
204 inches.
We Pay Postage,

9T2700...12c \$180 Steel Stove Boards

And Up Heavy steel plate. Baked enamel, beautiful mahogany grained finish. Neat and attractive design; will harmonize with most any furniture. Mounted on two-ply cross laid white pine base. Guaranteed against warping. Shipped by freight

Size | Shpg. Wt. | Each 9972 | 10 26x32 in. 9972 | 1 28x34 in. 9972 | 12 30x30 in.



Crystal Stove


Boards

Crystallized steel top, with attractive design, silver effect. Mounted on two-ply cross I ai d pine base. Guaranteed against warping. Shipped freight or express only,

Prepaid. Shpg. Wt. Size Each


Metal Ceilings and Side Walls

All metal ceilings painted a light drab color on both sides to prevent rusting



POCAHONTAS

Suitable for Large or Small Rooms Especially Good for Kitchens




ornice Filler Mold Field ←6-In.→
Furnished in Sheets Design
24 in. Wide by 48 in. Long.

VENUS

Suitable for Large or Small Rooms

Cornice drops on wall 4% inches.

Add 9 inches to length and width of room to allow for cornice before calculating number of square feet required for this design.




STEEL TILE

Suitable for Large or Small Rooms

48Y2602—Side Wall. Furnished in sheets 24 inches wide by 96 inches long. Can be used in bathrooms, kitchens or in any room where an imitation tile design is desired. The tile design is 1½x6 inches.

Per sheet (not prepaid).

62c
Shipping weight, 60 pounds per 100 square feet.



←24-In.→ Design Field Mold Furnished in Sheets 24 in. Wide by 48 in. Long. Filler Cornic

LINCOLN

Suitable for Large Rooms, Halls, Churches, Theatres, Etc.

Cornice drops on wall 9 inches.

Add 1 foot 6 inches to length and width of room to allow for cornice before calculating number of square feet required for this design.

Shipped in bundles from factory in CENTRAL OHIO, from which point customer pays the freight

OUR GREATEST LOCK SET Postpaid

Beauty and Security Combined

3-Tumbler Front Door Lock Sets Postpaid

298

Reversible lock, 5½x3½ in. Genuine bronze, 2½-in. knobs and escutcheons; outside, 10½x2½ in.; inside, 7x2½ in. Three keys. We Pay the Postage.

9T4626—Genuine bronze, old copper finish. Set. \$2.98

9T4674—Genuine bronze, old copper finish. Set. \$2.98

Garage Parambler Lock

Has electro plated steel front, escutcheons and knobs. We Pay Postage.

9T4627—Lemon brass finish.

Chicago Design

Chicago Design

A very handsome design that reflects good taste and individuality that is certain to enhance the charm and attractiveness of your home. It is our greatest lock set value, combining beauty of design and security at extremely low cost. A saving that you cannot afford to overlook. We believe lock sets such as these cannot be found elsewhere at prices as low as ours. Compare them feature for feature, and you will find ours best. We Pay the Postage.

Steel Lock Sets for

Inside Doors

Reversible mortise lock, 3%x3% inches; 2%-inch knobs. Heavy beveled edge escutcheons, 7x2% inches, Nickel plated key.

9T4619—Lemon brass finish on steel. Per set. Postpaid.45c

Genuine Solid Bronze Sets

"The Enduring Metal"

Easy spring mortise lock, 3%x3% inches, with cast bronze face bolts and strike, Genuine bronze, 24/-in, knobs. Beveled bronze escutcheons, 7x2% in holts. Beveled bronze escutcheons, 7x2% in patients of the proper finish on genuine bronze. Set. Postpaid.\$1.45

Genuine Bronze Bathroom Sets

9T4419—Lemon brass finish on genuine bronze. Set. Postpaid.\$1.45

Genuine Bronze Bathroom Sets

Genuine Bronze Bathroom Sets

974419—Lemon brass finish on outside, nickel plated inside, with thumb turn. Per set, Postpaid. ... \$2.10
974421—Old copper finish on outside, nickel plated inside, with thumb turn. Per set, Postpaid. ... \$2.10

Cylinder Front Door Lock Sets

Postpaid 685 Set

Sears 'prices save you one-third on these attractive lock sets. Reversible lock, 5½x3½ inches.

Chicago and Stratford Designs

Dignified trimsjthat combine all that is desired in lock sets—artistic lines; pattern and strength. Refinements that will lend the proper finishing touch to any home, and a detail that will contribute to the permanent worth of your home. Solid bronze or steel, handsomely finished in lemon brass or old copper, whichever you may desire. We believe there are no better made. Note the savings at Sears.



Stratford Design

Genuine Solid Bronze Sets

"The Lifetine Hardware"

Easy spring mortise lock, 3\%x3\% in, with cast bronze face, bolt and strike. Genuine bronze, 2\%-inch knobs. Bronze escutcheons; size, 7\%x2\% inches. Nickel plated key. We have the Postage.

974571-Lemon brass finish on genuine bronze. Per set. \$1.70

974729-Old copper finish on genuine bronze. Per set. \$1.70

Genuine Bronze Bathroom Sets

974420-Lemon brass finish on outside, nickel plated inside, with thumb turn. Per set. Postpaid. \$2.20

974422-Old copper finish on outside, turn. Per set, Postpaid. \$2.20

nickel plated inside, with thumb turn.

Three-Tumbler Front Door Lock Sets

Per Set
Postpaid
The massive construction gives strength to the durable heavy bronze material. Reversible mortise lock, 5x3½ inches, Genuine bronze front, bolts, and escutcheons; outside, 7%x2% inches, once key operates so the bolts from outside. Complete with screws and three keys, We Pay the Postage.

9T4576—Genuine bronze, lemon finish. Per set..........\$3.25 9T4724—Genuine bronze, old copper finish. Per set.......\$3.25 Cylinder Front Door Lock Set



Ventilating Side Sash

Fasteners
Holds sash Postpaid
position, Prevents rattling. Complete
We Pay the Postage.
974514-Lemon brass
974776-Old copper.

Ventilating Sash Lock
Allows windows to be left
open at top or bottom with
security; 1%-in. wide. Solid
bronze knob. We Pay the
Postage.
974516—Lemon...30c
974778—Old copper. 30c
974573—Sanded old
brass...35c

Stop Bead Screws and Washers

We Pay the Postage. 9T4512—Lemon finish.

We Pay the Postage. Size, 3½ inches. 9T4530—Lemon

9T4780—Old copper finish.

9T4760—Old copper.... 9T4565—Sanded old brass....

Fasteners

Postpaid

Reversible

Reversible

Reversible

mortise lock,
5½ x 3½ inches,
Genuine bronze,
Genuine bronze,
front, bolts,
strike, 2¼ inch
knobs and escutcheons; outside, 12x3
inches; inside 7½x
2½ inches, One key
operates both bolta
from outside. Thumb
and three keys. We Pay the Postage.

974574—Genuine bronze, lemon
finish. Per set. \$7.25

974726—Genuine bronze, old copper finish. Per set. \$7.25

Complete with screws.

French Window and Screen Door Lock



Genuine bronze. Escutch-eons, 4%x 1¼ inches.

974527-Lemon finish. Postpaid\$1.95 9T4755-Old copper finish. Postpaid\$1.95

Glass **Push Plates** Postpaid 60¢

Pair

Pair
Prices that
save you about
one-third. Bevel
edged plate
glass. For use
on double acting doors. Nothing to discolor
or tarnish. Size, 3x12 inches.
We Pay the Postage.
9T4719—Pair.....60c

Universal

Casement Adjuster

..60c Sanded old brass......16c



Fasteners C and And Old copper....759 Nickel plated......15c

Casement

Galvanized Non-Rust Cellar Window Set 0000000 0000000

Pair of 2½-inch steel butts, one steel sash fastener and one 2½-inch hook and eye, Complete with screws. We Pay Postage.

YOU SAVE WHEN **YOU BUY HERE**



\$1.90 2.30 22.465 22.655

Steel Sash | Sash Pulleys | Chain Doz.

Easily inserted in casing. 2-inch wheel. We Pay Postage.

Operate so o ver pulley of used for cord. Instructions for installing included, We Pay Postage.

9T4260 974256 Per dozen. 57c Complete for double sash.

Nickel Plated Finish 9T4413—Each

Braided Sash Cord

Sash Lifts

Postpaid

A very superior quality.

Made from selected long fiber cotton. Tough and pliable and will not stiffen. Put up in bundles of 100 ft. No. 7 makes a very strong and lasting clothesline. We Pay the Postage.

No. | Size, In. 100-Ft. 9T6224 7 9T6225 8

We Pay Postage A

For windows open-ng out. Size, 12 nches. We Pay the Postage.

9T4533-Lemon brass\$0.98

Mortise Door Bolts

32¢ Post-paid

Solid bronze knobs and escutcheons. We Pay the

9T4496 — Lemon brass finish. Each....32c 9T4800—Old copper finish. Each.....32c

Rubber Tipped Birch Base Knobs

For protecting the wall back of door. Strong screw, good quality tip. We Pay the Postage. 33C

Door Holders

Tyou save on these door holders. Neat Postpaid design. Rubber tipped. Holds door in any position. We Pay Postage.

9T4498—Lemon brass finish. 85c

9T4794—Old copper polished finish. 85c





Length, 2% inches. We Pay Postage. 9T4456—Lemon brass finish...12c 9T4828—O 1 copper polished fin-ish...12c

La Tosca and Narcissus Designs

Exceedingly modern designs of especial appeal. Distinctive patterns that will grace the finest homes and prove a source of everlasting pride and satisfaction. La Tosca and Narcissus designs offer all that is desired in a lock set—supreme beauty and complete security. To be classed with the finest lock sets on the market today. Furnished in solid bronze or steel handsomely finished in sanded old brass.

"La Tosca" Design

The Latest in All Metal Trim

A beautiful design in genuine solid bronze metal. For inside doors. Finished in sanded old brass, in slight relief. Easy spring mortise lock, size 3%x3% in., with cast bronze face, bolt and strike, Solid bronze knobs and escutcheon. Knobs, 2 inches. Escutcheon, 1%x6 in.

9T4852—Complete for inside door...\$2.25
9T4856—Same as above, but with steel plated knobs and escutcheon. Sanded old brass finish....\$1.30

Closet Door Set

Front Door Cylinder Lock Set

Postpaid

*995

Per Set

escutch-Highest

Bathroom Door Set

Similar to bronze inside door set above, except that inside knob and escutcheon are nickeled. Nickeled thumb turn replaces key.

974853—Postpaid. \$2.65

Lock



Three-Tumbler Front Door Lock Set



with three keys. Knop, 24 in, Outside escutchen, 7%x2 in, 1974850—Sanded old brass finish.

974850—Sanded old brass finish.

99545 in the pseudopter finish the pseudopter finis

0



Heavy reversible mortise lock, size, 5½x3½ in.
Genuine bronze face, bolts and strike. Complete with three keys. Solid bronze k n o b s and escutcheons.
Outside escutcheon, 7½x
2½ in. We Pay Postage.



EQUIP YOUR DOORS WITH THIS BEAUTIFUL DESIGN "Narcissus" Design \$190 With "RICH KRAFT"

INCLASS KNOB LOCK SETS

Colonial Design



Glass Knobs

Extra quality and values in artistic door sets. Easy spring lock. Size door sets. Fasy string lock. Size for set
974575—Same as above, except steel plated metal trimmings, Sanded old brass finish. \$1.35

Closet Door Set

Genuine Bronze Trimmings,

Genuine Bronze Trimmings,
Turn on inside in place of glass kn
Sanded old brass finish.
9T4554—Postpaid...\$1.50

HIGHEST GRADE BUTTS and HINGES

Half Mortise Butts

eon. Highest quality cylinder 10 c k of latest design. Size, 5½ x3½ in., with heavy solid bronze face, bolts and strike. Complete with three keys. Knob, 2½ in. Outside escutcheon, 7%x2% in.

9¢ Pair With Screws We Fay the Postage 9T4654 Lemon

9T4838 Old copper. Length of Joint Per Pair State Size 1½ in. 2 in. 19c 25c 26c 26c 27c 39c 2½ in.

3 in. 3½ in. 974 428—Nickel plated steel.

We Pay Postage.

Size, 2 inches. Pair... 37c
Size, 3½ inches. Pair... 47c

Light Cupboard Butts



18¢ Pair We Pay the Postage.
9T4836
Old copper finish.
9T4653 brass. Pai 180 200 22c Lemon Size, In. 2 x2 2½x2 2½x2½

With Screws 974426—Nickel plated fin-ish. Size, 2½x2 in, for medi-cine case, etc. Pair......26c 974569—Sanded old brass finish. Size 2½x2 inches. Per pair......25c

Fast Joint Narrow Steel Butts



12¢ 3 Pairs 1-Inch We Pay the Postage. 9T4388 Plain finish With screws

Loose Pin Plated Butts

We handle only one quality—the best. Extra heavy. In a choice of beautiful finishes to harmonize with any interior. With screws. Postpaid.

0 16¢ And Up Postpaid 9T4832—Old copper, 9T4651—Lemon, 9T4568—Sanded old brass, Size, Inches 9T4832 9T4568 State Size 22c 22c 23c 2½x2½ 3 x3 3½x3½ 16c 16c 31c 52c 9T4424—Nickel plated. Size, 3½x3½ inches, for bathroom. Pair, Postpaid..31c

Floor Spring Hinges 89¢



For double acting doors. Extra quality, trouble - free s e t. Has s mappy action. For doors 1½ to 1½ in. thick. We Pay the Postage.

Postpaid

9T4658—Lemon brass..... 89c 9T4845—Old copper finish.... 89c 9T4542—Sanded old brass finish... 95c



Ball Tip Butts

For cupboards and china cabinets. Width, open, 2% inches.
We Pay the Postage.

Three-Tumbler Front Door Lock Set 4.65 Post-Paid


Cylinder Front Door Lock Set

Thiefproof, Size.

5½x3½ in. Heavy
solid brass front, bolts
and strike, Bolts operated by one key.

"RICH KRAFT"
glass knob on inside.

Cast bronze knob and
trimming on outside,
Sanded old brass finish, With 3 keys,



\$9.25 9T4550-Postpaid.

French Window Lock Set \$325 Per Set Postpaid

Adds to effectiveness and c h a r m of your French windows a n d increases t h e value of your home. Side with bronze key escutcheon, Genuine bronze lever handle and key plate on inside, Lock, 3%x 1½ inches. Sanded old brass finish, 974556—We Pay the Postage.... \$3.25

Cylinder Lock Set For entrance doors. Size, 5x3% inches. Operated by



Cupboard Turns

Steel, electro plated. Size, 1%x1% inches. We Pay the Postage.

9T4790 - Old copper polished | Oc

Cast

Japanned Door Buttons

With

Postpaid. 9T4205

Size,

9T4502-Lemon brass..... 100 9T4408-Nickel plated....15c 9T4559-Sanded old brass.12c

Drawer Pulls

Length, 3½ inches, teel electro plated, le Pay the Postage, 9748 6—Old coper polished. 22c

9T4480 - Lemon




Postpaid 9T4252 5C

Cupboard Catches Steel, electro plated. S i z e, 21/4 x1 1/36 in. 0 0

9T4792—Old copper polished finish. We Pay Postage.....9c
9T4500—Lemon brass finish. We Pay Postage......9c
9T4562—Sanded old brass finish. We Pay Postage......10c

Japanned Steel Barrel Bolts



the Postage. 9T4248-State length.

05 | Lgth., 2 in. Ea... 9c | Doz. Lgth., 3 in. Ea... | 1c | loc Lgth., 4 in. Ea... | 3c | Lgth., 6 in. Ea... | 7c |

| Safety Door Guard



For security and For security and protection against intruders. Electro-plated steel, dull brass finish. We Pay tho Postage.

974541. 39C



We guarantee that a set of this quality cannot be purchased elsewhere for less than \$5.00. Strong, simple, casily applied hanger. Stormproof, birdproof and cannot jump the track. Carefully made of finest materials and scientific design. Won't bind or stick. Assures trouble free doors that will work easily and properly. Large 2½-inch wheels reduce friction to a minimum. Both lateral and vertical adjustment. Easy to get any clearance. Sets include double roller hangers complete with adjustable rail, screws, clips, brackets, etc. Gray enameled finish. Shipped only by freight or express, Not Prepaid.

99T4477—For doors up to 8 ft. wide. Short at 2 times.

9974477—For doors up to 8 ft. wide. Shpg. wt., 33 lbs. Complete set, including 16 feet of track and all necessary brackets, bolts, etc.... \$2.90 9974478—For doors up to 10 feet wide. Shipping weight, 38 lbs. Complete set, including 20 feet of track and all necessary brackets, bolts, etc..... \$3.65

Genuine Rockwell Garage or Barn Door Hangers and Sets

Hinged Joint Roller Bearing Hangers Only
Have large 3½-inch wheels. Provided with hinge door attachment. Cannot bind. Keeps wheel upright on track when door swings. Prevents jumping off rails. Guard rail holds wheel on track if door is raised by obstructions. Bolts for attaching to 1¾-inch door included. Weight, 8 pounds. We Pay the Postage.

974240-Per pair, Postpaid. 85c

Complete Sets With Hangers and Track
Two "Rockwell" hangers, with track complete. Shipped only by freight or express, Not Prepaid.

Doors, Track Wit. Set With Set 1900.

85¢ Postpaid 16 ft. 24 lbs. 20 ft. 30 lbs.


99T4479 99T4480 Heavy Flat Steel Garage or Barn Door Track Especially Suitable for "Rockwell" Hangers



Round edge heavy steel, 1½x½6-inch, Steel brackets attached. Includes all necessary screws. Shipped only by freight or express, Not Prepaid.

Manual-syr	Length, Feet	Shpg. Wt., Lbs.	-
99T1041	6	6	45c
99T1042	8	8	60c
99T1043	10	11	75c

"Roll Rite" Trolley Adjustable Roller Bearing Hangers



Run easily, never sag. Have vertical and lateral adjustment, without blocking up or removing door, Suitable for 134-in. to 234-in, doors. We Pay the Postage.

Steel Brackets for Above Tracks

HINGES FOR ALL PURPOSES



Safety Hinge Hasps





Steel Strap Hinges

0 Sizes given are one-half the total length.
Screws included. We Pay the Postage.


	1143	94-Light.		
	ln.	Total Length, In.	Per Pair, 2 Hinges	6 Pairs
18	3	6	9c	\$0.48
	6	12	180	1:00
(9 T43	95-Heavy.		
	6 8 10	12 16 20	19c 28c 48c	\$1.05 1.60 2.65

Heavy Steel Screw Strap Hinges



9T4390—Bolts included. State length. Lgth., 10 in. We Pay Postage. Pair . \$0.39 6 Pairs. Lgth., 12 in. We Pay Postage. Pair . \$2.25 Lgth., 12 in. We Pay Postage. Pair . 2.65 Lgth., 14 in. We Pay Postage. Pair . 3.10 6 Pairs. 3.10

A Lower Price on Our Best Set



"Clear View" Around the Corner 3-Door Garage Set Usual \$6.50 Value Elsewhere

Usual \$6.50 Value Elsewhere


Doors slide around the corner inside the garage and out of the way. Require very little floor space. Easy to operate. Easy to install. Not affected by wind or weather. Three-door arrangement permits two doors to slide around the corner either to the right or left inside garage. Service door provides a convenient entrance and may be hinged to Jamb on the right or left side, or the three doors may be hinged together if preferred.

Complete equipment: 3 roller bearing hangers; 3 6-inch heavy strap hinges; 2 handles; 1 thumb latch; 2 floor door guide plates; 1 door bumper; 6 28-inch sections of flat track and 1 curved piece. Complete with bolts, screws and instructions.

Fits any opening up to 8 feet wide. Shipping wt., per set, 43 lbs.

9974454—Shipping only by freight or express, Not Prepaid

99T4454—Shipped only by freight or express, Not Prepaid...... \$4.50



Garage Door Set

Postpaid For your garage.

Postpaid For your garage, set1 Strong, durable; set consists of 3 pairs 10-inch extra heavy T hinges, 6-inch chain bolt, 6-inch loot bolt. Universal latch with inside pull and pair of padlock eyes. Complete with screws; neatly finished in black japan.

Folding, Sliding, 3-Door Garage Set



DOOR TRIMMINGS at Lower Prices



"Automatic" Garage Door Holder

Post-positive and autopain durable. Length, 31 inches. We Pay the Postage. the Postage.

9T4235—Per pair, Postpaid....\$1.98

Barn Door Pulls

Large, full grip, japan-ned steel. Length, 6% in. We Pay the Post-60 age.

9T4237 With screws... 8C screw

Yankee Door Catch

Made of cast iron, japanned. We Pay the Postage, 914242 - With



Heavy japanned steel, 12-in. arms, aw tooth points that hold on cenent or ground. We Pay the

9T4228-Per pair..... 39C **Swinging Door Latch**

Postpaid

Heavy cold rolled teel, japanned. Rust-(C) steel, proof bolt. Easiest operating latch made. Fits doors, ¾ in. to 2¼ in. thick. (Padlock not included.) We Pay the Postage.

0

9T4233-Postpaid45c

Chain Bolt Japanned steel, Length, 6 in. %-in. rustproof bolt. 24 inch chain. Reversible for doors swinging in or out. Screws included. We Pay Postage.

9T4243 39C

50 Assorted Staples

Postage. 9T421725c



Foot Bolt



Japanned steel, Length, 6 in paid paid point, Locked or released with foot lever. Screws included, We Pay the Postage. 974245....39c

Corner Irons

Bright steel.
Complete assortment of most useful sizes, 1 to 3 inches.
We Pay the Handy corner braces of bright steel, Complete with screws. We Pay the Postage.

9T4191-State size. Size, in...1x½ 2x¾ 3x¾ 4x⅓ Doz.12c 24c 36c 68c





LIGHTING FIXTURES

and EQUIPMENT

It Pays to Modernize Your Lighting

Nothing adds so much to the comfort and attractiveness of the home as up to date lighting fixtures.

And on the other hand nothing detracts more from the attractiveness of the home than out of date lighting fixtures.

Modern lighting fixtures, with their more subdued light and greater artistic beauty, serve the double purpose of promoting family health by eliminating eye strain and of displaying all of your home furnishings to better advantage.

Modern lighting fixtures are more than just lighting fixtures. They are a distinct factor in the decorative and artistic scheme of the home.

You'll be surprised at what small cost you can modernize your lighting with HI-GLO Lighting Fixtures. Also at the savings that the World's Largest Store can make you over regular prices elsewhere.

The lighting fixtures illustrated have been selected from groups shown in our Lighting Fixture Catalog. They are but a few of the wonderful designs and big bargains, shown in this catalog. It is Free. Send for it.

Why HI-GLO Lighting Fixtures Are Better

HI-GLO lighting fixtures always embody the newest designs and finishes and are characterized by distinctive artistic beauty. A wide choice of designs for all rooms is offered—always at prices that represent large savings over usual prices else-

HI-GLO lighting fixtures are easy to install, a small screwdriver being the only tool needed, thus simplifying the replacing of older types of fixtures.

HI-GLO lighting fixtures are backed by an unqualified guarantee of complete satisfaction. We will return your money if you do not think they are the best of their kind you can obtain anywhere



Torchere Girandole

For use on mantel shelves, fireplaces, buf-fets, long tables, etc. Made of cast metal fin-

Made of cast metal finished in antique greenish gold color. Height, 12½ in.; 10 in. wide. Has keyless sockets, 6 ft. of cord and plug. Lamps are not included in price. Shipping wt., 5 lbs. Use lamp 34P6822. Each...36c We pay postage.

34P81571/4 \$3.95



Thick Solid Rubber

Extension cord, 10 ft. long, with separable plug. wood handle and lamp guard. Not affected by water or grease. We Pay Postage.

34P6703 Each.....95c



|Plural Plug|

Plug With Three Side Outlets Black com-position, two blades fit into standard knife blade recepta-cle, outlets fit any standard plug cap. Shpg. wt., each, 8 oz.

Write for Your Cop

Special Lighting Fixture Catalog

Our Special Lighting Fixture Catalog T618BM contains a complete line of everything needed to modernize the lighting of homes and apartments.

ments.

LIGHTING FIXTURES—For the whole house or any room in it.

Many styles and finishes to select from. Prices lowest in the country.

FLOOR AND TABLE LAMPS—A wonderful selection, including many novelties for odd corners at prices much lower than you would expect to pay for similar quality.

HOUSE WIRING MATERIALS—Plugs, switches, wire, conduit, sockets, accessories—at big savings.

This catalog also illustrates a full line of electrical appliances such as electric heaters, flat irons, vacuum sweepers, toasters, fans, motors, etc.

Send for it.—It's FREE!

Save from \$500to \$2000 on Your Home



